

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Atmel ATAVRMC100

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



AVR MICRO

Kit

ATAVRMC100

AVR[®] Motor Control Evaluation

EVALUATE AND DESIGN BRUSHLESS DC MOTORS APPLICATIONS

The ATAVRMC100 is an evaluation kit dedicated to brushless DC motor control, for both Hall effect sensor control and sensorless control using Back ElectroMotive Force.

The kit includes an evaluation board, a 3-phase BLDC motor and a demon-

stration software. It allows users to quickly evaluate the capability of **AVR**[®] microcontroller the AT90PWM3B to control high speed brushless DC motor applications. The kit can also serve as a development platform. Low cost AVR development tools make debugging easier, and source codes, written in C, can be easily re-used by developers for their own motor control applications.



Key Features

- Evaluation Board with AT90PWM3B Microcontroller
- 3-phase BLDC Motor
- For both Hall Sensor and Sensorless Applications
- Supports In-System Programming and Chip Emulation
- CD-ROMs with Datasheets, Application Notes and Demonstration Software

Applications

- Air Conditioning (HVAC)
- Refrigerators, Fans, Pumps
- High Tech Industrial Constant Speed
 Applications
- Traction Elevator
- Medical Equipment



ATAVRMC100 BLDC Motor Control Evaluation Kit

Headquarters

Atmel Corporation 2325 Orchard Parkway San Jose, CA 95131 *USA* Tel: (1) 408 441-0311 Fax: (1) 408 487-2600

International

Atmel Asia Room 1219 Chinachem Golden Plaza 77 Mody Road Tsimshatsui East Kowloon Hong Kong Tel: (852) 2721-9778 Fax: (852) 2722-1369

Atmel Europe

Le Krebs 8, rue Jean-Pierre Timbaud BP 309 - 78054 St Quentin-en-Yvelines Cedex *France* Tel: (33) 1-30-60-70-00 fax: (33) 1-30-60-71-11

Atmel Japan

9F, Tonetsu Shinkawa Bldg. 1-24-8 Shinkawa Chuo-ku, Tokyo 104-0033 *Japan* Tel.: (81) 3-3523-3551 Fax: (81) 3-3523-7581

Literature Requests www.atmel.com/literature

Web Site www.atmel.com



Disclaimer: The information in this document is provided in connection with Atmel products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Atmel products. EXCEPT AS SET FORTH IN ATMEL'S TERMS AND CONDI-TONS OF SALES LOCATED ON ATMEL'S WEB SITE, ATMEL ASSUMES NO LUABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ATMEL BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNTINE, SPECIAL OR INCIDENTAL DAMMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS AND PROFITS, BUSINESS INTERRUPTION, OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ATMEL HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, Atmel makes no representations and yround herein. Unidea the Information contained herein. Unidea therein Guyadot the useptications. Atmel's reproducts a The ATAVRMC100 BLDC motor control kit is an evaluation tool and development board for the AT90PWM3B AVR microcontroller from Atmel.

The board includes power bridges for BLDC motors and can realize zero crossing voltage detection, hardware overcurrent detection and motor supply voltage

Motor Control C

measurement. An on board LIN transceiver allows to drive application through a LIN network. Programming of the code into the microcontroller's Flash memory can be performed with an AVRISP or a JTAGICE mkII through the dedicated connectors.

Product Features

- On board AT90PWM3B microcontroller in SO32 package (2.7-5.5V)
- Hall sensor or sensorless configuration
- Zero crossing voltage detection
- Hardware overcurrent detection
- Motor supply voltage and operating current measurement

Power Bridge for BLDC Motors

- Any commutation schemes are possible.
- Recommended Voltage Operation from 8 to 16V DC (4A)

BLDC Motor

For a comprehensive and ready-to-use evaluation, a 3-phase BLDC motor is provided.

- Manufacturer: TecMotion
- Hall sensors included. Also usable as sensorless motor.

Support

All design hints are described. Any new design can use these examples as a starting point.

Development Tools

Only low cost standard AVR tools are required for application development and debug.



- System clock: internal RC oscillator
- On board LIN transceiver Atmel ATA6661
- Expansion connector to be used with other AVR microcontrollers
- Many access points for test and debug
- Dimension: 75 mm x 55 mm

- Phases: 3 Poles: 8
- Voltage: 12V
- Speed: 6200 RPM
- Peak Torque: 0.19 N.m
- ATAVRMC100 User Manual
- Hardware schematics and layout
- Self tutorials
- Application notes and software examples
- AVR Studio[®] software interface
- ISP connector for on-chip In System Programming
- ISP connector for debug wire

Ordering Information

• ATAVRMC100

The latest version of all softwares is available free of charge on Atmel web site: www.atmel.com