

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[Molex Connector Corporation](#)
[0553640011](#)

For any questions, you can email us directly:

sales@integrated-circuit.com


注)
NOTES

- △ ボタン・フルストローク位置。
BUTTON'S FULL STROKE POSITION.
- △ ボタン収納時位置。
BUTTON'S IN POSITION.
- △ ボタン突出時位置。
BUTTON'S OUT POSITION.
- △ イジェクト時、カード飛び出し量は(3.25)mm。
IN EJECTING OPERATION, CARD OUT BY (3.25)mm.
- 5. 実装時、ボルトとナットを使用すること
USE THE BOLT AND THE NUT WHEN YOU MOUNT



REVISED EC NO: J2013-1600 1	DRAWN BY THIRATA CHECKED BY MSASAO APPROVED BY HIKESUGI	2013/07/11 2013/07/11 2013/07/11 2013/07/11	DESCRIPTION DRAWING APPRAISAL	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
				10 UNDER	± 0.2	DRAWN BY THIRATA		DATE 1998/09/09	TITLE CF CARD CONN. EJECT MECHANISM EJECT ASS'Y molex			
				10 OVER 30 UNDER	± 0.25	CHECKED BY MSASAO		DATE 1998/09/09				
				30 OVER	± 0.3	APPROVED BY HIKESUGI		DATE 1998/09/09				
				ANGULAR ± 3 °		MATERIAL NO. 55364-0011		DOCUMENT NO. SD-55364-002				
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		SHEET NO. 1 OF 2				
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												


No.	品名 NAME	材料 MATERIAL	仕上げ FINISH	個数 PIECE
1	METAL SHELL	ステンレス鋼 t 0.25 STAINLESS STEEL t 0.25	→	1
2	PUSH ROD	ステンレス鋼 t 0.5 STAINLESS STEEL t 0.5	→	1
3	LEVER	ステンレス鋼 t 0.4 STAINLESS STEEL t 0.4	→	1
4	SIDE PLATE	ステンレス鋼 t 0.5 STAINLESS STEEL t 0.5	→	1
5	SIDE COVER	ステンレス鋼 t 0.25 STAINLESS STEEL t 0.25	→	1
6	PIN PLATE	鋼 STEEL	フッ素樹脂コーティング FLUORINE RESIN COATING	1
7	SLIDER	ポリカーボネート UL94V-0 色 : 黒色 POLYCARBONATE UL94V-0 COLOR: BLACK	→	1
8	HEART CAM	ポリカーボネート UL94V-0 色 : 黒色 POLYCARBONATE UL94V-0 COLOR: BLACK	→	1
9	COIL SPRING	ステンレス鋼 φ 0.22 STAINLESS STEEL φ 0.22	→	1



REVISED EC NO. J2013-1600 DRAWN BY CHKD-SAKIYAMA APPR-NIKITA	2013/07/11 2013/07/11 2013/07/11	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
			10 UNDER	± 0.2	DRAWN BY THIRATA	DATE 1998/09/09	TITLE CF CARD CONN. EJECT MECHANISM EJECT ASS'Y molex		
			10 OVER 30 UNDER	± 0.25	CHECKED BY MSASAO	DATE 1998/09/09			
			30 OVER	± 0.3	APPROVED BY HIKESUGI	DATE 1998/09/09			
			ANGULAR ± 3 °		MATERIAL NO. 55364-0011				
1	REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			



10 9 8 7 6 5 4 3 2 1

- 注) NOTES
- △ ボタン・フルストローク位置。
BUTTON'S FULL STROKE POSITION.
 - △ ボタン収納時位置。
BUTTON'S IN POSITION.
 - △ ボタン突出時位置。
BUTTON'S OUT POSITION.
 - △ イジェクト時、カード飛び出し量は(3.25)mm。
IN EJECTING OPERATION, CARD OUT BY (3.25)mm.



EJECT ASS'Y		55364-0011
MATERIAL No.		
GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE
10 UNDER ± 0.2		MM ONLY
10 OVER 30 UNDER ± 0.25		DRAWN BY THIRATA DATE 1998/09/08
30 OVER ± 0.3		CHECKED BY MSASAO DATE 1998/09/08
ANGULAR ± 3 °		APPROVED BY HIKESUGI DATE 1998/09/08
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.
SEE TABLE		DOCUMENT NO.
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SD-55364-003
REVISED		SHEET NO.
EC NO. J2014-0509		1 OF 3
DRAWN BY SENO		
CHKD BY HIMOTSU		
APPR. BY IITA		




9 8 7 6 5 4 3 2



基板推奨寸法
RECOMMENDED P.C.B. LAYOUT

REVISED	EC NO. J2014-0509	DRAWN BY SENDA	2013/09/19	CHKD BY MOTSU	2013/09/19	APPR. BY NIKITA	2013/10/01	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	TITLE CF CARD CONN. EJECT MECHANISM (TYPE I/II NORMAL) molex
									10 UNDER	± 0.2	DRAWN BY THIRATA	DATE 1998/09/08					
									10 OVER 30 UNDER	± 0.25	CHECKED BY MSASAO	DATE 1998/09/08					
									30 OVER	± 3	APPROVED BY HIKESUGI	DATE 1998/09/08					
									ANGULAR ± 3 °		MATERIAL NO. SEE SHEET1						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

MOUNTING METHOD



ボタン詳細寸法
DETAIL OF BUTTON

REVISED	EC NO.: J2014-0509	DRAWN BY SENDA	2013/09/19	CHKD BY ASHIMOTSU	2013/09/19	APPR. BY NIKITA	2013/10/01	DESCRIPTION	REV	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 10:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	TITLE CF CARD CONN. EJECT MECHANISM (TYPE I/II NORMAL)	molex	DOCUMENT NO. SD-55364-003	SHEET NO. 3 OF 3
										10 UNDER	± 0.2	DRAWN BY	DATE	SEE SHEET1							
										10 OVER 30 UNDER	± 0.25	CHECKED BY	DATE								
										30 OVER	± 0.3	APPROVED BY	DATE								
										ANGULAR	± 3 °	MATERIAL NO.									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																					
										SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									