

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)  
[92192-00CA](#)


For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

| PRODUCT NO. |
|-------------|
| 92192       |


| PRODUCT NO. | STAND OFF (mm) | DIM "N" (mm) | PUSH ROD COLOR | HOLD DOWN | SHEET NO. |
|-------------|----------------|--------------|----------------|-----------|-----------|
| 92192-XXXXX |                |              |                |           |           |
| 00AA        | 0              | 8            | BLACK          | NONE      | NO.2      |
| 00AAH       | 0              | 8            | BLACK          | YES       |           |
| 00CA        | 0              | 13           | BLACK          | NONE      |           |
| 00CAH       | 0              | 13           | BLACK          | YES       |           |
| 00CB        | 0              | 13           | BLUE           | NONE      |           |
| 00CBH       | 0              | 13           | BLUE           | YES       |           |
| 00CP        | 0              | 13           | PURPLE         | NONE      |           |
| 00CPH       | 0              | 13           | PURPLE         | YES       |           |
| 00FA        | 0              | 21           | BLACK          | NONE      |           |
| 00FAH       | 0              | 21           | BLACK          | YES       |           |
| 02CA        | 2              | 13           | BLACK          | NONE      | NO.3      |
| 02CB        | 2              | 13           | BLUE           | NONE      |           |
| 04CA        | 4              | 13           | BLACK          | NONE      |           |
| 05CA        | 5              | 13           | BLACK          | NONE      |           |
| 05CAH       | 5              | 13           | BLACK          | YES       | NO.4      |
| 10AA        | 0              | 8            | BLACK          | NONE      |           |
| 10AAH       | 0              | 8            | BLACK          | YES       |           |
| 10CA        | 0              | 13           | BLACK          | NONE      |           |
| 10CAH       | 0              | 13           | BLACK          | YES       |           |
| 10CB        | 0              | 13           | BLUE           | NONE      |           |
| 10CBH       | 0              | 13           | BLUE           | YES       |           |
| 10CP        | 0              | 13           | PURPLE         | NONE      |           |
| 10CPH       | 0              | 13           | PURPLE         | YES       |           |
| 10FA        | 0              | 21           | BLACK          | NONE      |           |
| 10FAH       | 0              | 21           | BLACK          | YES       | NO.5      |
| 12CA        | 2              | 13           | BLACK          | NONE      |           |
| 12CAH       | 2              | 13           | BLACK          | YES       |           |
| 12CB        | 2              | 13           | BLUE           | NONE      |           |
| 12FA        | 2              | 21           | BLACK          | NONE      |           |
| 13CA        | 3              | 13           | BLACK          | NONE      |           |
| 13CAH       | 3              | 13           | BLACK          | YES       |           |
| 14CA        | 4              | 13           | BLACK          | NONE      |           |
| 15CA        | 5              | 13           | BLACK          | NONE      |           |

| PRODUCT NO. | STAND OFF (mm) | DIM "N" (mm) | PUSH ROD COLOR | HOLD DOWN | SHEET NO. |
|-------------|----------------|--------------|----------------|-----------|-----------|
| 92192-XXXXX |                |              |                |           |           |
| 00AALF      | 0              | 8            | BLACK          | NONE      | NO.2      |
| 00AAHLF     | 0              | 8            | BLACK          | YES       |           |
| 00CALF      | 0              | 13           | BLACK          | NONE      |           |
| 00CAHLF     | 0              | 13           | BLACK          | YES       |           |
| 00CBFL      | 0              | 13           | BLUE           | NONE      |           |
| 00CBHLF     | 0              | 13           | BLUE           | YES       |           |
| 00CPLF      | 0              | 13           | PURPLE         | NONE      |           |
| 00CPHLF     | 0              | 13           | PURPLE         | YES       |           |
| 00FALF      | 0              | 21           | BLACK          | NONE      |           |
| 00FAHLF     | 0              | 21           | BLACK          | YES       | NO.3      |
| 02CALF      | 2              | 13           | BLACK          | NONE      |           |
| 02CBFL      | 2              | 13           | BLUE           | NONE      |           |
| 04CALF      | 4              | 13           | BLACK          | NONE      |           |
| 05CALF      | 5              | 13           | BLACK          | NONE      | NO.4      |
| 05CAHLF     | 5              | 13           | BLACK          | YES       |           |
| 10AALF      | 0              | 8            | BLACK          | NONE      |           |
| 10AAHLF     | 0              | 8            | BLACK          | YES       |           |
| 10CALF      | 0              | 13           | BLACK          | NONE      |           |
| 10GALF      | 0              | 27           | BLACK          | NONE      |           |
| 10CAHLF     | 0              | 13           | BLACK          | YES       |           |
| 10CBFL      | 0              | 13           | BLUE           | NONE      |           |
| 10CBHLF     | 0              | 13           | BLUE           | YES       |           |
| 10CPLF      | 0              | 13           | PURPLE         | NONE      |           |
| 10CPHLF     | 0              | 13           | PURPLE         | YES       | NO.5      |
| 10FALF      | 0              | 21           | BLACK          | NONE      |           |
| 10FAHLF     | 0              | 21           | BLACK          | YES       |           |
| 12CALF      | 2              | 13           | BLACK          | NONE      |           |
| 12CAHLF     | 2              | 13           | BLACK          | YES       |           |
| 12GALF      | 2              | 27           | BLACK          | NONE      |           |
| 12CBFL      | 2              | 13           | BLUE           | NONE      |           |
| 12FALF      | 2              | 21           | BLACK          | NONE      |           |
| 13CALF      | 3              | 13           | BLACK          | NONE      |           |
| 13CAHLF     | 3              | 13           | BLACK          | YES       |           |
| 14CALF      | 4              | 13           | BLACK          | NONE      |           |
| 15CALF      | 5              | 13           | BLACK          | NONE      |           |



| mat'l. code |             |       |          | surface                               | tolerance | projection | product family                                   |                   |
|-------------|-------------|-------|----------|---------------------------------------|-----------|------------|--------------------------------------------------|-------------------|
| ltr         | ecn no      | dr    | date     | tolerances unless otherwise specified |           | MM         | title                                            |                   |
| P           | ELX-N-20919 | J.H   | 05/27/15 | angles                                | linear    |            | 68P EJECTOR HEADER TYPE I/II/III MECHANISM ASS'Y |                   |
|             |             |       |          | ±2"                                   |           | scale      | dwg no                                           | sheet 1 of 5 size |
|             |             |       |          | dr                                    | M.KAJIURA | 7/22/99    | 92192                                            | A4                |
|             |             |       |          | engr                                  | M.KAJIURA | 7/22/99    |                                                  |                   |
|             |             |       |          | chr                                   | M.KAJIURA | 7/22/99    |                                                  |                   |
|             |             |       |          | pppd                                  | M.KAJIURA | 7/22/99    | type                                             | CUSTOMER Drawing  |
| sheet index | revision    | sheet |          |                                       |           |            |                                                  |                   |



| PRODUCT NO.         |
|---------------------|
| 192-00AA/00AALF     |
| 192-00AAH/00AAHLF   |
| 192-00CA/00CALF     |
| 192-00CAH/00CAHLF   |
| 192-00CB/00CBLF     |
| 192-00CBH/00CBHLF   |
| 192-00CP/00CPLF     |
| 192-00CPH/00CPHLF   |
| 92192-00FA/00FALF   |
| 92192-00FAH/00FAHLF |



- NOTE
- EJECT PLATE MOVE ALONG INSIDE WALL OF COVER PLATE SMOOTHLY AFTER ASSEMBLING WITH HDR ASSY.
- ② MATERIAL
- GUIDE : POLYPHTHAMID UL94V-0 BLACK
  - PUSH ROD : FLAME RETARDANT UL94V-0 BLACK/BLUE
  - PLATE : STAINLESS
  - EMI CONTACT : PHOSPHOR BRONZE
  - HOLD-DOWN : BRASS
- ③ FINISH
- EMI CONTACT : UNDER PLATING : 2.0um MIN. Ni
  - CONTACT AREA : 0.5um MIN. Au
4. RECOMMENDED PCB HOLE (OPTIONAL HOLD-DOWN) : 2.3±0.1


| mat'l. code |          |       |          | surface                               | tolerance | projection | product family                                   |              |         |
|-------------|----------|-------|----------|---------------------------------------|-----------|------------|--------------------------------------------------|--------------|---------|
| ltr         | ecn no   | dr    | date     | tolerances unless otherwise specified |           | MM         | title                                            |              |         |
| P           |          |       |          | angles                                | linear    |            | 68P EJECTOR HEADER TYPE I/II/III MECHANISM ASS'Y |              |         |
|             |          |       |          | ±2°                                   |           | scale      | dwg no                                           | sheet 2 of 5 | size    |
|             |          | dr    | M.KAJURA | 7/22/99                               |           | FCI        | 92192                                            | CUSTOMER     | Drawing |
|             |          | enr   | M.KAJURA | 7/22/99                               |           |            |                                                  |              |         |
|             |          | chr   | M.KAJURA | 7/22/99                               |           |            |                                                  |              |         |
|             |          | ppd   | M.KAJURA | 7/22/99                               |           |            |                                                  |              |         |
| sheet index | revision | sheet |          |                                       |           |            |                                                  |              |         |

| PRODUCT NO.         |
|---------------------|
| 92192-02CA/02CALF   |
| 92192-02CB/02CBLF   |
| 92192-04CA/04CALF   |
| 92192-05CA/05CALF   |
| 92192-05CAH/05CAHLF |




92192-02CA/02CALF  
-02CB/02CBLF  
-04CA/04CALF  
-05CA/05CALF

SECTION "Y-Y"(4/1)  
NON HOLD-DOWN  
TYP(2)



92192-05CAH/05CAHLF

SECTION "Y-Y"(4/1)  
OPTIONAL HOLD-DOWN  
TYP(2)



**NOTE**

1. EJECT PLATE MOVE ALONG INSIDE WALL OF COVER PLATE SMOOTHLY AFTER ASSEMBLING WITH HDR ASSY.

**② MATERIAL**

GUIDE : POLYPHTHAMID UL94V-0 BLACK  
PUSH ROD : FLAME RETARDANT UL94V-0 BLACK  
PLATE : STAINLESS  
EMI CONTACT : PHOSPHOR BRONZE  
STAND OFF : ZINC ALLOYS DIE CASTING

**③ FINISH**

EMI CONTACT  
UNDER PLATING : 2.0um MIN. Ni  
CONTACT AREA : 0.5um MIN. Au  
STAND OFF : 3~5um Ni OVER 5~10um Cu.

| mat'l. code |                |      |           | surface                               | tolerance | projection | product family                                   |  |  |
|-------------|----------------|------|-----------|---------------------------------------|-----------|------------|--------------------------------------------------|--|--|
| ltr         | ecr no         | dr   | date      | tolerances unless otherwise specified |           |            | title                                            |  |  |
| P           |                |      |           | angles                                | linear    |            | 68P EJECTOR HEADER TYPE I/II/III MECHANISM ASS'Y |  |  |
|             |                |      |           | ±2°                                   |           | MM         | dwg no 92192 sheet 3 of 5 size A4                |  |  |
|             |                |      |           |                                       |           | scale      | type CUSTOMER Drawing                            |  |  |
|             |                | dr   | M.KAJIURA | 7/22/99                               |           |            |                                                  |  |  |
|             |                | engr | M.KAJIURA | 7/22/99                               |           |            |                                                  |  |  |
|             |                | chr  | M.KAJIURA | 7/22/99                               |           |            |                                                  |  |  |
|             |                | ppd  | M.KAJIURA | 7/22/99                               |           |            |                                                  |  |  |
| sheet index | revision sheet |      |           |                                       |           |            |                                                  |  |  |

form: A3

1

2

PDS: Rev : P

STATUS: Released


Printed: Jun 17, 2015

4

5

6

| PRODUCT NO.         |
|---------------------|
| 92192-10AA/10AALF   |
| 92192-10AAH/10AAHLF |
| 92192-10CA/10CALF   |
| 92192-10CAH/10CAHLF |
| 92192-10CB/10CBLF   |
| 92192-10CBH/10CBHLF |
| 92192-10CP/10CPLF   |
| 92192-10CPH/10CPHLF |
| 92192-10FA/10FALF   |
| 92192-10FAH/10FAHLF |
| 92192-10GALF        |



**NOTE**

1. EJECT PLATE MOVE ALONG INSIDE WALL OF COVER PLATE SMOOTHLY AFTER ASSEMBLING WITH HDR ASSY.

**MATERIAL**

GUIDE : POLYPHTHARAMID UL94V-0 BLACK  
PUSH ROD : FLAME RETARDANT UL94V-0 BLACK/BLUE  
PLATE : STAINLESS  
EMI CONTACT : PHOSPHOR BRONZE  
HOLD-DOWN : BRASS


**FINISH**

EMI CONTACT  
UNDER PLATING : 2.0µm MIN. Ni  
CONTACT AREA : 0.5µm MIN. Au

4. RECOMMENDED PCB HOLE (OPTIONAL HOLD-DOWN) : 2.3±0.1

| mat'l. code |                |    |      | surface                               | tolerance | projection | product family PCMCIA                            |  |  |
|-------------|----------------|----|------|---------------------------------------|-----------|------------|--------------------------------------------------|--|--|
| ltr         | ecr no         | dr | date | tolerances unless otherwise specified |           |            | title                                            |  |  |
| P           |                |    |      | angles                                | linear    |            | 68P EJECTOR HEADER TYPE I/II/III MECHANISM ASS'Y |  |  |
|             |                |    |      | ±2°                                   |           | MM         | dwg no 92192 sheet 4 of 5 size A4                |  |  |
|             |                |    |      |                                       |           | scale      | type CUSTOMER Drawing                            |  |  |
|             |                |    |      | dr                                    | M.KAJIURA | 7/22/99    |                                                  |  |  |
|             |                |    |      | engr                                  | M.KAJIURA | 7/22/99    |                                                  |  |  |
|             |                |    |      | chr                                   | M.KAJIURA | 7/22/99    |                                                  |  |  |
|             |                |    |      | ppd                                   | M.KAJIURA | 7/22/99    |                                                  |  |  |
| sheet index | revision sheet |    |      |                                       |           |            |                                                  |  |  |

| PRODUCT NO.         |
|---------------------|
| 92192-12CAH/12CAHLF |
| 92192-12CB/12CBLF   |
| 92192-12FA/12FALF   |
| 92192-13CA/13CALF   |
| 92192-13CAH/12CAHLF |
| 92192-14CA/14CALF   |
| 92192-15CA/15CALF   |
| 92192-12GALF        |



**NOTE**

1. EJECT PLATE MOVE ALONG INSIDE WALL OF COVER PLATE SMOOTHLY AFTER ASSEMBLING WITH HDR ASSY.

**② MATERIAL**

GUIDE : POLYPHTHARAMID UL94V-0 BLACK  
PUSH ROD : FLAME RETARDANT UL94V-0 BLACK  
PLATE : STAINLESS  
EMI CONTACT : PHOSPHOR BRONZE  
STAND OFF : ZINC ALLOYS DIE CASTING

**③ FINISH**

EMI CONTACT  
UNDER PLATING : 2.0µm MIN. Ni  
CONTACT AREA : 0.5µm MIN. Au  
STAND OFF : 3-5µm Ni OVER 5-10µm Cu.

| mat'l. code |                |      |           | surface                               | tolerance | projection | product family PCMCIA                            |  |  |
|-------------|----------------|------|-----------|---------------------------------------|-----------|------------|--------------------------------------------------|--|--|
| ltr         | ecr no         | dr   | date      | tolerances unless otherwise specified |           |            | title                                            |  |  |
| P           |                |      |           | angles                                | linear    |            | 68P EJECTOR HEADER TYPE I/II/III MECHANISM ASS'Y |  |  |
|             |                |      |           | ±2°                                   |           | MM         | dwg no 92192 sheet 5 of 5 size A4                |  |  |
|             |                |      |           |                                       |           | scale      | type CUSTOMER Drawing                            |  |  |
|             |                | dr   | M.KAJIURA | 7/22/99                               |           |            |                                                  |  |  |
|             |                | engr | M.KAJIURA | 7/22/99                               |           |            |                                                  |  |  |
|             |                | chr  | M.KAJIURA | 7/22/99                               |           |            |                                                  |  |  |
|             |                | ppd  | M.KAJIURA | 7/22/99                               |           |            |                                                  |  |  |
| sheet index | revision sheet |      |           |                                       |           |            |                                                  |  |  |