

## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)

[51427-001](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

Tous droits strictement réservés. Reproduction ou communication, o des liers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	F1	P4	P3	6	5	4	3	2	1	P2	P1	F2
51427-001... NOTE 2	D C B A		PA	PA	H	H	H	H	H	H	PA	PA	

<b>CONFIDENTIAL</b>									
mat'l code		SEE NOTES		tolerances unless otherwise specified		CUSTOMER COPY			
lir	ecn no.	dr	date	linear	.XX±.01/.X±.3	projection	title	www.fciconnect.com	
A	V91744	SAR	02-21-00		.XXX±.005/.X±.13		2P + 24S + 2P R/A RECEPTALE		
B	V01376	EKK	06-08-00		.XXX±.0020/.XXX±.051		product family	PwrBlade	code
C	V01555	CHB	06-29-00	angles	0°±2°	INCH/MM	size	dwg no	213
D	V21786	TAB	11-18-02	dr	C. BAROT 01-18-99	scale	1:1	51427	sheet
E	DG05-0242	SJ	07/25/05	engr	J. BROWN 02-18-00		A		1 of 4
F	DG06-0187	JMG	05/27/06	chr	J. BROWN 01-18-99				
				appd	J. BROWN 02-21-00				
sheet index	revision sheet	F	F	F					
		1	2	3					

THIS FILE WAS ORIGINALLY CREATED IN THE PRO ENGINEER ENVIRONMENT AND ANY FUTURE REVISIONS TO THIS FILE MUST BE MADE IN THE PRO ENGINEER ENVIRONMENT

Pro/E

cage code 22526

**PDM: Rev:F**

STATUS: **Released**

Printed: Dec 20, 2010

Tous droits strictement réservés. Reproduction ou communication, o des liens interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

1 | 2 3 | 4

**PRODUCT NUMBER**  
51427-001--  
NOTE: ②

**SECTION C-C**

**SECTION A-A**  
SCALE 1:1

**SECTION B-B**

**CONFIDENTIAL**

mat'l code		SEE NOTES		tolerances unless otherwise specified		CUSTOMER				
llr	ecn no.	dr	date	linear	.XX±.01/.X±.3	COPY		www.fciconnect.com		
F				angles	.XXX±.005/.X±.13	projection		title		
				dr	.XXX±.0020/.XXX±.051	 INCH/MM scale 1:1		2P + 24S + 2P R/A RECEPTALE		
				engr	0°±2°			product family		PwrBlade
				chr	C. BAROT 01-18-99	size		code		
				appd	J. BROWN 02-18-00	A		213		
					J. BROWN 01-18-99	dwg no		sheet		
					J. BROWN 02-21-00	51427		2 of 4		
sheet index	revision sheet									

Pro/E

cage code 22526

**PDM: Rev:F**

STATUS: **Released**


Printed: Dec 20, 2010

Tous droits strictement réservés. Reproduction ou communication, o des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER  
51427-001--  
NOTE: ②



RECOMMENDED PCB FOOTPRINT  
SCALE 1:1

CONFIDENTIAL

mat'l code		SEE NOTES		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
lfr	ecn no.	dr	date	linear	.XX±.01/.X±.3	projection	COPY	title	2P + 24S +2P R/A RECEPTALE		
F				angles	.XXX±.005/.X±.13	INCH/MM		product family	PwrBlade		
				dr	0°±2°	scale	1:1	size	dwg no	51427	
				engr	C. BAROT 01-18-99			code	213		
				chr	J. BROWN 02-18-00			sheet	3 of 4		
				appd	J. BROWN 01-18-99						
					J. BROWN 02-21-00						
sheet index	revision sheet										

Pro/E

cage code 22526

PDM: Rev:F

STATUS:Released

Printed: Dec 20, 2010

Tous droits strictement réservés. Reproduction ou communication, o des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

	1   2	3	4																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width: 20%;"><b>PRODUCT NUMBER</b></td> <td colspan="3">51427-001--</td> </tr> <tr> <td></td> <td colspan="3">NOTE: ②</td> </tr> <tr> <td colspan="4"><b>CONNECTOR NOTES:</b></td> </tr> <tr> <td colspan="4">1. HOUSING MATERIAL: GLASS FILLED HIGH TEMP THERMOPLASTIC, UL94V-0 SIGNAL CONTACT MATERIAL: COPPER ALLOY POWER CONTACT MATERIAL: COPPER ALLOY</td> </tr> <tr> <td colspan="4">2. 51427-001; 51427-001LF; 51427-001GLF PLATING SPEC. SEE PRINT: 10064183</td> </tr> <tr> <td colspan="4">3. TAIL LENGTH 0.135 ± .020 [3.43 ± .25]</td> </tr> <tr> <td colspan="4">4. MANUFACTURER NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.</td> </tr> <tr> <td colspan="4"><b>PCB NOTES:</b></td> </tr> <tr> <td colspan="4">5. ALL DIMENSIONS ARE BASIC UNLESS OTHERWISE SPECIFIED</td> </tr> <tr> <td colspan="4">6. ALL THROUGH HOLES ARE LOCATED WITH A TRUE POSITION OF 0.004"</td> </tr> <tr> <td colspan="4">7. ALL DIAMETERS ARE FINISHED HOLE SIZES</td> </tr> <tr> <td colspan="4">8. Ø0.158" THROUGH HOLES ARE UNPLATED</td> </tr> </table>				<b>PRODUCT NUMBER</b>	51427-001--				NOTE: ②			<b>CONNECTOR NOTES:</b>				1. HOUSING MATERIAL: GLASS FILLED HIGH TEMP THERMOPLASTIC, UL94V-0 SIGNAL CONTACT MATERIAL: COPPER ALLOY POWER CONTACT MATERIAL: COPPER ALLOY				2. 51427-001; 51427-001LF; 51427-001GLF PLATING SPEC. SEE PRINT: 10064183				3. TAIL LENGTH 0.135 ± .020 [3.43 ± .25]				4. MANUFACTURER NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.				<b>PCB NOTES:</b>				5. ALL DIMENSIONS ARE BASIC UNLESS OTHERWISE SPECIFIED				6. ALL THROUGH HOLES ARE LOCATED WITH A TRUE POSITION OF 0.004"				7. ALL DIAMETERS ARE FINISHED HOLE SIZES				8. Ø0.158" THROUGH HOLES ARE UNPLATED											
<b>PRODUCT NUMBER</b>	51427-001--																																																										
	NOTE: ②																																																										
<b>CONNECTOR NOTES:</b>																																																											
1. HOUSING MATERIAL: GLASS FILLED HIGH TEMP THERMOPLASTIC, UL94V-0 SIGNAL CONTACT MATERIAL: COPPER ALLOY POWER CONTACT MATERIAL: COPPER ALLOY																																																											
2. 51427-001; 51427-001LF; 51427-001GLF PLATING SPEC. SEE PRINT: 10064183																																																											
3. TAIL LENGTH 0.135 ± .020 [3.43 ± .25]																																																											
4. MANUFACTURER NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.																																																											
<b>PCB NOTES:</b>																																																											
5. ALL DIMENSIONS ARE BASIC UNLESS OTHERWISE SPECIFIED																																																											
6. ALL THROUGH HOLES ARE LOCATED WITH A TRUE POSITION OF 0.004"																																																											
7. ALL DIAMETERS ARE FINISHED HOLE SIZES																																																											
8. Ø0.158" THROUGH HOLES ARE UNPLATED																																																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="4" style="text-align: center;"><b>CONFIDENTIAL</b></td> </tr> <tr> <td style="width: 15%;">mat'l code</td> <td style="width: 25%;">SEE NOTES</td> <td style="width: 20%;">tolerances unless otherwise specified</td> <td style="width: 40%;">CUSTOMER</td> </tr> <tr> <td>lfr</td> <td>ecn no.</td> <td>dr</td> <td>date</td> </tr> <tr> <td>F</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>linear</td> <td>.XX±.01/.X±.3</td> <td>projection</td> </tr> <tr> <td></td> <td>angles</td> <td>.XXX±.005/.X±.13</td> <td>title</td> </tr> <tr> <td></td> <td>dr</td> <td>.XXX±.0020/.XXX±.051</td> <td>2P + 24S + 2P</td> </tr> <tr> <td></td> <td>eng</td> <td>0° ± 2°</td> <td>R/A RECEPTALE</td> </tr> <tr> <td></td> <td>chr</td> <td>C. BAROT 01-18-99</td> <td>product family</td> </tr> <tr> <td></td> <td>appd</td> <td>J. BROWN 02-18-00</td> <td>PwrBlade</td> </tr> <tr> <td></td> <td></td> <td>J. BROWN 01-18-99</td> <td>code</td> </tr> <tr> <td></td> <td></td> <td>J. BROWN 02-21-00</td> <td>213</td> </tr> <tr> <td>sheet index</td> <td>revision sheet</td> <td>scale</td> <td>sheet</td> </tr> <tr> <td></td> <td></td> <td>1:1</td> <td>4</td> </tr> </table>				<b>CONFIDENTIAL</b>				mat'l code	SEE NOTES	tolerances unless otherwise specified	CUSTOMER	lfr	ecn no.	dr	date	F					linear	.XX±.01/.X±.3	projection		angles	.XXX±.005/.X±.13	title		dr	.XXX±.0020/.XXX±.051	2P + 24S + 2P		eng	0° ± 2°	R/A RECEPTALE		chr	C. BAROT 01-18-99	product family		appd	J. BROWN 02-18-00	PwrBlade			J. BROWN 01-18-99	code			J. BROWN 02-21-00	213	sheet index	revision sheet	scale	sheet			1:1	4
<b>CONFIDENTIAL</b>																																																											
mat'l code	SEE NOTES	tolerances unless otherwise specified	CUSTOMER																																																								
lfr	ecn no.	dr	date																																																								
F																																																											
	linear	.XX±.01/.X±.3	projection																																																								
	angles	.XXX±.005/.X±.13	title																																																								
	dr	.XXX±.0020/.XXX±.051	2P + 24S + 2P																																																								
	eng	0° ± 2°	R/A RECEPTALE																																																								
	chr	C. BAROT 01-18-99	product family																																																								
	appd	J. BROWN 02-18-00	PwrBlade																																																								
		J. BROWN 01-18-99	code																																																								
		J. BROWN 02-21-00	213																																																								
sheet index	revision sheet	scale	sheet																																																								
		1:1	4																																																								
1   2		3	4																																																								

Pro/E

cage code 22526

**PDM: Rev:F**

STATUS: **Released**

Printed: Dec 20, 2010