

Excellent Integrated System Limited


Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:


[FCI](#)
[71634-103LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com







1	1.3 μ m Au MIN	1.3 μ m Au MIN
PLATING CODE X	PLATING CONTACT AREA 3	PLATING CONTACT AREA 4

LEAD-FREE P/N	DIM A	DIM B	IMPEDANCE
71634-X03LF	9.6	3.2	75 Ohm
71634-X13LF	10.4	4.0	75 Ohm

NOTE: RoHS INFORMATION

- The "LF" product meets European union Directives and other country regulations as described in GS-22-008.
- The product is not intended to be exposed to a manufacturing solder process.
- Packaging spec: see GS-14-920.

NOTES:

1. UNDERPLATING Ni.
2. DIMENSIONS ACCORDING TO DIN 41626
2. GENERAL TOLERANCE ± 0.10
3. FIXING CLIP PLATED WITH GOLD FLASH

www.fciconnect.com		surface ☒ tolerance std		projection		mm	
		ISO 1302		ISO 406 ISO 1101			
TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	GOISNARD	2006/11/05	ANGULAR	0.X	± 0.1	size	A3
Eng	GOISNARD	2006/11/05	LINEAR	0.XX	± 0.1	Scale	5
Chr	LEGARE	2006/11/05	0.XX ± 2°	0.XXX	± 0.1	ECN	L508-0057
Appr	LEGARE	2006/11/05	Product family	BACKPANEL		Spec ref	-
		title DIN COAX HDR RA STB INSERT catalog no -				no 71634 sheet 3 of 6	
						Rev. N	

