

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[72902-282LF](#)





For any questions, you can email us directly:

sales@integrated-circuit.com

NOTES:

1. LEAD FREE OR RoHS DIRECTIVE LABELING TO BE PROVIDED AS PER GS-14-920 FOR LF PRODUCTS.

2. THE "LF" PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.



NOTES:
1. BODY MATERIAL : PBTB PLASTIC
2. TERMINAL MATERIAL : PHOSPOR BRONZE

| mat'l. code | | surface | tolerance | projection | product family |
|-------------|----------|----------|------------------|---------------------------------------|----------------|
| SEE NOTES | | ISO 1302 | ISO 406 ISO 1101 | | DIN |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | title |
| A | F10721 | DLE | 2001-12-04 | angles | CONNECTOR DIN |
| B | F040155 | DLE | 2004-03-18 | linear | 3x32 POS. |
| C | I05-006 | MIN | 2005-04-28 | | scale 2:1 |
| D | I05-0123 | MIN | 2005-07-27 | dr | Dwg no |
| E | I06-0082 | MIN | 2006-06-01 | engr | 72902 |
| F | I0-0066 | KR | 2010-03-08 | chr | sheet 1 of 5 |
| | | | | appd | A3 |
| sheet | revision | F | D | D | size |
| index | sheet | 1 | 2 | 3 | |
| | | | 4 | 5 | |

PDM: Rev:F STATUS: Released Printed: May 14, 2011

1 2 3 4 5 6




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4

NOTES:

SLOT PROVIDED ON THE MATING SIDE IN FIGURE 4 IS OPTIONAL

NOTES:

1. LEAD FREE OR REHS DIRECTIVE LABELING TO BE PROVIDED AS PER GS-14-920 FOR LF PRODUCTS.
2. THE "LF" PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

| mat'l. code | | surface | | tolerance | | projection | | product family |
|-------------|----------|----------|------------|---------------------------------------|----------------|------------|-----|----------------------------|
| - | | ISO 1302 | | ISO 406 ISO 1101 | | mm | | DIN |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | - | | title |
| A | F10721 | DLE | 2001-12-04 | angles | linear | scale | 2:1 | CONNECTOR DIN 3x32 POS. |
| B | 105-0066 | MINI | 2004-26-05 | | | | | |
| C | 105-0123 | MINI | 2005-07-27 | | | | | |
| D | 106-0082 | MINI | 2006-06-01 | dr | D.LEGRAND | 2001-12-04 | | dwg no |
| | | | | engr | J.F.NOTEAU | 2001-12-04 | | sheet 2 of 5 |
| | | | | chr | RAKHET, GEORGE | 2006-06-01 | | A3 |
| | | | | appd | RAKHEE, GEORGE | 2006-06-01 | | type |
| | | | | | | | | Product Customer Drawing |
| sheet | revision | | | | | | | |
| index | sheet | | | | | | | |

PDM: Rev:F STATUS: Released Printed: May 14, 2011

| PRODUCT NUMBER | CUSTOMER P/N | PIN LOADED IN POSITION | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | DIM "L" + 0.5 If no spec | REMARKS | PLATING | | COMMENT |
|----------------|---------------|------------------------|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|---|----------------------------------|-------|---|-----------------------------|---------|---------|--|---------|
| | | 1 | 3 | 5 | 7 | 9 | 11 | 13 | 15 | 17 | 19 | 21 | 23 | 25 | 27 | 29 | 31 | 2 | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | | | | | | | | | |
| 72902-205 | RVN 247 923/1 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 3.3 ⁰ _{-0.6} | FIG 4 | CONTACT AREA: 2μm Au TERMINATION: GOLD FLASH Ni ALL OVER | DEPRECATED | | | | |
| 72902-211 | RVN 301 201 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 13.5 | FIG 1 | CONTACT AREA: 2μm Au TERMINATION: GOLD FLASH Ni ALL OVER | DEPRECATED | | | | |
| 72902-212 | RVN 301 202 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 13.5 | FIG 1 | CONTACT AREA: 2μm Au TERMINATION: GOLD FLASH Ni ALL OVER | | | | | |
| 72902-212LF | | B | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | | | | |
| 72902-217 | RVN 301 021 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 13.5 | FIG 3 | CONTACT AREA: 2μm Au TERMINATION: GOLD FLASH Ni ALL OVER | DEPRECATED | | | | |
| 72902-223 | RVN 301 402 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 5 | FIG 2 | CONTACT AREA: 2μm Au TERMINATION: Sn Pb 6-10μm Ni ALL OVER | DEPRECATED | | | | |
| 72902-234 | RVN 301 401 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 13.5 | FIG 1 | CONTACT AREA: 2μm Au TERMINATION: GOLD FLASH Ni ALL OVER | DEPRECATED | | | | |
| 72902-235 | RVN 301 501 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 13.5 | FIG 1 | CONTACT AREA: 2μm Au TERMINATION: GOLD FLASH Ni ALL OVER | | | | | |
| 72902-235LF | | B | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | | | | |
| 72902-238 | RVN 301 301 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 13.5 | FIG 1 | CONTACT AREA: 2μm Au TERMINATION: GOLD FLASH Ni ALL OVER | DEPRECATED | | | | |
| 72902-239 | RVN 301 302 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 13.5 | FIG 1 | CONTACT AREA: 2μm Au TERMINATION: GOLD FLASH Ni ALL OVER | DEPRECATED | | | | |
| 72902-242 | RVN 301 205 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 5 | FIG 2 | CONTACT AREA: 2μm Au TERMINATION: LEADED PRODUCTS- SnPb 6-10μm, LEAD FREE PRODUCTS- Sn (MATTE TIN). Ni ALL OVER. | | | | | |
| 72902-242LF | | B | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | | | | |
| 72902-244 | RVN 301 306 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 5 | FIG 2 | CONTACT AREA: 2μm Au TERMINATION: Sn Pb 6-10μm Ni ALL OVER | DEPRECATED | | | | |
| 72902-245 | RVN 301 502 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 5 | FIG 2 | CONTACT AREA: 2μm Au TERMINATION: Sn Pb 6-10μm Ni ALL OVER | DEPRECATED | | | | |

NOTES:

1. LEAD FREE OR RoHS DIRECTIVE LABELING TO BE PROVIDED AS PER GS-14-920 FOR LF PRODUCTS
2. THE "LF" PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

| mat'l. code | | surface | | tolerance | | projection | | product family | |
|-------------|----------|---------|----|-----------------|---------------------------------------|----------------|------------|----------------|-------------------------------|
| Itr | | ecn no | dr | date | ISO 1302 | | ISO 406 | ISO 1101 | DIN |
| A | F10721 | | | DLE 2001-12-04 | tolerances unless otherwise specified | | angles | | title |
| B | F040155 | | | DLE 2004-03-18 | linear | | mm | | CONNECTOR DIN |
| C | I05-0123 | | | MINI 2005-07-27 | scale 2:1 | | | | 3x32 POS. |
| D | I06-0082 | | | MINI 2006-06-01 | dr | D.LEGRAND | 2001-12-04 | | dwg no |
| | | | | | engr | J.F.NOTEAU | 2001-12-04 | | 72902 |
| | | | | | chr | RAKHEE, GEORGE | 2006-06-01 | | A3 |
| | | | | | appd | RAKHEE, GEORGE | 2006-06-01 | | type Product Customer Drawing |
| | | | | | sheet | revision | | | |
| | | | | | index | sheet | | | |

| PRODUCT NUMBER | CUSTOMER P/N | PIN LOADED IN POSITION | | | | | | | | | | | | | | | | | | | | | | | | | | | | DIM "L" ±0.5 If no spec | REMARKS | PLATING | COMMENT | | | | | |
|----------------|---------------|------------------------|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|---|---|---|---|----|----|----|----|----|----|----|----|----------------------------|---------|---------|-----------------------|-----------------------|--|--|--|--|
| | | 1 | 3 | 5 | 7 | 9 | 11 | 13 | 15 | 17 | 19 | 21 | 23 | 25 | 27 | 29 | 31 | 2 | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | | | | | |
| 72902-252 | RNV 301 204 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 13.5 | FIG 1 | CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH NI ALL OVER | | | |
| 72902-252LF | | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 72902-253 | | C | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | | |
| 72902-253LF | RNV 301 403 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 13.5 | FIG 1 | CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH NI ALL OVER | | | |
| 72902-254 | RNV 301 305 | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 72902-254LF | | C | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | | |
| 72902-255 | RNV 301 503 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 13.5 | FIG 1 | CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH NI ALL OVER | | | |
| 72902-255LF | | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 72902-262 | RNV 301 202/2 | C | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 7.5 | FIG 1 | CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH NI ALL OVER | | | |
| 72902-262LF | | A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 72902-263 | RNV 301 401/2 | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 7.5 | FIG 1 | CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH NI ALL OVER | |
| 72902-263LF | | C | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | | |
| 72902-264 | RNV 301 302/2 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 7.5 | FIG 1 | CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH NI ALL OVER | | | |
| 72902-264LF | | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 72902-265 | RNV 301 501/2 | C | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 7.5 | FIG 1 | CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH NI ALL OVER | | | |
| 72902-265LF | | A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 72902-272 | RNV 301 202/3 | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3.3 ⁰ -0.6 | FIG 1 | CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH NI ALL OVER | | |
| 72902-272LF | | C | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | | |
| 72902-274 | RNV 301 302/3 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 3.3 ⁰ -0.6 | FIG 1 | CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH NI ALL OVER | OBSOLETE | | |
| 72902-274LF | | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 72902-275 | RNV 301 501/3 | C | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 3.3 ⁰ -0.6 | FIG 3 | CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH NI ALL OVER | | | |
| 72902-275LF | | A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 72902-279 | RNV 301 501/4 | B | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 3.3 ⁰ -0.6 | FIG 3 | CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH NI ALL OVER | OBSOLETE | | |

NOTES:

1. LEAD FREE OR RoHS DIRECTIVE LABELING TO BE PROVIDED AS PER GS-14-920 FOR LF PRODUCTS.
2. THE "LF" PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

| | | | | | | | | | | |
|-------------|----------|-----|------------|---------------------------------------|------------------|--|----------------|--------------|----------|---------|
| mat'l. code | | | | surface | tolerance | projection | product family | | | |
| | | | | ISO 1302 | ISO 406 ISO 1101 |  | DIN | | | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | | | | | |
| A | F10721 | DLE | 2001-12-04 | angles | | | | | | |
| B | F04015 | DLE | 2004-03-18 | linear | | | | | | |
| C | I05-0123 | MIN | 2005-07-27 | | | | | | | |
| D | I06-0082 | MIN | 2006-06-01 | dr | D.LEGRAND | 2001-12-04 | dwg no | sheet 4 of 5 | size | |
| | | | | engr | J.F.NOTTEAU | 2001-12-04 | 72902 | | A3 | |
| | | | | chr | RAKHEE GEORGE | 2006-06-01 | | | | |
| | | | | appd | RAKHEE GEORGE | 2006-06-01 | | | | |
| sheet | revision | | | | | | type | Product | Customer | Drawing |
| index | sheet | | | | | | | | | |

| PRODUCT NUMBER | CUSTOMER P/N | PIN LOADED IN POSITION | | | | | | | | | | | | | | | | | | DIM "L" ±0.5 If no spec | REMARKS | PLATING |
|----------------|--------------|------------------------|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----------------------|-------|--|---------|---------|
| | | 1 | 3 | 5 | 7 | 9 | 11 | 13 | 15 | 17 | 19 | 21 | 23 | 25 | 27 | 29 | 31 | | | | | |
| | | 2 | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | | | | | |
| 72902-282 | RVN 301 701 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 3.30 _{-0.6} | FIG 1 | CONTACT AREA: 2μm Au. TERMINATION: LEADED PRODUCTS- SnPb 6-10μm, LEAD FREE PRODUCTS- Sn (MATTE TIN). NI ALL OVER. | | |
| 72902-282LF | | B | | | | | | | | | | | | | | | | | | | | |
| 72902-284 | | C | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | |
| 72902-284LF | RVN 301 702 | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 3.30 _{-0.6} | FIG 1 | CONTACT AREA: 2μm Au. TERMINATION: LEADED PRODUCTS- SnPb 6-10μm, LEAD FREE PRODUCTS- Sn (MATTE TIN). NI ALL OVER. | | |
| 72902-296 | | B | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | |
| 72902-296LF | | C | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | |
| 72902-296 | 102 2056 | A | X | | | | | | | | | | | | | | | 5 | FIG 2 | CONTACT AREA: 2μm Au. TERMINATION: LEADED PRODUCTS- SnPb 6-10μm, LEAD FREE PRODUCTS- Sn (MATTE TIN). NI ALL OVER. | | |
| 72902-296LF | | B | | | | | | | | | | | | | | | | | | | | |
| 72902-354LF | | C | X | | | | | | | | | | | | | | | | | | | |
| 72902-354LF | | A | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 13.5 | FIG 1 | CONTACT AREA: 2μm Au. TERMINATION: GOLD FLASH NI ALL OVER | | |

 cconnect.com

F

Copyright FCI

D

NOTES:

1. LEAD FREE OR RoHS DIRECTIVE LABELING TO BE PROVIDED AS PER GS-14-920 FOR LF PRODUCTS.
2. THE "LF" PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

| | | | | | | | | | |
|-------------|----------|----------|---------------|--|---------------------------------------|-------------|----------------|--------------|------|
| mat'l. code | | | surface | | tolerance | projection | product family | | |
| | | | ISO 1302 ✓ | | ISO 406 ISO 1101 | | DIN | | |
| ltr | ecn no | dr | date | | tolerances unless otherwise specified | | title | | |
| A | F10721 | DLE | 2001-12-04 | | angles | | CONNECTOR DIN | | |
| B | I05-0123 | MIN | 2005-07-27 | | linear | | 3x32 POS. | | |
| c | I06-0082 | MIN | 2006-06-01 | | | | scale 2:1 | | |
| D | I10-0066 | KR | 2010-03-08 dr | | D.LEGRAND | 2001-12-04 | dwg no | sheet 5 of 5 | size |
| | | | | | engr | J.F.NOTTEAU | 72902 | | A3 |
| | | | | | chr | KESAVAN.R | 2010-03-08 | | |
| | | | | | appd | KESAVAN.R | 2010-03-08 | | |
| sheet | | revision | | | | | | | |
| index | | sheet | | | | | | | |
| 4 | | | 5 | | | 6 | | | |

PDM: Rev:F STATUS: Released Printed: May 14, 2011

STATUS: **Released**

www.ijerph.com

JOURNAL OF