

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[5011902017](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



10 9 8 7 6 5 4 3 2 1


有 YES	緑 GREEN	青 BLUE	赤 RED	黒 BLACK	色 COLOR	
	—//—	—//—	—//—	—//—	50	501190-**7*
	501190-4056	501190-4054	501190-4052	501190-4051	40	
	501190-3056	501190-3054	501190-3052	501190-3051	30	
	501190-2056	501190-2054	501190-2052	501190-2051	20	
COVER TAPE	EMBOSSED PACKAGE オーダー番号 ORDER NO.				CKT.	CONNECTOR SERIES NO.

無 NO	自然色 NATURAL	色 COLOR		
		501190-5027	50	501190-**29
		501190-4027	40	
		501190-3027	30	
	501190-2027	20		
COVER TAPE	EMBOSSED PACKAGE オーダー番号 ORDER NO.	CKT.	CONNECTOR SERIES NO.	

有 YES	自然色 NATURAL	色 COLOR		
		501190-5017	50	501190-**19
		501190-4017	40	
		501190-3017	30	
	501190-2017	20		
COVER TAPE	EMBOSSED PACKAGE オーダー番号 ORDER NO.	CKT.	CONNECTOR SERIES NO.	

SEE SHEET 1 EC NO. J2014-1175 TIDRNRHORI CHKDASKAWA APPR.NIKITA REV	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		10 UNDER	± 0.2	DRAWN BY NYOSHIDA	DATE 2004/12/17	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (2-ROW S/T) -LEAD FREE- molex		
		10 OVER 30 UNDER	± 0.25	CHECKED BY MYAGI	DATE 2004/12/17			
		30 OVER	± 0.3	APPROVED BY ANODA	DATE 2004/12/17			
		ANGULAR ±3 °	MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-501190-003		2 OF 2		
SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

10 9 8 7 6 5 4 3 2 1




NOTES


1. 製品詳細寸法については SD-501190-003 を参照ください。
RE DETAILED DIMENSION, SEE SD-501190-003

2. 梱包数量: 1100個/リール
NUMBER OF CONNECTORS: 1100PIECES/REEL

3. リードテープ長さ
LEAD TAPE LENGTH



4. トップテープの剥離強度: 0.1~1.3N(10.2~132.5gf) (剥離方向は下図参照)
PEELING OFF FORCE OF TOP TAPE
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)
尚、本規格値は、出荷時に適用。(但し、輸送時に剥離が発生しないこと)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.
PEEL OFF SHOULD NOT BE ALLOWED, DURING TRANSPORTATION.





5. 材料
MATERIAL
キャリアテープ: ポリプロピレン
CARRIER TAPE: POLYPROPYLENE
トップテープ: PET, PE, REF
TOP TAPE
リール: ポリスチレン (リサイクル材を含む)
REEL: POLYSTYRENE (RECYCLE MATERIAL CONTAINED)

6. 乾燥剤入り防湿梱包仕様になります。(501190-***17, 501190-***27以外)
INCLUDING DESICCANT TAPING PACKAGE.
(BESIDES 501190-***17, 501190-***27)

7. ELV 及び RoHS 適合品
ELV AND RoHS COMPLIANT.

REVISED	EC NO. J2013-1460	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
	DRN WASHIO		10 UNDER	± 0.2	DRAWN BY NYOSHIDA	DATE 2004/12/17	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (2-ROW S/T) EMBTP PKG -LEAD FREE-			
	CHIKUDASAKAWA		10 OVER 30 UNDER	± 0.25	CHECKED BY MYAGI	DATE 2004/12/17				
	APPR NUKITA		30 OVER	± 0.3	APPROVED BY	DATE				
	ANGULAR		± 3 °	ANODA	2004/12/17					
	REV		D	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE SHEET 2		DOCUMENT NO. SD-501190-004		SHEET NO. 1 OF 3	
			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						



SECT. X-X
SCALE: 4-1

無 NO	45.5	44±0.3	20.2	27.6	501190-5029	501190-5027	50
				22.6	501190-4029	501190-4027	40
	33.5	32±0.3	14.2	17.6	501190-3029	501190-3027	30
	25.5	24±0.3	11.5	12.6	501190-2029	501190-2027	20
有 YES	45.5	44±0.3	20.2	27.6	501190-5019	501190-5017	50
				22.6	501190-4019	501190-4017	
					501190-407*	501190-405*	40
	33.5	32±0.3	14.2	17.6	501190-3019	501190-3017	30
					501190-307*	501190-305*	
	25.5	24±0.3	11.5	12.6	501190-2019	501190-2017	20
					501190-207*	501190-205*	
	装着用カバーテープの有無 COVER TAPE	D	C CARRIER TAPE WIDTH	(B)	(A)	CONNECTOR SERIES NO.	EMBOSSED PACKAGE オーダー番号 ORDER NO.

REVISED EC NO. J2013-1460 DRAWN BY CHIKUDAKAWA CHECKED BY APPR. NIKITA 2013/06/12 2013/06/12 2013/06/12	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± 0.2	DRAWN BY NYOSHIDA	DATE 2004/12/17	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (2-ROW S/T) EMBTP PKG -LEAD FREE-				
		10 OVER 30 UNDER	± 0.25	CHECKED BY MYAGI	DATE 2004/12/17					
		30 OVER	± 0.3	APPROVED BY ANODA	DATE 2004/12/17					
		REV	DESCRIPTION	ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHART		SD-501190-004		2 OF 3		
SIZE A3				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

10 9 8 7 6 5 4 3 2 1

有 YES	緑 GREEN	青 BLUE	赤 RED	黒 BLACK	色 COLOR	
	—//—	—//—	—//—	—//—	50	501190-***7*
	501190-4056	501190-4054	501190-4052	501190-4051	40	
	501190-3056	501190-3054	501190-3052	501190-3051	30	
	501190-2056	501190-2054	501190-2052	501190-2051	20	
COVER TAPE	EMBOSSED PACKAGE オーダー番号 ORDER NO.				CKT.	CONNECTOR SERIES NO.

無 NO	COVER TAPE	自然色 NATURAL	色 COLOR	
		501190-5027	50	501190-***29
		501190-4027	40	
		501190-3027	30	
		501190-2027	20	
COVER TAPE	EMBOSSED PACKAGE オーダー番号 ORDER NO.	CKT.	CONNECTOR SERIES NO.	

有 YES	COVER TAPE	自然色 NATURAL	色 COLOR	
		501190-5017	50	501190-***19
		501190-4017	40	
		501190-3017	30	
		501190-2017	20	
COVER TAPE	EMBOSSED PACKAGE オーダー番号 ORDER NO.	CKT.	CONNECTOR SERIES NO.	

SEE SHEET 1 EC NO. J2013-1460 DRAWN BY DRINKASHIO 2013/06/12 CHKD BY CHIKIDAKAWA 2013/06/12 APPR. BY NIKITA 2013/06/12	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		10 UNDER	± 0.2	DRAWN BY	DATE	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (2-ROW S/T) EMBTP PKG -LEAD FREE- molex		
		10 OVER 30 UNDER	± 0.25	CHECKED BY	DATE			
		30 OVER	± 0.3	APPROVED BY	DATE			
		ANGULAR	± 3 °	ANODA	2004/12/17			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	REV	SIZE		MATERIAL NO.		DOCUMENT NO.		SHEET NO.
		A3		SEE CHART		SD-501190-004		3 OF 3
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						