

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[FCI](#)
[89801-026LF](#)

For any questions, you can email us directly:




sales@integrated-circuit.com

→ IF RED ←


PROD. NUMBER : SEE SHEET 213 2 OF 2



DETAIL T



SEE DETAIL T



RECOMMENDED MOUNTING HOLE LAYOUT

NOTES:

- SEE TABLE.
- MATERIAL:
BASE — POLYESTER(PET) GLASS
COVER — 30% FILLED, UL 94V-0, COLOR: BLUE.
TERMINAL — PHOSPHOR BRONZE.
- FINISH:
TERMINAL — ALL OVER S-Pb PLATING
(S-Pb 93/7), 3.81μm(150μin)min.,
1.27μm(50μin)min Ni UNDER PLATING.
- APPLICABLE SPECIFICATIONS:
PRODUCT SPEC 110-019
CRIMPING (I.D.C) SPEC 100-004.
- CONTACT RETENTION FORCE:
400g(1/4oz.) MIN. AGAINST THE DIRECTION.
- ALL PINS KINKED ON ALL VERSIONS

CUSTOMER COPY FOR REFERENCE ONLY

SURFACE ISO 1302 ✓	TOLERANCE ISO R 406 ISO R 1101	MM INCH SCALE	MATL CODE FINISH	SEE NOTES
DATE DR 90 10 19 CHR 90 10 24 APPRO 90 10 24			HEATTREAT	TITLE
E F 10640 91 03 02 JLC D F 10570 91 07 19 JLC C F 10460 91 06 10 JHC B F 10140 91 02 21 JHC A F 00637 90 10 19 PCL			QUICKIE DIL PCB CONNECTOR KINKED SHORT LEGS	
DU PONT ELECTRONICS			DWG N 89801	REV LTR SHEET E 213 1 OF 2
L ECP N. DATE DR. SUPSD BY			SUPERSEDES RELEASE N. F 00637	

Δ

Δ

MICRODIP

PDM: Rev:E

Released

Printed: Dec 08, 2005

PRODUCT NUMBER	SIZE	COVER	BASE ASS'Y	"A"	"B"	"C"
89801-006	2X3	68118-006	69831-006	12.08/.476	6.35/.250	5.08/.200
89801-008	2X4	68118-008	69831-008	14.62/.576	8.89/.350	7.62/.300
89801-010	2X5	68118-010	69831-010	17.16/.676	11.43/.450	10.16/.400
89801-014	2X7	68118-014	69831-014	22.24/.876	16.51/.650	15.24/.600
89801-016	2X8	68118-016	69831-016	24.78/.976	19.05/.750	17.78/.700
89101-018	2X9	68118-018	69831-018	27.32/1.076	21.59/.850	20.32/.800
89801-020	2X10	68118-020	69831-020	29.86/1.176	24.13/.950	22.86/.900
89801-024	2X12	68118-024	69831-024	34.94/1.376	29.21/1.150	27.94/1.100
89801-026	2X13	68118-026	69831-026	37.48/1.476	31.75/1.250	30.48/1.200
89801-030	2X15	68118-030	69831-030	42.56/1.676	36.83/1.450	35.56/1.400
89801-034	2X17	68118-034	69831-034	47.64/1.876	41.91/1.650	40.64/1.600
89801-040	2X20	68118-040	69831-040	55.26/2.176	49.53/1.950	48.26/1.900
89801-050	2X25	68118-050	69831-050	67.96/2.676	62.23/2.450	60.96/2.400
89801-060	2X30	68118-060	69831-060	80.66/3.176	74.93/2.950	73.66/2.900
89801-064	2X32	68118-064	69831-064	85.74/3.376	80.01/3.150	78.74/3.100

NOTES :

- SEE TABLE.
- FINISH : Sn Pb ALL OVER PLATING.

CUSTOMER COPY FOR REFERENCE ONLY

Surface ISO 1302 ✓	Tolerances ISO 406 ISO 1101		mm inch Scale	Material code
				Finish
				Product number 89801-0XX
				Title
				QUICKIE DIL PCB
				CONNECTOR
				KINKED SHORT LEGS
				Drawing number 89801
				Rev Ltr E
				Sheet 213
				2 of 2

DU PONT ELECTRONICS
 EOP N° Date Dr Supd by Supersedes Release N° F 00637
 FORMAT A3

89801 219 212