

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:



[FCI](#)
[92150-002LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com


PRODUCT No.	FINISH
92150-001	SEE NOTE 2
92150-001LF	SEE NOTE 5

REVISIONS				
REV	DESCRIPTION	ECN	BY	DATE
1	SKETCHED		KS	11/13/98
A	RELEASED	J30180	KS	6/10/99
R	REVISED	M05-07720	MZ	10/28/99



NOTE





- ① MATERIAL
BODY : LCP UL94V-0 BLACK
PIN : PHOSPHOR BRONZE
- ② FINISH(PIN)
ALL OVER : Ni UNDER PLATING 0.5um THK MIN.
CONTACT AREA : Au 0.1um THK MIN.
OVER Pd/Ni 0.5um THK MIN.
SOLDER TAIL : Sn/Pb 2.5um THK MIN.
- ③ DIMENSION "L"
- | | |
|---------------------|----------|
| 1,17,34,35,51,68PIN | 5.0±0.1 |
| 36,67PIN | 3.5±0.1 |
| OTHERS | 4.25±0.1 |
4. CARD SLOT AND PIN DIMENSIONS
PER JEIDA/PCMCIA STANDARDS
- ⑤ FINISH(PIN)
ALL OVER : Ni UNDER PLATING 0.5 um THK MIN.
CONTACT AREA : Au 0.1um THK MIN.
OVER Pd/Ni 0.5 um THK MIN.
SOLDER TAIL : Sn 2.5um THK MIN.



SHEET INDEX	ISSUE	B	B										
	SH. NO.	1	2										
TOLERANCES UNLESS OTHERWISE SPECIFIED	±0.3			MAF	DR	M.Hasegawa	DATE	7/19/76	CUSTOMER	88POS. HEADER ASSY			
LINEAR	FINISH			SEE NOTE ①	DR	M.Hasegawa	7/19/76	COPY	JEIDA/PCMCIA TYPE I, II, III				
ANGLES					CHK			THIRD PARTY	PRODUCT FAMILY				
					APPRO			UNIT	SCALE	SIZE	QTY.	NO.	
								UNIT	2/1	SIZE	92150	REV	
								UNIT				UP	


PRODUCT No.	FINISH
92150-002	SEE NOTE 2
92150-002LF	SEE NOTE 5

REVISIONS				
REV	DESCRIPTION	ECN	BY	DATE
1	SKETCHED		KS	11/13/98
A	RELEASED	J30180	KS	6/10/99
B	REVISED	1005-22728	MZ	10/28/00



NOTE

- ① MATERIAL
BODY : LCP UL94V-0 BLACK
PIN : PHOSPHOR BRONZE
- ② FINSH(PIN)
ALL OVER : Ni UNDER PLATING 0.5um THK MIN.
CONTACT AREA : Au 0.1um THK MIN.
OVER Pd/Ni 0.5um THK MIN.
SOLDER TAIL : Sn/Pb 2.5um THK MIN.
- ③ DIMENSION "L"
- | | |
|---------------------|----------|
| 1,17,34,35,51,68PIN | 5.0±0.1 |
| 36,67PIN | 3.5±0.1 |
| OTHERS | 4.25±0.1 |
4. CARD SLOT AND PIN DIMENSIONS
PER JEIDA/PCMCIA STANDARDS
- ⑤ FINSH(PIN)
ALL OVER : Ni UNDER PLATING 0.5 um THK MIN.
CONTACT AREA : Au 0.1 um THK MIN.
OVER Pd/Ni 0.5 um THK MIN.
SOLDER TAIL : Sn 2.5um THK MIN.

[illegible]