

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[75600-005](#)



For any questions, you can email us directly:

sales@integrated-circuit.com




FCIconnect.com

PRODUCT NUMBER
SEE SHEET 3



SECTION X-X
SCALE 2:1



THIS PRODUCT FOR IBM USE ONLY

mat'l code SEE NOTE 1				surface ☒ tolerance		projection 	product family PV TERMINALS	
ltr	ecr no	dr	date	tolerances unless otherwise specified			title	
L	V61311	EPK	1996-10-09	angles	XX ±01/XX-3	INCH/MM scale 4:1	MINI PV™ RECEPTACLE	
M	V05-0268	HTB	2005-03-30		XXX ±005/XXX-B		C.T.W. IBM 70	
N	V06-0623	HTB	2006-06-28	0° ±2'	XXXX ±0020/XXXX-051		dwg no	
P	V08-0116	HTB	2008-04-07	dr	E.J. HALEY 1987-04-10		sheet 1 of 3 size	
				engr	H. SUNDY 1987-04-10		75600	
				chr	H. SUNDY 1987-04-10		A4	
				appd	H. SUNDY 1987-04-10	type		
						CUSTOMER Drawing		
sheet index	revision	P	P	P				
	sheet	1	2	3				

form: A4mmXLC

Copyright FCI





FCIconnect.com

1 | 2

3 |

4

PRODUCT NUMBER
SEE SHEET 3

NOTES

- ① MAT'L : CONNECTOR BODY, 1/4 HARD BRASS CONFORMING TO ASTM B 36-69 ALLOY 260. SPRING; BERYLLIUM COPPER HEAT TREATED TO 175000 MIN TENSILE STRENGTH.
2. FINISHED PART MUST BE PLATED GOLD OVER NICKEL. PLATING THICKNESS APPLIES TO CONTACT AREA. NICKEL PLATING TO BE .000050/0.00127 MIN THICKNESS. GOLD PLATING TO BE .000040/0.00102 MIN THICKNESS. GOLD TO BE 23.0 KARAT 99.4% PURE. REMAINDER OF PART TO BE 30u"/76u MIN GOLD.
- ③ TAB LENGTH AFTER CUT OFF.
- ④ FOR MANUFACTURING PURPOSES ONLY.
- ⑤ .001/.025 MAX BURR BELOW SURFACE -W-.
6. PART TO MATE WITH .028±.001/0.71±0.025 ROUND PIN.
7. APPLICABLE SPECIFICATIONS;
BUS-12-067; PRODUCT SPECIFICATION.
TA-75; APPLICATION SPECIFICATION.
8. PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
9. THIS PRODUCT IS NOT INTENDED TO BE EXPOSED TO MANUFACTURING SOLDERING PROCESSES.

THIS PRODUCT FOR IBM USE ONLY

mat'l code SEE NOTE 1				surface	tolerance	projection	product family PV TERMINALS		
ltr	ecr no	dr	date	tolerances unless otherwise specified			title		
P				angles	XX ±01/XX±3	INCH/MM	MINI PV™ RECEPTACLE		
					XXX ±005/XXX±9		C.T.W. IBM 70		
				0° ±2°	XXXX ±0020/XXXX±051	scale 1:1	dwg no		
				dr	E.J. HALEY 1987-04-10		75600		
				engr	H. SUNDY 1987-04-10		sheet 2 of 3		
				chr	H. SUNDY 1987-04-10		A4		
				appd	H. SUNDY 1987-04-10		type		
sheet index	revision	sheet					CUSTOMER Drawing		

form: A4mmXLC

1 |

2 |

3 |

4

PDM: Rev:P

STATUS Released

Printed: Jul 14, 2012



FCIconnect.com

Copyright FCI

PRODUCT NUMBER	WIRE BARREL			INSULATION BARREL			WIRE RANGE	SPRING SIZE
	DIM A	DIM B	RADIUS C	DIM D	DIM E	RADIUS F		
75600-001				O B S O L E T E				
75600-001LF	.054/1.37	.058/1.47	.011/0.28	.115/2.92	.105/2.67	.040/1.02	28-32	.0035±.0005/0.089±0.013
75600-002				O B S O L E T E				
75600-002LF	.070/1.78	.070/1.78	.017/0.43	.139/3.53	.120/3.05	.050/1.27	22-26	.0035±.0005/0.089±0.013
75600-003				O B S O L E T E				
75600-003LF	.104/2.64	.104/2.64	.021/0.53	.139/3.53	.120/3.05	.050/1.27	18-20	.0035±.0005/0.089±0.013
75600-004				O B S O L E T E				
75600-004LF	.054/1.37	.058/1.47	.011/0.28	.115/2.92	.105/2.67	.040/1.02	28-32	.0048±.0005/0.122±0.013
75600-005				O B S O L E T E				
75600-005LF	.070/1.78	.070/1.78	.017/0.43	.139/3.53	.120/3.05	.050/1.27	22-26	.0048±.0005/0.122±0.013
75600-006				O B S O L E T E				
75600-006LF	.104/2.64	.104/2.64	.021/0.53	.139/3.53	.120/3.05	.050/1.27	18-20	.0048±.0005/0.122±0.013
75600-007				O B S O L E T E				
75600-007LF	.054/1.37	.058/1.47	.011/0.28	.115/2.92	.105/2.67	.040/1.02	28-32	.0065±.0005/0.165±0.013
75600-008				O B S O L E T E				
75600-008LF	.070/1.78	.070/1.78	.017/0.43	.139/3.53	.120/3.05	.050/1.27	22-26	.0065±.0005/0.165±0.013
75600-009				O B S O L E T E				
75600-009LF	.104/2.64	.104/2.64	.021/0.53	.139/3.53	.120/3.05	.050/1.27	18-20	.0065±.0005/0.165±0.013

THIS PRODUCT FOR IBM USE ONLY

mat'l code				surface ☒ tolerance				projection		product family	
SEE NOTE 1				tolerances unless otherwise specified				☒		PV TERMINALS	
ltr	ecm no	dr	date	angles	to	of	INCH/MM	title			
P								MINI PV™ RECEPTACLE			
								C.T.W. IBM 70			
								dwg no			
								75600			
								sheet 3 of 3 size			
								A4			
sheet index				revision sheet				type			
								CUSTOMER Drawing			

form: AKmmXLC