


## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[FCI](#)  
[50437-X140XLF](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)




mat'l. code				surface	tolerance	projection	product family
SEE NOTE 3				ISO 1302	ISO 406 ISO 1101		HPC
ltr	ecr	no	ldr	tolerances unless otherwise specified			title
A	V12795	RDS	10/24/91	angles	.XX±.01/.3	INCH/MM	VERTICAL SHROUD
B	V20224	MRC	3/2/92	linear	.XXX±.005/.13	scale 1:1	4 ROW W/O GUIDE PINS
C	V23049	SAR	7/24/92	0°±2'	.XXXX±.0020/.05		dwg no
D	V41077	GAH	7/6/94	dr	D.SHEAFFER	8/7/91	sheet 1 of 2 size
E	V94441	JWS	12/30/99	enr	S.CLARK	10/24/91	50437
F	V05-0967	DAI	10/20/05	chr	S.CLARK	10/24/91	A3
G	M06-0283	MHT	7/27/06	appd	S.CLARK	10/24/91	type
sheet	revision	G	G				Product Customer Drawing
index	sheet	1	2				

PRODUCT NUMBER  
SEE NOTE 1



SECTION U-U



SECTION X-X

NOTES:

- PRODUCT NUMBERING CODE:  
50437-X YY X LF  
  - LEAD FREE (OPTIONAL)
  - ALWAYS "X"
  - NO. OF POSITIONS SEE NOTE 2
  - ALWAYS "X"
  - BASE NUMBER
- THIS PRODUCT IS CONFIGURED IN SIZES OF 6 THRU 80 COLUMNS IN INCREMENTS OF ONE.  
i.e.: 6, 7, 8, 9,.....79, 80.
- MATERIAL: GLASS AND MINERAL FILLED THERMOPLASTIC. FLAME RETARDANT PER UL94 V-0. COLOR: BLACK.
- MANUFACTURE'S NAME, P/N, AND LOT CODE TO APPEAR ON THIS SURFACE.
- LENGTH FORMULAS  
 DIM A= .100/2.54 x NO. OF COLUMNS + .75/19.1  
 DIM B= .100/2.54 x NO. OF COLUMNS + .450/11.43  
 DIM C= .100/2.54 x NO. OF COLUMNS - .100/2.54
- THIS PRODUCT (WITH "LF" SUFFIX) MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- THIS HOUSING WILL WITHSTAND EXPOSURE TO 260° C PEAK TEMPERATURE FOR 10-30 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE OVEN.

mat'l. code SEE NOTE 3			surface ISO 1302	tolerance ISO 406 ISO 1101	projection 	product family HPC
ltr	ecr	no	dr	date	tolerances unless otherwise specified	title
G					angles .XX±.01/.3 linear .XXX±.005/.13	VERTICAL SHROUD 4 ROW W/O GUIDE PINS
					0°±2' .XXXX±.0020/.05	scale 1:1
			dr	D.SHEAFFER 8/7/91		dwg no 50437 sheet 2 of 2 size A3
			enr	S.CLARK 10/24/91		type Product Customer Drawing
			chr	S.CLARK 10/24/91		
			app	S.CLARK 10/24/91		
sheet index	revision	sheet				