

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Johanson Technology Inc.](#)  
[0918BD41B050E](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

## "High Frequency Ceramic Solutions"

### 920/1885 MHz Dual Band Balun

P/N 0918BD41B050

Detail Specification: 12/19/08

Page 1 of 2


#### General Specifications

Part Number	0918BD41B050	
	<b>Band 1</b>	<b>Band 2</b>
Frequency (MHz)	900 ~ 940	1850 ~ 1920
Insertion Loss @ BW	1.2 dB max.	1.7 dB max.
Return Loss @ Unbalanced Port	8.5 dB Min.	
Unbalanced Impedance	50 Ω	
Differential Balanced Imp.	50 Ω	

<b>Phase Difference</b>	
@ 900 - 940MHz	180+/- 10 degrees
@ 1850 - 1920MHz	180+/- 20 degrees
<b>Power Capacity</b>	1.0 Watt max.
<b>Operating Temperature</b>	-40 ~ +85 °C
<b>Reel Quantity</b>	2,000


#### Mechanical Dimensions

	In	mm
L	0.126 ± 0.008	3.20 ± 0.20
W	0.098 ± 0.008	2.50 ± 0.20
T	0.059 ± 0.006	1.50 ± 0.15
a1	0.022 ± 0.006	0.55 ± 0.15
a2	0.028 ± 0.008	0.70 ± 0.20
b	0.004 min	0.1 min
c	0.016 +.004/-0.008	0.40 +0.1/-0.2
g	0.018 ± 0.006	0.45 ± 0.15
p	0.039 ± 0.008	1.00 ± 0.20



#### Terminal Configuration


No.	Function
1	GND
2	Unbalanced Port (Band 1)
3	GND
4	NC
5	Balanced Port
6	NC
7	Balanced Port
8	Unbalanced Port (Band 2)



#### Mounting Considerations

Mount these devices with brown mark facing up. Line width should provide proper impedance matching characteristics.

Units: mm




Johanson Technology, Inc. reserves the right to make design changes without notice.  
 All sales are subject to Johanson Technology, Inc. terms and conditions.

# "High Frequency Ceramic Solutions"

<b>920/1885 MHz Dual Band Balun</b>	<b>P/N 0918BD41B050</b>
Detail Specification: 12/19/08	Page 2 of 2

**Typical Electrical Characteristics (T=25°C)**



Johanson Technology, Inc. reserves the right to make design changes without notice.  
 All sales are subject to Johanson Technology, Inc. terms and conditions.