

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0428786362](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



PART CHARACTERISTICS					PART CHARACTERISTICS					CHARACTERISTICS LEGEND									
ASSEMBLY NUMBER	EXTERNAL CONNECTOR SIZE	NUMBER OF POSITIONS	P. C. BOARD THICKNESS	MOUNTING EARS OPTION	ASSEMBLY ITEM NUMBER	EXTERNAL CONNECTOR SIZE	NUMBER OF POSITIONS	P. C. BOARD THICKNESS	MOUNTING EARS OPTION	EXTERNAL CONNECTOR BODY DIMENSIONS: AVAILABLE IN 4, 6, AND 8 POSITION BODY									
42878-4246	4 POS. BODY	4	.062	YES	42878-4246	6 POS. BODY	6	.062	YES	NUMBER OF CONTACT POSITIONS: CONNECTOR SIZE 4 ACCOMMODATES 2, OR 4 TERMINALS; CONNECTOR SIZE 6 ACCOMMODATES 2, 4, OR 6 TERMINALS; CONNECTOR SIZE 8 ACCOMMODATES 2, 4, 6, 8, OR 10 TERMINALS									
42878-4248	4 POS. BODY	4	.062	NO	42878-4248	6 POS. BODY	6	.062	NO	POLARIZATION OPTIONS (AVAILABLE ON CONNECTOR SIZE 8 ONLY) "NO" - WITHOUT KEYING SLOT "YES" - WITH KEYING SLOT									
42878-4264	4 POS. BODY	4	.125	YES	42878-4264	6 POS. BODY	6	.125	YES	MOUNTING EARS OPTION: "YES" - PART WITH MOUNTING EARS "NO" - PART WITHOUT MOUNTING EARS									
42878-4266	4 POS. BODY	4	.125	NO	42878-4266	6 POS. BODY	6	.125	NO	(SEE SHEET 1 & 2 FOR PART DESCRIPTIONS AND DIMENSIONS)									
42878-4360	4 POS. BODY	2	.062	YES	42878-4360	6 POS. BODY	4	.062	YES										
42878-4362	4 POS. BODY	2	.062	NO	42878-4362	6 POS. BODY	4	.062	NO										
42878-4408	4 POS. BODY	2	.125	YES	42878-4408	6 POS. BODY	4	.125	YES										
42878-4410	4 POS. BODY	2	.125	NO	42878-4410	6 POS. BODY	4	.125	NO										
					42878-4504	6 POS. BODY	2	.062	YES										
					42878-4506	6 POS. BODY	2	.062	NO										
					42878-4552	6 POS. BODY	2	.125	YES										
					42878-4554	6 POS. BODY	2	.125	NO										

QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	REVISION ON CAD ONLY
▽ 0	4 PLACES ± .001	INCH	IN/100	ASSEMBLY, VERTICAL LOW PROFILE MODULAR JACKS (CONNECTOR SIZE 4 & 6)	
▽ 0	3 PLACES ± .002	INCH	IN/100	MOLEX INCORPORATED	
▽ 0	2 PLACES ± .005	INCH	IN/100		
▽ 0	1 PLACE ± .010	INCH	IN/100		
▽ 0	ANGULAR ± 1/2°	INCH	IN/100		
▽ 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	INCH	IN/100		