

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[22-01-2127](#)




For any questions, you can email us directly:

sales@integrated-circuit.com

2695-NR



2695-NRP



2695 - N * *
NO. OF. CIRCUITS



OPTION CODE			
RAMP	POLARIZING RIBS	MAT'L	
BLANK	NO	NO	NOTE 1A
R	YES	NO	NOTE 1A
RP	YES	YES	NOTE 1A
RP-BK	YES	YES	NOTE 1B

NOTES:

1. MATERIAL: A - NYLON, UL94V-0, COLOR: WHITE
B - NYLON, UL94V-0, COLOR: BLACK
2. FINISH: SEE TERMINAL DRAWING
3. THIS HOUSING CONFORMS TO MOLEX PRODUCT SPECIFICATION PS-10-07.
4. PACKAGING: PER PK-2695-001
5. HOUSING TO BE USED WITH CRIMP TERMINAL SERIES 2750, 6450, AND 41572. PARTS MADE AFTER 4/19/2012 WILL ALSO ACCEPT 4809 AND 8088 SERIES TERMINALS. FOR USE WITH 22-30 GAUGE WIRE WITH (1.57)/.062 DIAMETER MAXIMUM WIRE INSULATION.
6. LAST CIRCUIT NUMBER NOT PRESENT ON 2-6 CKT AND MAY OR MAY NOT BE PRESENT ON 7-16 CKT SIZES.
7. CIRCUIT NUMBER "1" AND ENGINEERING NUMBER TO APPEAR ON PARTS 3 CKTS. AND HIGHER. PS-45499-002.

QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
SYMBOL	VALUE	MM	INCH	MM/IN	DATE	6:1	INCH	MM	INCH	DATE	DATE
▽=0	4 PLACES	± .005	± .005	DRAWN BY PEREZ-ARGUET	1988/02/25						
▽=0	3 PLACES	± .01	± .01	DRAWN BY PATEL	1988/02/25						
▽=0	2 PLACES	± .025	± .025	APPROVED BY	DATE						
▽=0	1 PLACE	± .05	± .05	LENZ	1988/02/25						
ANGULAR ±1/2°				MATERIAL NO.		DOCUMENT NO.		DATE		SHEET NO.	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHART		SD-2695		1 OF 2			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											

NO. OF CKT'S.	DIM. A	DIM. B
2	(2.54)±0.05	(5.64)±.222
3	(5.08)±0.05	(8.18)±.322
4	(7.62)±0.08	(10.72)±.422
5	(10.36)±0.08	(13.26)±.522
6	(12.70)±0.10	(15.80)±.622
7	(15.24)±0.10	(18.34)±.722
8	(17.78)±0.13	(20.88)±.822
9	(20.32)±0.13	(23.42)±.922
10	(22.86)±0.13	(25.96)±1.022
11	(25.40)±0.15	(28.50)±1.122
12	(27.94)±0.15	(31.04)±1.222
13	(30.48)±0.18	(33.58)±1.322
14	(33.02)±0.18	(36.12)±1.422
15	(35.56)±0.20	(38.66)±1.522
16	(38.10)±0.20	(41.20)±1.622



2695-N

PART NO.	ENG NO.	VOID
22-01-202I	2695-2	
22-01-203I	2695-3	
22-01-204I	2695-4	
22-01-205I	2695-5	
22-01-206I	2695-6	
22-01-207I	2695-7	
22-01-208I	2695-8	
22-01-209I	2695-9	
22-01-210I	2695-10	
22-01-211I	2695-11	
22-01-212I	2695-12	
22-01-213I	2695-13	
22-01-214I	2695-14	
22-01-215I	2695-15	
22-01-216I	2695-16	

2695-NR

PART NO.	ENG NO.	VOID
22-01-2027	2695-2R	
22-01-2037	2695-3R	
22-01-2047	2695-4R	
22-01-2057	2695-5R	
22-01-2067	2695-6R	
22-01-2077	2695-7R	
22-01-2087	2695-8R	
22-01-2097	2695-9R	
22-01-2107	2695-10R	
22-01-2117	2695-11R	
22-01-2127	2695-12R	
22-01-2137	2695-13R	
22-01-2147	2695-14R	
22-01-2157	2695-15R	
22-01-2167	2695-16R	

2695-NRP

PART NO.	ENG NO.	VOID
22-01-3027	2695-2RP	
22-01-3037	2695-3RP	
22-01-3047	2695-4RP	
22-01-3057	2695-5RP	
22-01-3067	2695-6RP	
22-01-3077	2695-7RP	
22-01-3087	2695-8RP	
22-01-3097	2695-9RP	
22-01-3107	2695-10RP	
22-01-3117	2695-11RP	
22-01-3127	2695-12RP	
22-01-3137	2695-13RP	
22-01-3147	2695-14RP	
22-01-3157	2695-15RP	
22-01-3167	2695-16RP	

2695-NRP-BK

PART NO.	ENG NO.	VOID
50-29-1557	2695-2RP-BK	
50-29-1558	2695-3RP-BK	
50-29-1559	2695-4RP-BK	
50-29-1560	2695-5RP-BK	
50-29-1561	2695-6RP-BK	
50-29-1562	2695-7RP-BK	
50-29-1563	2695-8RP-BK	
50-29-1564	2695-9RP-BK	
50-29-1565	2695-10RP-BK	
50-29-1566	2695-11RP-BK	
50-29-1567	2695-12RP-BK	
50-29-1568	2695-13RP-BK	
50-29-1569	2695-14RP-BK	
50-29-1570	2695-15RP-BK	
50-29-1571	2695-16RP-BK	

SEE SHEET 1 EC NO: UCP2011-2220 2011/02/22 DRAWN BY PER 2011/02/22 CHKD BANDERSON 2012/04/05 APPROV SMITH	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
		4 PLACES ± ---	± ---	DRAWN BY	DATE	TITLE (2.54)/.100 HOUSING FOR KK CRIMP TYPE TERMINALS 2695 SERIES DRAWING			
		3 PLACES ± ---	± ---	CHECKED BY	DATE	MOLEX INCORPORATED			
		2 PLACES ± ---	± ---	APPROVED BY	DATE	MATERIAL NO. DOCUMENT NO. SHEET NO. SEE CHART SD-2695 2 OF 2			
1 PLACE ± --- ANGULAR ± 1/2°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			