

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)
[3200454](#)

For any questions, you can email us directly:
sales@integrated-circuit.com



Extract from the online catalog

AI 50 -20 BU

Order No.: 3200454

The figure shows the version AI 2,5-12 BU



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3200454>

Ferrule, Length: 36 mm, Color: blue

Commercial data

EAN	4017918094102
Pack	50 pcs.
Customs tariff	85369010
Weight/Piece	0.002938 KG
Catalog page information	Page 662 (CL-2009)

Product notes

WEEE/RoHS-compliant since:
01/01/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Length (b)	36 mm
Color	blue
Material	E-CU
Sleeve length	20 mm
Inner dimension of the insulating collar (d)	15 mm

AI 50 -20 BU Order No.: 3200454

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3200454>

Ferrule diameter	10.3 mm
Insulating collar thickness	0.6 mm
Sleeve wall thickness	0.35 mm

Certificates / Approvals




Certification

CSA, UCSA

Diagrams/Drawings

Dimensioned drawing



AI 50 -20 BU Order No.: 3200454

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3200454>

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact
Technical modifications reserved;