

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Apem Inc.](#)
[SLA2201](#)

For any questions, you can email us directly:
sales@integrated-circuit.com

SLA Series

Miniature Slide Switches

SPECIFICATIONS	FEATURES
<p>Contact ratings: 500 mA at 125 VAC Initial contact resistance: 20 milliohms max. Insulation resistance: 100 megohms min. at 500 VDC Dielectric strength: 500 volts RMS for 1 minute Electrical life: 10,000 cycles min. Operating temperature range: -20°C to +85°C Actuation force: 350g ± 200g Solder heat resistance: 260°C max. for 3 seconds Solvent washing permissible</p>	<ul style="list-style-type: none"> ● Miniature compact size. ● Wash-through open frame construction. ● Panel and p.c. mounting models.
MATERIALS	
<p>Contacts & terminals: Silver plated brass Frame: Zinc plated steel Actuator: PBT Thermoplastic Base: Phenolic laminated sheet</p>	

MODEL NO.	1P2T
SLA1200	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>1P2T</p> <p>● = COMMON</p> <p>SCHMATIC</p> </div> <div style="text-align: center;"> <p>MECHANICAL OUTLINE</p> </div> <div style="text-align: center;"> <p>P.C. BOARD LAYOUT</p> </div> </div>
SLA1201	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>1P2T</p> <p>● = COMMON</p> <p>SCHMATIC</p> </div> <div style="text-align: center;"> <p>MECHANICAL OUTLINE</p> </div> <div style="text-align: center;"> <p>P.C. BOARD LAYOUT</p> </div> </div>
SLA2200	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>2P2T</p> <p>● = COMMON</p> <p>SCHMATIC</p> </div> <div style="text-align: center;"> <p>MECHANICAL OUTLINE</p> </div> <div style="text-align: center;"> <p>P.C. BOARD LAYOUT</p> </div> </div>

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

MODEL NO.	2P2T		
SLA2201			
	<p>● = COMMON</p>		
	SCHEMATIC	MECHANICAL OUTLINE	P.C. BOARD LAYOUT