### **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

3M 79-WHITE-1

For any questions, you can email us directly: <a href="mailto:sales@integrated-circuit.com">sales@integrated-circuit.com</a>



## **3M**

### 79 Tape

# White Glass Cloth With Acrylic Adhesive Data Sheet

#### **Product Description**

3M<sup>TM</sup> 79 Tape is a white glass cloth with an electrical grade acrylic pressure sensitive adhesive. It features:

- \* High temperature resistance (150 °C)
- \* Excellent Conformability
- \* Superb absorption of resin and varnishes
- \* Printable
- \* High solvent resistance

#### **Applications**

This tape is suggested for use in a variety of coil/transformer and motor applications including an outer wrap for bobbin wound coils, banding arbor wound coils, lead pad hold down, end turn and lead anchor and connection.

Properties	Typical Property
Thickness <sup>1</sup>	7.0 mils (0.177 mm)
Tensile Strength <sup>1</sup>	150 lbs./in. (262N/10 mm)
Adhesion to Steel <sup>1</sup>	30 oz/in. (3,3N/10 mm)
Elongation <sup>1</sup> (% At Break)	5
Dielectric Strength <sup>1</sup>	3000 Volts
Insulation Resistance <sup>1</sup> (Megohms)	$5.0 \times 10^7$
CTI Material Group	1
Electrolytic Corrosion Factor <sup>2</sup>	. 9

Test Methods

<sup>&</sup>lt;sup>1</sup> ASTM D-1000

<sup>&</sup>lt;sup>2</sup> 3M Test Method



#### **Distributor of 3M: Excellent Integrated System Limited**

Datasheet of 79-WHITE-1 - TAPE GLASS CLOTH 1"X 60YD WHT

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

#### Important Notice

Technical information provided by 3M is based on experience and/or tests believed to be reliable, but their accuracy is not guaranteed and the results may not be relevant to every user's application. For this reason 3M does not accept responsibility or liability, direct or consequential, arising from reliance upon any information provided and the user should determine the suitability of the products for their intended use. Nothing in this statement will be deemed to exclude or restrict 3M's liability for death or personal injury arising from its negligence. All questions of liability relating to 3M products are governed by the seller's terms of sale subject where applicable to the prevailing law

If any goods supplied or processed by or on behalf of 3M prove on inspection to be defective in material or workmanship, 3M will (at its option) replace the same or refund to the Buyer the price paid for the goods or services. Except as set our above, all warranties and conditions, whether express or implied, statutory or otherwise are excluded to the fullest extent permissible at law.

 $3\mbox{M}$  and Scotchcast are trademarks of the  $3\mbox{M}$  Company. Printed in the UK.

© 3M United Kingdom PLC, 1999

3M United Kingdom PLC Electrical Products Group Hudson Road Bedford MK41 0HR Tel: 01234 268868 Fax: 01234 229433 3M Ireland Electrical products Group 3M House, Adelphi Centre Dun Loaghaire, CO. Dublin, Ireland Tel: (01) 2803555 Fax: (01) 2803509



Jan. 2000