

Excellent Integrated System Limited


Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0529910708](#)

For any questions, you can email us directly:

sales@integrated-circuit.com






NOTES


1. 製品詳細寸法については図面 SD-52991-004 を参照下さい。
RE: DETAILED DIMENSION, SEE SD-52991-004

2. 梱包数量: 3000個/リール
NUMBER OF CONNECTORS: 3000PCS/REEL

3. リードテープ長さ LEAD TAPE LENGTH




4. トップテープの剥離強度: 0.1N~1.3N (10gf~130gf) (剥離方向は下図参照)
尚、本規格値は出荷時に適用。(但し、輸送時に剥離が発生しないこと。)
PEELING OFF FORCE OF TOP TAPE: 0.1N~1.3N (10gf~130gf)
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.
PEEL OFF SHOULD NOT BE ALLOWED, DURING TRANSPORTATION.




5. 材料(MATERIAL)


キャリアテープ(CARRIER TAPE): ポリプロピレン(POLYPROPYLENE)
トップテープ(TOPTAPE): PET, PE, PEF
リール(REEL): ポリスチレン(PS) <リサイクル材を含む>
POLYSTYRENE(PS) <RECYCLE MATERIAL CONTAINED>



tb_frame_A3_J_ME_S
Rev. D 2004/04/02



REVISED EC NO: J2206-0604 DRAWN: NALDA CHKD: K. TOYODA APP: N. KITA 2005/08/31 2005/09/01 2005/09/09				DESCRIPTION	52991-***8		MODEL NO.		24		29.4	25.4	15.1	14.1	7.4	52991-0408	40
					GENERAL TOLERANCES (UNLESS SPECIFIED)		キャリアテープ幅 CARRIER TAPE WIDTH		E	D	12.6	11.6	4.9	52991-0308	30		
D	REV	10 UNDER		± ---	DIMENSION STYLE		MM ONLY		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION		種数 CKT.		
		10 OVER 30 UNDER		± ---	DRAWN BY		DATE		TITLE								
		30 OVER		± ---	CHECKED BY		DATE		0.5 B/B CONN REC HSG ASSY EMBSTP PKG -LEAD FREE-								
		ANGULAR		± --- °	APPROVED BY		DATE		MOLEX INCORPORATED								
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SD-52991-005		SHEET NO. 3 OF 6							
A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															




32mm幅キャリアテープ
32mm WIDTH CARRIER TAPE

REVISED EC NO: J2006-0604 DRAWN: NALDA CHKD: K. TOYODA APP: N. ITO DATE: 2005/08/31 2005/09/01 2005/09/09	DESCRIPTION	52991-***8		MODEL NO.	32	37.4	33.4	17.6	16.6	11.2	52991-0508	50	
					キャリアテープ幅 CARRIER TAPE WIDTH	E	D	(C)	(B)	(A)	MATERIAL NO.	種数 CKT.	
		GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE ---		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		
		10 UNDER		± ---	DRAWN BY T. YASUI		DATE '96/04/15		0.5 B/B CONN REC HSG ASSY EMBSTP PKG -LEAD FREE-				
		10 OVER 30 UNDER		± ---	CHECKED BY T. ITO		DATE '01/01/31						
		30 OVER		± ---	APPROVED BY M. FUKUSHIMA		DATE '01/01/31						
		ANGULAR		± --- °	MATERIAL NO.		DOCUMENT NO.		MOLEX INCORPORATED		SHEET NO.		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-52991-005				4 OF 6			
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
		REV											



REVISED	EC NO: J20006-0604	2005/08/31	DESCRIPTION	52991-***8		MODEL NO.	32		37.4	33.4	20.1	19.1	13.7	52991-0608	60
	DRNWAIDA	2005/09/04					キャリアテープ幅 CARRIER TAPE WIDTH		E	D	(C)	(B)	(A)	MATERIAL NO.	極数 CKT
	CHYKDKT0Y04	2005/09/09		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---		DESIGN UNITS METRIC		◎ 第三角 PROJECTION			
	APPR-NUK1TA			10 UNDER ± ---		DRAWN BY DATE S.AIHARA '96/04/01		TITLE 0.5 B/B CONN REC HSG ASSY EMBSTP PKG -LEAD FREE-							
D	REV			10 OVER 30 UNDER ± ---	CHECKED BY DATE T.ITO '01/01/31		MOLEX MOLEX INCORPORATED								
			30 OVER ± ---	APPROVED BY DATE M.FUKUSHIMA '01/01/31											
		ANGULAR ± --- °	MATERIAL NO.		DOCUMENT NO.		SHEET NO.								
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-52991-005		5 OF 6					
				SIZE 3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									



44mm幅キャリアテープ
44mm WIDTH CARRIER TAPE

REVISED EC NO: J2006-0604 DRAWN: N. IIDA CHKD: K. TOYODA APP: N. IIDA DATE: 2005/08/31 2005/09/01 2005/09/09	DESCRIPTION	52991-***8 MODEL NO.		44		49.4	45.4	25.1	24.1	18.7	52991-0808	80
		GENERAL TOLERANCES (UNLESS SPECIFIED)		キヤリアテープ幅 CARRIER TAPE WIDTH		E	D	22.6	21.6	16.2	52991-0708	70
		10 UNDER ±---		DIMENSION STYLE MM ONLY		SCALE ---		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		
		10 OVER 30 UNDER ±---		DRAWN BY T. YASUI		DATE '96/04/15		TITLE 0.5 B/B CONN REC HSG ASSY EMBSTP PKG -LEAD FREE-				
REVISED EC NO: J2006-0604 DRAWN: N. IIDA CHKD: K. TOYODA APP: N. IIDA DATE: 2005/08/31 2005/09/01 2005/09/09	DESCRIPTION	10 OVER 30 UNDER ±---		CHECKED BY T. ITO		DATE '01/01/31		APPROVED BY M. FUKUSHIMA		DATE '01/01/31		
		30 OVER ±---		APPROVED BY M. FUKUSHIMA		DATE '01/01/31		MATERIAL NO.		DOCUMENT NO.		
		ANGULAR ±---		MATERIAL NO.		DOCUMENT NO.		MOLEX INCORPORATED		SHEET NO.		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-52991-005		6 OF 6				