

## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Steinel](#)  
[07681](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HB 1750

## Professional Heat Blowers



Double  
Insulated



### HB 1750 Specifications

Item No.	HB 1750 34750 (includes all 5 keys) HB 1750 B 34751 (blower w/ blue key) HB 1750 G 34752 (blower w/ gray key) HB 1750 Y 34753 (blower w/ yellow key) HB 1750 O 34754 (blower w/ orange key) HB 1750 R 34755 (blower w/ red key)
Temperature	200°F - 1200°F (95°C - 650°C) all 5 keys
Airflow	up to 23 cfm, adjustable with baffle
Element	plug-in heating element
Output	1750 watts
Voltage	120 VAC / 50/60 Hz
Amps	14.6
Power Cord	industrial grade rubber, length: 6 ft
Nozzle Diameter	1.7" (43.5 mm)
Net Weight	2.9 lbs (46.4 oz)
Dimensions	10.8" x 5.8" x 9.5" (l x w x d)
Single Sell Pack	dimensions: 11.4" x 9.5" x 3.7" weight: 2.7 lbs (43.5 oz)
Warranty	one year limited
Certifications	C-UL-UL Listed, RoHS Compliant, ISO 9001:2001 Made in E.U.

### HB 1750 Professional Heat Blower

The HB 1750 has been specifically optimized for drying efficiency and for heat-shrinking tubes and sleeves on thick cables.

This extremely powerful heat tool delivers almost 30% more air than conventional tools. Continuously adjustable airflow ensures the user stays in control.

The ergonomically shaped soft grip handle permits fatigue-free working. The included stand offers stationary operation at any angle.

### Applications

Shrink wrapping, activating adhesives, softening compounds, window tinting, bending plastics and other applications requiring long life and even heat

### Key Features:

- Powerful turbine blower with air delivery rate up to 23 cfm
- Color coded keys for the right temperature every time
- Maintenance free factory sealed motor
- Lightweight, well balanced design
- Soft grip handle with convenient slide switch (Off / Cool / Hot)
- Ultra quiet operation
- Plug-in heating element takes only seconds to change
- Quick-lock stand is fully adjustable and stores keys
- Available accessories enhance versatility



Adjustable Stand



Baffle Adjusts Air and Temperature within Range



Cool Air Stage



Quick and Easy Field Changeable Element



Plug-In Heating Element



www.steinel.net

# HB 1750

## Professional Heat Blowers

### Industry Specific Kits Available



#### HB 1750 Kit

- Quick Lock Stand
- 5 Temperature Keys
- Large Reflector
- Spare Element
- Silver Case

No. 34759



Color coded keys each lock in a specific temperature range

Model	°F / °C
HB1750	200-1200°F (95-650°C)
HB 1750 B	200-300°F (95-150°C)
HB 1750 G	300-500°F (150-260°C)
HB 1750 Y	500-750°F (260-400°C)
HB 1750 O	750-1000°F (400-540°C)
HB 1750 R	1000-1200°F (540-650°C)

### Accessories for a Variety of Applications



**7 mm Reducer**  
2.5" x 1.8" x 1.8"  
No. 07695



**200 mm  
Spreader**  
7.9" x 6.0" x 1.8"  
No. 07725



**40 mm Large  
Reflector**  
5.9" x 2.6" x 1.8"  
No. 07705



**20 mm Small  
Reflector**  
4.1" x 1.8" x 1.8"  
No. 07715



**Heating Element**  
4.1" x 1.8" x 1.8"  
No. 06110