

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[43915-1101](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	<table><tr><th>MATERIAL NUMBER</th><th>CIRCUITS</th><th>DM'A'</th><th>DM'B'</th><th>DM'C'</th><th>DM'D'</th><th>DM'E'</th><th>PCB THICKNESS</th><th>QUANTITY OF POLARIZING SLOTS</th><th>TERMINAL PLATING</th><th>STATUS</th></tr><tr><td>43915-001</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>3.50/1.197</td><td>1.80/0.719</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-002</td><td>8</td><td>4141/1630</td><td>30.00/1.191</td><td>3.50/1.197</td><td>1.80/0.719</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-003</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>3.50/1.197</td><td>1.80/0.719</td><td>50.90/2.004</td><td>1.57/1.062</td><td>2</td><td></td><td></td></tr><tr><td>43915-004</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>3.50/1.197</td><td>1.80/0.719</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-005</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>3.50/1.197</td><td>1.80/0.719</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-006</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>5.10/2.099</td><td>2.60/1.021</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-007</td><td>8</td><td>4141/1630</td><td>30.00/1.191</td><td>5.10/2.099</td><td>2.60/1.021</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-008</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>5.10/2.099</td><td>2.60/1.021</td><td>50.90/2.004</td><td>2.36/1.093</td><td>2</td><td></td><td></td></tr><tr><td>43915-009</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>5.10/2.099</td><td>2.60/1.021</td><td>60.90/2.398</td><td></td><td>2</td><td>SELECT GOLD (SEE LEGEND)</td><td>ACTIVE</td></tr><tr><td>43915-010</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>5.10/2.099</td><td>2.60/1.021</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-011</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>5.10/2.099</td><td>3.40/1.134</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-012</td><td>8</td><td>4141/1630</td><td>30.00/1.191</td><td>5.10/2.099</td><td>3.40/1.134</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-013</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>5.10/2.099</td><td>3.40/1.134</td><td>50.90/2.004</td><td>3.18/1.125</td><td>2</td><td></td><td></td></tr><tr><td>43915-014</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>5.10/2.099</td><td>3.40/1.134</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-015</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>5.10/2.099</td><td>3.40/1.134</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-016</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>8.30/3.327</td><td>6.58/2.599</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-017</td><td>8</td><td>4141/1630</td><td>30.00/1.191</td><td>8.30/3.327</td><td>6.58/2.599</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-018</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>8.30/3.327</td><td>6.58/2.599</td><td>50.90/2.004</td><td>6.35/1.250</td><td>2</td><td></td><td></td></tr><tr><td>43915-019</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>8.30/3.327</td><td>6.58/2.599</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-020</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>8.30/3.327</td><td>6.58/2.599</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-021</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>3.50/1.197</td><td>2.60/1.021</td><td>50.90/2.004</td><td>2.36/1.093</td><td>2</td><td></td><td></td></tr><tr><td>43915-022</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>3.50/1.197</td><td>1.80/0.719</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-023</td><td>8</td><td>4141/1630</td><td>30.00/1.191</td><td>3.50/1.197</td><td>1.80/0.719</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-024</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>3.50/1.197</td><td>1.80/0.719</td><td>50.90/2.004</td><td>1.57/1.062</td><td>2</td><td></td><td></td></tr><tr><td>43915-025</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>3.50/1.197</td><td>1.80/0.719</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-026</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>3.50/1.197</td><td>1.80/0.719</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-027</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>5.10/2.099</td><td>2.60/1.021</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-028</td><td>8</td><td>4141/1630</td><td>30.00/1.191</td><td>5.10/2.099</td><td>2.60/1.021</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-029</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>5.10/2.099</td><td>2.60/1.021</td><td>50.90/2.004</td><td>2.36/1.093</td><td>2</td><td></td><td></td></tr><tr><td>43915-030</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>5.10/2.099</td><td>2.60/1.021</td><td>60.90/2.398</td><td></td><td>2</td><td>SELECT SILVER (SEE LEGEND)</td><td>ACTIVE</td></tr><tr><td>43915-031</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>5.10/2.099</td><td>2.60/1.021</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-032</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>5.10/2.099</td><td>3.40/1.134</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-033</td><td>8</td><td>4141/1630</td><td>30.00/1.191</td><td>5.10/2.099</td><td>3.40/1.134</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-034</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>5.10/2.099</td><td>3.40/1.134</td><td>50.90/2.004</td><td>3.18/1.125</td><td>2</td><td></td><td></td></tr><tr><td>43915-035</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>5.10/2.099</td><td>3.40/1.134</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-036</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>5.10/2.099</td><td>3.40/1.134</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-037</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>8.30/3.327</td><td>6.58/2.599</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-038</td><td>8</td><td>4141/1630</td><td>30.00/1.191</td><td>8.30/3.327</td><td>6.58/2.599</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-039</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>8.30/3.327</td><td>6.58/2.599</td><td>50.90/2.004</td><td>6.35/1.250</td><td>2</td><td></td><td></td></tr><tr><td>43915-040</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>8.30/3.327</td><td>6.58/2.599</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-041</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>8.30/3.327</td><td>6.58/2.599</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-042</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>5.10/2.099</td><td>2.60/1.021</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-043</td><td>8</td><td>4141/1630</td><td>30.00/1.191</td><td>5.10/2.099</td><td>2.60/1.021</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-044</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>5.10/2.099</td><td>2.60/1.021</td><td>50.90/2.004</td><td>2.36/1.093</td><td>2</td><td></td><td></td></tr><tr><td>43915-045</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>5.10/2.099</td><td>2.60/1.021</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-046</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>5.10/2.099</td><td>2.60/1.021</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-047</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>8.30/3.327</td><td>6.58/2.599</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-048</td><td>8</td><td>4141/1630</td><td>30.00/1.191</td><td>8.30/3.327</td><td>6.58/2.599</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-049</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>8.30/3.327</td><td>6.58/2.599</td><td>50.90/2.004</td><td>6.35/1.250</td><td>2</td><td></td><td></td></tr><tr><td>43915-050</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>8.30/3.327</td><td>6.58/2.599</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-051</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>8.30/3.327</td><td>6.58/2.599</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-052</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>5.10/2.099</td><td>2.60/1.021</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-053</td><td>8</td><td>4141/1630</td><td>30.00/1.191</td><td>5.10/2.099</td><td>2.60/1.021</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-054</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>5.10/2.099</td><td>2.60/1.021</td><td>50.90/2.004</td><td>2.36/1.093</td><td>2</td><td></td><td></td></tr><tr><td>43915-055</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>5.10/2.099</td><td>2.60/1.021</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-056</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>5.10/2.099</td><td>2.60/1.021</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr></table>																			MATERIAL NUMBER	CIRCUITS	DM'A'	DM'B'	DM'C'	DM'D'	DM'E'	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS	43915-001	6	3141/1237	20.00/1.781	3.50/1.197	1.80/0.719	30.90/1.217		1			43915-002	8	4141/1630	30.00/1.191	3.50/1.197	1.80/0.719	40.90/1.610		2			43915-003	10	5141/2024	40.00/1.575	3.50/1.197	1.80/0.719	50.90/2.004	1.57/1.062	2			43915-004	12	6141/2418	50.00/1.969	3.50/1.197	1.80/0.719	60.90/2.398		2			43915-005	14	7141/2811	60.00/2.362	3.50/1.197	1.80/0.719	70.90/2.799		2			43915-006	6	3141/1237	20.00/1.781	5.10/2.099	2.60/1.021	30.90/1.217		1			43915-007	8	4141/1630	30.00/1.191	5.10/2.099	2.60/1.021	40.90/1.610		2			43915-008	10	5141/2024	40.00/1.575	5.10/2.099	2.60/1.021	50.90/2.004	2.36/1.093	2			43915-009	12	6141/2418	50.00/1.969	5.10/2.099	2.60/1.021	60.90/2.398		2	SELECT GOLD (SEE LEGEND)	ACTIVE	43915-010	14	7141/2811	60.00/2.362	5.10/2.099	2.60/1.021	70.90/2.799		2			43915-011	6	3141/1237	20.00/1.781	5.10/2.099	3.40/1.134	30.90/1.217		1			43915-012	8	4141/1630	30.00/1.191	5.10/2.099	3.40/1.134	40.90/1.610		2			43915-013	10	5141/2024	40.00/1.575	5.10/2.099	3.40/1.134	50.90/2.004	3.18/1.125	2			43915-014	12	6141/2418	50.00/1.969	5.10/2.099	3.40/1.134	60.90/2.398		2			43915-015	14	7141/2811	60.00/2.362	5.10/2.099	3.40/1.134	70.90/2.799		2			43915-016	6	3141/1237	20.00/1.781	8.30/3.327	6.58/2.599	30.90/1.217		1			43915-017	8	4141/1630	30.00/1.191	8.30/3.327	6.58/2.599	40.90/1.610		2			43915-018	10	5141/2024	40.00/1.575	8.30/3.327	6.58/2.599	50.90/2.004	6.35/1.250	2			43915-019	12	6141/2418	50.00/1.969	8.30/3.327	6.58/2.599	60.90/2.398		2			43915-020	14	7141/2811	60.00/2.362	8.30/3.327	6.58/2.599	70.90/2.799		2			43915-021	10	5141/2024	40.00/1.575	3.50/1.197	2.60/1.021	50.90/2.004	2.36/1.093	2			43915-022	6	3141/1237	20.00/1.781	3.50/1.197	1.80/0.719	30.90/1.217		1			43915-023	8	4141/1630	30.00/1.191	3.50/1.197	1.80/0.719	40.90/1.610		2			43915-024	10	5141/2024	40.00/1.575	3.50/1.197	1.80/0.719	50.90/2.004	1.57/1.062	2			43915-025	12	6141/2418	50.00/1.969	3.50/1.197	1.80/0.719	60.90/2.398		2			43915-026	14	7141/2811	60.00/2.362	3.50/1.197	1.80/0.719	70.90/2.799		2			43915-027	6	3141/1237	20.00/1.781	5.10/2.099	2.60/1.021	30.90/1.217		1			43915-028	8	4141/1630	30.00/1.191	5.10/2.099	2.60/1.021	40.90/1.610		2			43915-029	10	5141/2024	40.00/1.575	5.10/2.099	2.60/1.021	50.90/2.004	2.36/1.093	2			43915-030	12	6141/2418	50.00/1.969	5.10/2.099	2.60/1.021	60.90/2.398		2	SELECT SILVER (SEE LEGEND)	ACTIVE	43915-031	14	7141/2811	60.00/2.362	5.10/2.099	2.60/1.021	70.90/2.799		2			43915-032	6	3141/1237	20.00/1.781	5.10/2.099	3.40/1.134	30.90/1.217		1			43915-033	8	4141/1630	30.00/1.191	5.10/2.099	3.40/1.134	40.90/1.610		2			43915-034	10	5141/2024	40.00/1.575	5.10/2.099	3.40/1.134	50.90/2.004	3.18/1.125	2			43915-035	12	6141/2418	50.00/1.969	5.10/2.099	3.40/1.134	60.90/2.398		2			43915-036	14	7141/2811	60.00/2.362	5.10/2.099	3.40/1.134	70.90/2.799		2			43915-037	6	3141/1237	20.00/1.781	8.30/3.327	6.58/2.599	30.90/1.217		1			43915-038	8	4141/1630	30.00/1.191	8.30/3.327	6.58/2.599	40.90/1.610		2			43915-039	10	5141/2024	40.00/1.575	8.30/3.327	6.58/2.599	50.90/2.004	6.35/1.250	2			43915-040	12	6141/2418	50.00/1.969	8.30/3.327	6.58/2.599	60.90/2.398		2			43915-041	14	7141/2811	60.00/2.362	8.30/3.327	6.58/2.599	70.90/2.799		2			43915-042	6	3141/1237	20.00/1.781	5.10/2.099	2.60/1.021	30.90/1.217		1			43915-043	8	4141/1630	30.00/1.191	5.10/2.099	2.60/1.021	40.90/1.610		2			43915-044	10	5141/2024	40.00/1.575	5.10/2.099	2.60/1.021	50.90/2.004	2.36/1.093	2			43915-045	12	6141/2418	50.00/1.969	5.10/2.099	2.60/1.021	60.90/2.398		2			43915-046	14	7141/2811	60.00/2.362	5.10/2.099	2.60/1.021	70.90/2.799		2			43915-047	6	3141/1237	20.00/1.781	8.30/3.327	6.58/2.599	30.90/1.217		1			43915-048	8	4141/1630	30.00/1.191	8.30/3.327	6.58/2.599	40.90/1.610		2			43915-049	10	5141/2024	40.00/1.575	8.30/3.327	6.58/2.599	50.90/2.004	6.35/1.250	2			43915-050	12	6141/2418	50.00/1.969	8.30/3.327	6.58/2.599	60.90/2.398		2			43915-051	14	7141/2811	60.00/2.362	8.30/3.327	6.58/2.599	70.90/2.799		2			43915-052	6	3141/1237	20.00/1.781	5.10/2.099	2.60/1.021	30.90/1.217		1			43915-053	8	4141/1630	30.00/1.191	5.10/2.099	2.60/1.021	40.90/1.610		2			43915-054	10	5141/2024	40.00/1.575	5.10/2.099	2.60/1.021	50.90/2.004	2.36/1.093	2			43915-055	12	6141/2418	50.00/1.969	5.10/2.099	2.60/1.021	60.90/2.398		2			43915-056	14	7141/2811	60.00/2.362	5.10/2.099	2.60/1.021	70.90/2.799		2			
MATERIAL NUMBER	CIRCUITS	DM'A'	DM'B'	DM'C'	DM'D'	DM'E'	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
43915-001	6	3141/1237	20.00/1.781	3.50/1.197	1.80/0.719	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-002	8	4141/1630	30.00/1.191	3.50/1.197	1.80/0.719	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-003	10	5141/2024	40.00/1.575	3.50/1.197	1.80/0.719	50.90/2.004	1.57/1.062	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-004	12	6141/2418	50.00/1.969	3.50/1.197	1.80/0.719	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-005	14	7141/2811	60.00/2.362	3.50/1.197	1.80/0.719	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-006	6	3141/1237	20.00/1.781	5.10/2.099	2.60/1.021	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-007	8	4141/1630	30.00/1.191	5.10/2.099	2.60/1.021	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-008	10	5141/2024	40.00/1.575	5.10/2.099	2.60/1.021	50.90/2.004	2.36/1.093	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-009	12	6141/2418	50.00/1.969	5.10/2.099	2.60/1.021	60.90/2.398		2	SELECT GOLD (SEE LEGEND)	ACTIVE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
43915-010	14	7141/2811	60.00/2.362	5.10/2.099	2.60/1.021	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-011	6	3141/1237	20.00/1.781	5.10/2.099	3.40/1.134	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-012	8	4141/1630	30.00/1.191	5.10/2.099	3.40/1.134	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-013	10	5141/2024	40.00/1.575	5.10/2.099	3.40/1.134	50.90/2.004	3.18/1.125	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-014	12	6141/2418	50.00/1.969	5.10/2.099	3.40/1.134	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-015	14	7141/2811	60.00/2.362	5.10/2.099	3.40/1.134	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-016	6	3141/1237	20.00/1.781	8.30/3.327	6.58/2.599	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-017	8	4141/1630	30.00/1.191	8.30/3.327	6.58/2.599	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-018	10	5141/2024	40.00/1.575	8.30/3.327	6.58/2.599	50.90/2.004	6.35/1.250	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-019	12	6141/2418	50.00/1.969	8.30/3.327	6.58/2.599	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-020	14	7141/2811	60.00/2.362	8.30/3.327	6.58/2.599	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-021	10	5141/2024	40.00/1.575	3.50/1.197	2.60/1.021	50.90/2.004	2.36/1.093	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-022	6	3141/1237	20.00/1.781	3.50/1.197	1.80/0.719	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-023	8	4141/1630	30.00/1.191	3.50/1.197	1.80/0.719	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-024	10	5141/2024	40.00/1.575	3.50/1.197	1.80/0.719	50.90/2.004	1.57/1.062	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-025	12	6141/2418	50.00/1.969	3.50/1.197	1.80/0.719	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-026	14	7141/2811	60.00/2.362	3.50/1.197	1.80/0.719	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-027	6	3141/1237	20.00/1.781	5.10/2.099	2.60/1.021	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-028	8	4141/1630	30.00/1.191	5.10/2.099	2.60/1.021	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-029	10	5141/2024	40.00/1.575	5.10/2.099	2.60/1.021	50.90/2.004	2.36/1.093	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-030	12	6141/2418	50.00/1.969	5.10/2.099	2.60/1.021	60.90/2.398		2	SELECT SILVER (SEE LEGEND)	ACTIVE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
43915-031	14	7141/2811	60.00/2.362	5.10/2.099	2.60/1.021	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-032	6	3141/1237	20.00/1.781	5.10/2.099	3.40/1.134	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-033	8	4141/1630	30.00/1.191	5.10/2.099	3.40/1.134	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-034	10	5141/2024	40.00/1.575	5.10/2.099	3.40/1.134	50.90/2.004	3.18/1.125	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-035	12	6141/2418	50.00/1.969	5.10/2.099	3.40/1.134	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-036	14	7141/2811	60.00/2.362	5.10/2.099	3.40/1.134	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-037	6	3141/1237	20.00/1.781	8.30/3.327	6.58/2.599	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-038	8	4141/1630	30.00/1.191	8.30/3.327	6.58/2.599	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-039	10	5141/2024	40.00/1.575	8.30/3.327	6.58/2.599	50.90/2.004	6.35/1.250	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-040	12	6141/2418	50.00/1.969	8.30/3.327	6.58/2.599	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-041	14	7141/2811	60.00/2.362	8.30/3.327	6.58/2.599	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-042	6	3141/1237	20.00/1.781	5.10/2.099	2.60/1.021	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-043	8	4141/1630	30.00/1.191	5.10/2.099	2.60/1.021	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-044	10	5141/2024	40.00/1.575	5.10/2.099	2.60/1.021	50.90/2.004	2.36/1.093	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-045	12	6141/2418	50.00/1.969	5.10/2.099	2.60/1.021	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-046	14	7141/2811	60.00/2.362	5.10/2.099	2.60/1.021	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-047	6	3141/1237	20.00/1.781	8.30/3.327	6.58/2.599	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-048	8	4141/1630	30.00/1.191	8.30/3.327	6.58/2.599	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-049	10	5141/2024	40.00/1.575	8.30/3.327	6.58/2.599	50.90/2.004	6.35/1.250	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-050	12	6141/2418	50.00/1.969	8.30/3.327	6.58/2.599	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-051	14	7141/2811	60.00/2.362	8.30/3.327	6.58/2.599	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-052	6	3141/1237	20.00/1.781	5.10/2.099	2.60/1.021	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-053	8	4141/1630	30.00/1.191	5.10/2.099	2.60/1.021	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-054	10	5141/2024	40.00/1.575	5.10/2.099	2.60/1.021	50.90/2.004	2.36/1.093	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-055	12	6141/2418	50.00/1.969	5.10/2.099	2.60/1.021	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
43915-056	14	7141/2811	60.00/2.362	5.10/2.099	2.60/1.021	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	NOTES: 1. MATERIALS: HOUSING: 30% GLASS FILLED NYLON 4/6, UL94V-0, COLOR: BLACK. TERMINAL: ALLOY #51 PLATING: +TN OVER NICKEL, OR SELECT GOLD AND SELECT TN OVER NICKEL OR SELECT SILVER AND SELECT TN OVER NICKEL (SEE CHART) • THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO ROHS DIRECTIVE 2002/95/EC AND ELV ANNEX I OF DIRECTIVE 2000/53/EC." CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TN-LEAD. 2. PRODUCT SPEC: PS-4285-001 3. PARTS ARE NOT TO BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE. 4. PART MATES WITH MOLEX RECEPTACLE 43914. 5. WHEN USING OVERALL TN PLATED TERMINALS FOR APPLICATIONS INVOLVING VIBRATION AND/OR THERMAL CYCLING, MOLEX STRONGLY RECOMMENDS THE USE OF NYE LUBRICANT (NYOVEL 7600) ON THE MATING SURFACES OF THE TERMINAL. 6. POLARIZING SLOTS TO BE LOCATED BETWEEN CIRCUITS ON EITHER END OF HOUSING OF THE CIRCUIT 1 ROW, AS SHOWN. EXCEPTION: THE 6 CIRCUIT HOUSING WILL HAVE A SINGLE SLOT ON THE CIRCUIT 1 END ONLY. 7. PARTS CONFORMS TO CLASS "B" REQUIREMENTS OF COSMETIC SPEC: PS-45499-002. 8. REFER AS-4285-001 FOR TN PLATED TERMINALS RECOMMENDED LUBRICATION PROCEDURE. LEGEND: 4 3 9 1 5 - 1 g + + PLATING: 1 OR 9 = TN PLATING 2 = SELECT GOLD AND SELECT TN OVER NICKEL 4 = SELECT SILVER AND SELECT TN OVER NICKEL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						




NOTES:

- MATERIALS:
HOUSING: 30% GLASS FILLED NYLON 4/6, UL94V-0, COLOR: BLACK.

TERMINAL: ALLOY 151
PLATING: *TIN OVER NICKEL
OR SELECT GOLD AND SELECT TIN OVER NICKEL
OR SELECT SILVER AND SELECT TIN OVER NICKEL
(SEE CHART)
* THE PRIMARY SHIPPING CARTON WILL BE LABELED
COMPLANT TO RoHS DIRECTIVE 2002/95/EC
AND ELV ANNEX II OF DIRECTIVE 2000/53/EC.
CARTONS WITHOUT THIS LABEL MAY CONTAIN
PRODUCT WITH TIN-LEAD.
- PRODUCT SPEC: PS-42815-001
- PARTS ARE NOT TO BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE.
- PART MATES WITH MOLEX RECEPTACLE 43914.
- WHEN USING OVERALL TIN PLATED TERMINALS:
FOR APPLICATIONS INVOLVING VIBRATION AND/OR THERMAL CYCLING, MOLEX STRONGLY
RECOMMENDS THE USE OF NYE LUBRICANT (NYOGEL 7600) ON THE MATING
SURFACES OF THE TERMINAL.
- POLARIZING SLOTS TO BE LOCATED BETWEEN CIRCUITS ON EITHER END
OF HOUSING OF THE CIRCUIT 1 ROW, AS SHOWN.
EXCEPTION: THE 6 CIRCUIT HOUSING WILL HAVE A SINGLE SLOT ON THE CIRCUIT 1 END ONLY.
- PARTS CONFORMS TO CLASS 'B' REQUIREMENTS OF COSMETIC SPEC-PS-45499-002.
- REFER AS-42815-001 FOR TIN PLATED TERMINALS RECOMMENDED LUBRICATION PROCEDURE.

LEGEND:
4 3 9 1 5 - 1 ***

PLATING:
1 OR 9 = TIN PLATING
2 = SELECT GOLD AND SELECT TIN OVER NICKEL
4 = SELECT SILVER AND SELECT TIN OVER NICKEL



QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
SYMBOL	VALUE	MM	INCH	MM/MIN	DATE	2:1	METRIC				
▽=0	4 PLACES	±---	±---	DRAWN BY	8/21/197						
▽=0	3 PLACES	±---	±---	CHECKED BY							
▽=0	2 PLACES	±0.2	±---	APPROVED BY	2014/02/13						
▽=0	1 PLACE	±---	±---								
▽=0	0 PLACE	±---	±---								
		ANGULAR ±1/2°		SEE CHART		DOCUMENT NO.		SD-43915-002		SHEET NO.	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						1 OF 2	

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

MATERIAL NUMBER	CIRCUITS	DMK'A	DMK'B	DMK'C	DMK'D	DMK'E	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS
43915-1101	6	3141/112371	30.00/11871	3.50/11371	1.80/1071	30.90/11271	157/106Z	1	OVERALL TIN	PLANNED FOR OBSOLESCENCE
43915-1102	8	4141/114301	30.00/11871	3.50/11371	1.80/1071	40.90/11671		2		
43915-1103	10	5141/122241	40.00/115751	3.50/11371	1.80/1071	50.90/122041		2		
43915-1104	12	6141/122481	50.00/115649	3.50/11371	1.80/1071	60.90/123581	2.36/10931	2		
43915-1105	14	7141/128111	60.00/123621	3.50/11371	1.80/1071	70.90/12791		2		
43915-1106	6	3141/112371	30.00/11871	5.10/12011	2.60/11021	36.90/114271		1		
43915-1107	8	4141/114301	30.00/11871	5.10/12011	2.60/11021	46.90/11651	3.18/11251	2		
43915-1108	10	5141/122241	40.00/115751	5.10/12011	2.60/11021	56.90/122041		2		
43915-1109	12	6141/122481	50.00/115649	5.10/12011	2.60/11021	66.90/123581		2		
43915-1110	14	7141/128111	60.00/123621	5.10/12011	2.60/11021	76.90/12791	6.35/12501	2		
43915-1111	6	3141/112371	30.00/11871	5.10/12011	3.40/11341	36.90/114271		1		
43915-1112	8	4141/114301	30.00/11871	5.10/12011	3.40/11341	46.90/11651	6.35/12501	2		
43915-1113	10	5141/122241	40.00/115751	5.10/12011	3.40/11341	56.90/122041		2		
43915-1114	12	6141/122481	50.00/115649	5.10/12011	3.40/11341	66.90/123581	6.35/12501	2		
43915-1115	14	7141/128111	60.00/123621	5.10/12011	3.40/11341	76.90/12791		2		
43915-1116	6	3141/112371	30.00/11871	8.30/13271	6.58/12591	36.90/114271	6.35/12501	1		
43915-1117	8	4141/114301	30.00/11871	8.30/13271	6.58/12591	46.90/11651		2		
43915-1118	10	5141/122241	40.00/115751	8.30/13271	6.58/12591	56.90/122041		2		
43915-1119	12	6141/122481	50.00/115649	8.30/13271	6.58/12591	66.90/123581	6.35/12501	2		
43915-1120	14	7141/128111	60.00/123621	8.30/13271	6.58/12591	76.90/12791		2		
43915-1121	10	5141/122241	40.00/115751	3.50/11371	2.60/11021	50.90/122041	157/106Z	2		
43915-1122	14	7141/128111	60.00/123621	3.50/11371	1.80/1071	70.90/12791		2		

SEE SHEET 1 EC No. IEP205-2752 DRAWN BY: 2013/12/25 CHKD: 2015/02/05 APPROVED: 2015/02/05 REV: 0	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	▽=0	mm INCH	MM/IN		1:2	METRIC	THIRD ANGLE PROJECTION	
	▽=0	4 PLACES ± --- ± ---	DRAWN BY	DATE	TITLE			
	▽=0	3 PLACES ± --- ± .008	COMERC I	8/21/97	VERTICAL HEADER			
	▽=0	2 PLACES ± 0.2 ± ---	CHECKED BY	DATE	DUAL ROW, 6-14 CIRCUIT			
		1 PLACE ± --- ± ---	BR02	2014/02/13	MINI-FIT SR.			
		0 PLACE ± --- ± ---	APPROVED BY	DATE	molex			
		ANGULAR ±1/2°	KPRASAD	2015/02/09	DOCUMENT NO.			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE CHART		SD-43915-002		SHEET NO. 2 OF 2	
		SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1