# **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Integrated Device Technology (IDT) ICS960001AF

For any questions, you can email us directly: <a href="mailto:sales@integrated-circuit.com">sales@integrated-circuit.com</a>



# Distributor of Integrated Device Technology (IDT): Excellent Integrated System Limited

Datasheet of ICS960001AF - IC FREQ GENERATOR/BUFFER 48-SSOP

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com



Home > Products > > 960001 > 960001AF

Add to myIDT [?]

You may also like.

# 960001AF

Category:

Generic Part: 960001 Market Group: PC CLOCK

Description:

PC SPECIAL PURPOSE

The ICS960001 is the single chip clock solution designed for Ricoh printers application. It provides all necessary clock signals for such a system. Spread spectrum may be enabled through I2C programming. Spread spectrum typically reduces system EMI by 8dB to 10dB. This simplifies EMI qualification without resorting to board design iterations or costly shielding. The ICS960001 employs a proprietary closed loop design, which tightly controls the percentage of spreading over process and temperature variations. Serial programming I2C interface allows changing functions, stop clock programming and frequency selection. The SD\_SEL latched input allows the SDRAM frequency to follow the CPUCLK

frequency(SD\_SEL=1) or other clock frequencies (SD\_SEL=0)



#### **Parameters**

Package	SSOP 48 (PV48)	
Speed	NA	
Temperature	С	
Voltage	3.3 V	
Status	Active	
Sample	Yes	
Minimum Order Quantity	120	
Factory Order Increment	30	

## **Distributor Inventory**

No Pricing information is available from our Distributors at this time.

### **Documents**

Туре	Title	Size	Revision Date
Misc	PC Clocks Contact Info	61 KB	05/29/2007

# **Package**

Description	SSOP 300 MIL, 48LD
Class	PLASTIC
Moisture Sensitivity Level (MSL)	1
Category	Standard
Moisture Exposure Floor Life	Unlimited @ <30°C/85% RH
Peak Reflow Temprature	225°C
Rebake Conditions	N/A
Length	15.9
Mark	F
Width	7.5
Pitch	0.64
Thickness	2.3
Status	Active