

## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

STMicroelectronics STEVAL-IFP010V2

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



**Distributor of STMicroelectronics: Excellent Integrated System Limited** Datasheet of STEVAL-IFP010V2 - DEMO BOARD BASED ON VNI2140J Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com



# STEVAL-IFP010V2

Data Brief

# Demonstration board for the VNI2140J dual high-side, solid-state smart power relay

### Features

- Output current: 1 A per channel
- Shorted load protection
- Junction overtemperature protection
- Case overtemperature protection for thermal independence of the channels
- Non-simultaneous TCSD (thermal case shutdown) restart for the various channels
- Protection against loss of ground
- Current limitation
- Under-voltage shutdown
- Open load in OFF state and short to V<sub>CC</sub> detection
- Open drain diagnostic outputs
- 3.3 V CMOS/TTL compatible inputs
- Fast demagnetization of inductive loads
- Conforms to IEC 61131-2 supply voltage: +4 V to +36 V

### Description

The STEVAL-IFP010V2 demonstration board is based on the VNI2140J dual high-side smart power solid-state relay. The VNI2140J is a monolithic device designed using ST's VIPower technology to drive two independent resistive or inductive loads with one side connected to ground. Active current limitation prevents a drop in system power supply in the event of a shorted load. Built-in thermal shutdown protects the chip from overtemperature and short-circuits. In overload condition, the overloaded channel automatically turns OFF and ON to maintain the junction temperature between TTSD and TR. If this condition causes the case temperature to reach TCSD, the overloaded channel is turned OFF and will restart only when the case temperature has decreased down to TCR.



in order to prevent high peak current from the supply, if more than one channel is in an overload condition the TCSD restart will not be simultaneous. Non overloaded channels continue to operate normally. The open drain diagnostics output indicates an overtemperature condition.

April 2009



**Distributor of STMicroelectronics: Excellent Integrated System Limited** Datasheet of STEVAL-IFP010V2 - DEMO BOARD BASED ON VNI2140J Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com


### **Board schematic**

STEVAL-IFP010V2

57

### 1 Board schematic







### STEVAL-IFP010V2

**Bill of materials** 

### 2 Bill of materials

#### Table 1. BOM list

	Designator	Value	Description
	C1	10 nF	SMD capacitor
	C2	10 nF	SMD capacitor
	C3	100 nF	SMD capacitor
	C4	47 μF	SMD capacitor
	C5	4.7 nF	SMD capacitor
	C6	4.7 nF	SMD capacitor
	D1	SM15T39AC	ST Transil diode
	DL1	LED	SMD LED diode
	DL2	LED	SMD LED diode
	IC1	VNI2140J	ST HSD IC
obsole	IC2	TLP281F	Optocoupler
	IC3	TLP281F	Optocoupler
	IC4	TLP281F	Optocoupler
	IC5	TLP281F	Optocoupler
	J1	EVALCOMMBOARD	34.P plug
	J3	GND disc. test	Jumper
	J4	V <sub>CC</sub> disc. test	Jumper
	J5	CAN7	14.P plug
	M1		2-screw connector
	M2		2-screw connector
	R1	22 kΩ	R-1206 SMD resistor
	R10	10 kΩ	R-1206 SMD resistor
	R11	240 kΩ	R-1206 SMD resistor
	R12	240 kΩ	R-1206 SMD resistor
	R2	22 kΩ	R-1206 SMD resistor
	R3	47 κΩ	R-1206 SMD resistor
	R4	47 kΩ	R-1206 SMD resistor
	R5	1 kΩ	R-1206 SMD resistor
	R6	1 kΩ	R-1206 SMD resistor
	R7	10 kΩ	R-1206 SMD resistor
	R8	10 kΩ	R-1206 SMD resistor
	R9	10 kΩ	R-1206 SMD resistor





### **Revision history**

STEVAL-IFP010V2

### 3 Revision history

#### Table 2. Document revision history

Date	Revision	Changes
06-Apr-2009	1	Initial release

Obsolete Product(s) - Obsolete Product(s)



**Distributor of STMicroelectronics: Excellent Integrated System Limited** Datasheet of STEVAL-IFP010V2 - DEMO BOARD BASED ON VNI2140J Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

#### STEVAL-IFP010V2

#### **Please Read Carefully:**

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND/OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

UNLESS EXPRESSLY APPROVED IN WRITING BY AN AUTHORIZED ST REPRESENTATIVE, ST PRODUCTS ARE NOT RECOMMENDED, AUTHORIZED OR WARRANTED FOR USE IN MILITARY, AIR CRAFT, SPACE, LIFE SAVING, OR LIFE SUSTAINING APPLICATIONS, NOR IN PRODUCTS OR SYSTEMS WHERE FAILURE OR MALFUNCTION MAY RESULT IN PERSONAL INJURY, DEATH, OR SEVERE PROPERTY OR ENVIRONMENTAL DAMAGE. ST PRODUCTS WHICH ARE NOT SPECIFIED AS "AUTOMOTIVE GRADE" MAY ONLY BE USED IN AUTOMOTIVE APPLICATIONS AT USER'S OWN RISK.

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners.

© 2009 STMicroelectronics - All rights reserved

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan -Malaysia - Malta - Morocco - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

www.st.com

