

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[26-61-4110](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

41791

OPTIONS	Group	A-41791-0002/0018		Group	A-41791-0019/0035		Group	A-41791-0036/0052		Group	A-41791-0059/0074	
	Header No:	41790-0002/0018		Header No:	41790-0002/0018		Header No:	41790-0002/0018		Header No:	41790-0002/0018	
	Pin No:	43294-0214		Pin No:	43294-0215		Pin No:	43294-0214		Pin No:	43294-0214	
	Plating:	197 – TIN		Plating:	241 – GOLD		Plating:	197 – TIN		Plating:	197 – TIN	
	Pin Length L	18.29 / .720		Pin Length L	18.29 / .720		Pin Length L	18.29 / .720		Pin Length L	18.29 / .720	
	Mating M	11.43 / .450		Mating M	11.43 / .450		Mating M	11.43 / .450		Mating M	11.43 / .450	
	Gold Loc G	N/A		Gold Loc G	6.85/ .270		Gold Loc G	N/A		Gold Loc G	N/A	
	PC Tail P	3.56 / .140		PC Tail P	3.56 / .140		PC Tail P	3.56 / .140		PC Tail P	3.56 / .140	
	Tin Loc T	OVERALL		Tin Loc T	4.06/ .160		Tin Loc T	OVERALL		Tin Loc T	OVERALL	
	Voided Ckts	NONE		Voided Ckts	NONE		Voided Ckts	2		Voided Ckts	3	
Pack Per	PK-41791-001		Pack Per	PK-41791-001		Pack Per	PK-41791-001		Pack Per	PK-41791-001		
Ckts	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number		
2	26-60-4020	A-41791-0002	26-61-4020	A-41791-0019	26-62-4020	A-41791-0036						
3	26-60-4030	A-41791-0003	26-61-4030	A-41791-0020	26-62-4030	A-41791-0037			26-62-4036	A-41791-0059		
4	26-60-4040	A-41791-0004	26-61-4040	A-41791-0021	26-62-4040	A-41791-0038			26-62-4046	A-41791-0060		
5	26-60-4050	A-41791-0005	26-61-4050	A-41791-0022	26-62-4050	A-41791-0039			26-62-4056	A-41791-0061		
6	26-60-4060	A-41791-0006	26-61-4060	A-41791-0023	26-62-4060	A-41791-0040			26-62-4066	A-41791-0062		
7	26-60-4070	A-41791-0007	26-61-4070	A-41791-0024	26-62-4070	A-41791-0041			26-62-4076	A-41791-0063		
8	26-60-4080	A-41791-0008	26-61-4080	A-41791-0025	26-62-4080	A-41791-0042			26-62-4086	A-41791-0064		
9	26-60-4090	A-41791-0009	26-61-4090	A-41791-0026	26-62-4090	A-41791-0043			26-62-4096	A-41791-0065		
10	26-60-4100	A-41791-0010	26-61-4100	A-41791-0027	26-62-4100	A-41791-0044			26-62-4106	A-41791-0066		
11	26-60-4110	A-41791-0011	26-61-4110	A-41791-0028	26-62-4110	A-41791-0045			26-62-4116	A-41791-0067		
12	26-60-4120	A-41791-0012	26-61-4120	A-41791-0029	26-62-4120	A-41791-0046			26-62-4126	A-41791-0068		
13	26-60-4130	A-41791-0013	26-61-4130	A-41791-0030	26-62-4130	A-41791-0047			26-62-4136	A-41791-0069		
14	26-60-4140	A-41791-0014	26-61-4140	A-41791-0031	26-62-4140	A-41791-0048			26-62-4146	A-41791-0070		
15	26-60-4150	A-41791-0015	26-61-4150	A-41791-0032	26-62-4150	A-41791-0049			26-62-4156	A-41791-0071		
16	26-60-4160	A-41791-0016	26-61-4160	A-41791-0033	26-62-4160	A-41791-0050			26-62-4166	A-41791-0072		
17	26-60-4170	A-41791-0017	26-61-4170	A-41791-0034	26-62-4170	A-41791-0051			26-62-4176	A-41791-0073		
18	26-60-4180	A-41791-0018	26-61-4180	A-41791-0035	26-62-4180	A-41791-0052			26-62-4186	A-41791-0074		


REV:	ECR/ECN INFORMATION		TITLE:	KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS	SHEET No.
	EC NO.:	UCP2015-4098			
	DATE:	5/22/2015			
DOCUMENT NUMBER:			CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:
SDA- 41791			MKIPPER	BANDERSON	FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC\SIZE_A\IV.1.DOC

41791

OPTIONS	Group	A-41791-0086/0100	Group	A-41791-0309/0308	Group	A-41791-0464/0480	Group	A-41791-0481/0491
	Header No:	41790-0002/0018	Header No:	41790-0002/0018	Header No:	41790-0002/0018	Header No:	41790-0002/0012
	Pin No:	43294-0214	Pin No:	43294-0215	Pin No:	43294-0240	Pin No:	43294-0355
	Plating:	197 – TIN	Plating:	241 – GOLD	Plating:	197 – TIN	Plating:	154 – TIN
	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	19.05 / .750	Pin Length L	22.35 / .880
	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.56 / .455
	Gold Loc G	N/A	Gold Loc G	6.85/ .270	Gold Loc G	N/A	Gold Loc G	N/A
	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	4.32 / .170	PC Tail P	7.49 / .295
	Tin Loc T	OVERALL	Tin Loc T	4.06/ .160	Tin Loc T	OVERALL	Tin Loc T	OVERALL
	Voided Ckts	2, 4	Voided Ckts	2	Voided Ckts	NONE	Voided Ckts	NONE
	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-002
Ckts	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number
2					26-60-4023	A-41791-0464	41791-0481	A-41791-0481
3			26-63-4031	A-41791-0310	26-60-4033	A-41791-0465	41791-0482	A-41791-0482
4	26-62-4041	A-41791-0086		A-41791-0311	26-60-4043	A-41791-0466	41791-0483	A-41791-0483
5	26-62-4051	A-41791-0087	26-63-4051	A-41791-0312	26-60-4053	A-41791-0467	41791-0484	A-41791-0484
6	26-62-4061	A-41791-0088	26-63-4061	A-41791-0313	26-60-4063	A-41791-0468	41791-0485	A-41791-0485
7		A-41791-0089	26-63-4071	A-41791-0314	26-60-4073	A-41791-0469	41791-0486	A-41791-0486
8		A-41791-0090		A-41791-0315	26-60-4083	A-41791-0470	41791-0487	A-41791-0487
9		A-41791-0091		A-41791-0316	26-60-4093	A-41791-0471	41791-0488	A-41791-0488
10	26-62-4101	A-41791-0092		A-41791-0317	26-60-4103	A-41791-0472	41791-0489	A-41791-0489
11		A-41791-0093		A-41791-0318	26-60-4113	A-41791-0473	41791-0490	A-41791-0490
12		A-41791-0094		A-41791-0319	26-60-4123	A-41791-0474	41791-0491	A-41791-0491
13		A-41791-0095		A-41791-0320	26-60-4133	A-41791-0475		
14		A-41791-0096		A-41791-0321	26-60-4143	A-41791-0476		
15		A-41791-0097		A-41791-0322	26-60-4153	A-41791-0477		
16		A-41791-0098		A-41791-0323	26-60-4163	A-41791-0478		
17		A-41791-0099		A-41791-0324	26-60-4173	A-41791-0479		
18		A-41791-0100		A-41791-0325	26-60-4183	A-41791-0480		
REV: Q6		ECR/ECN INFORMATION EC NO.: UCP2015-4098 DATE: 5/22/2015		TITLE: KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS				SHEET No. - 3 -
DOCUMENT NUMBER: SDA- 41791			CREATED / REVISED BY: MKIPPER		CHECKED BY: BANDERSON		APPROVED BY: FSMITH	

TEMPLATE FILENAME: PRODUCT_SPEC (SIZE_A)(V.1).DOC



41791

OPTIONS	Group	A-41791-0583/0597	Group	A-41791-0598/0609	Group	A-41791-0638/0653	Group	A-41791-0773/0785
	Header No:	41790-0002/0018	Header No:	41790-0002/0018	Header No:	41790-0002/0018	Header No:	41790-0006/0018
	Pin No:	43294-0214	Pin No:	43294-0214	Pin No:	43294-0215	Pin No:	43294-0214
	Plating:	197 – TIN	Plating:	197 – TIN	Plating:	241 – GOLD	Plating:	197-TIN
	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29/.720
	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43/.450
	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	6.85/ .270	Gold Loc G	N/A
	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56/.140
	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	4.06/ .160	Tin Loc T	OVERALL
	Voided Ckts	4	Voided Ckts	7	Voided Ckts	3	Voided Ckts	3, 6
Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	
Ckts	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Item Number	
2								
3								
4	27-62-4049	A-41791-0583			26-63-4032	A-41791-0638		
5	27-62-4059	A-41791-0584			41791-0639	A-41791-0639		
6	27-62-4069	A-41791-0585			26-63-4052	A-41791-0640		
7	27-62-4079	A-41791-0586			26-63-4062	A-41791-0641		
8	27-62-4089	A-41791-0587	41791-0598	A-41791-0598	41791-0642	A-41791-0642	41791-0774	
9	27-62-4099	A-41791-0588	41791-0599	A-41791-0599	26-63-4082	A-41791-0643		
10	27-62-4109	A-41791-0589	27-66-4090	A-41791-0600	41791-0644	A-41791-0644		
11	27-62-4119	A-41791-0590	41791-0601	A-41791-0601	41791-0645	A-41791-0645		
12	27-62-4129	A-41791-0591	41791-0602	A-41791-0602	41791-0646	A-41791-0646		
13	27-62-4139	A-41791-0592	41791-0603	A-41791-0603	41791-0647	A-41791-0647		
14	27-62-4149	A-41791-0593	41791-0604	A-41791-0604	41791-0648	A-41791-0648		
15	27-62-4159	A-41791-0594	41791-0605	A-41791-0605	41791-0649	A-41791-0649		
16	27-62-4169	A-41791-0595	41791-0606	A-41791-0606	41791-0650	A-41791-0650		
17	27-62-4179	A-41791-0596	41791-0607	A-41791-0607	41791-0651	A-41791-0651		
18	27-62-4189	A-41791-0597	41791-0608	A-41791-0608	41791-0652	A-41791-0652		
			41791-0609	A-41791-0609	41791-0653	A-41791-0653		

REV:	ECR/ECN INFORMATION	TITLE:	KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS	SHEET No.
Q6	EC NO.: UCP2015-4098			- 4 -
	DATE: 5/22/2015			
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:	
SDA- 41791	MKIPPER	BANDERSON	FSMITH	

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A](v.1).DOC


41791

OPTIONS	Group	A-41791-0815/0831	Group	A-41791-0832/0848	Group	A-41791-0849/0865	Group	A-41791-0883/0891
	Header No:	41790-0002/0018	Header No:	41790-0002/0018	Header No:	41790-0002/0018	Header No:	41790-0010/0018
	Pin No:	43294-0661	Pin No:	43294-0209	Pin No:	43294-0210	Pin No:	43294-0214
	Plating:	197 – TIN	Plating:	208 – 15 GOLD	Plating:	228 – 30 GOLD	Plating:	197 – TIN
	Pin Length L	30.48 / 1.200	Pin Length L	18.29/. 720	Pin Length L	18.29/. 720	Pin Length L	18.29 / .720
	Mating M	11.43 / .450	Mating M	11.43/. 450	Mating M	11.43/. 450	Mating M	11.43 / .450
	Gold Loc G	N/A	Gold Loc G	6.86/. 270	Gold Loc G	6.86/. 270	Gold Loc G	N/A
	PC Tail P	15.75/.620	PC Tail P	3.56/. 140	PC Tail P	3.56/. 140	PC Tail P	3.56 / .140
	Tin Loc T	OVERALL	Tin Loc T	4.06/. 160	Tin Loc T	4.06/. 160	Tin Loc T	OVERALL
	Voided Ckts	NONE	Voided Ckts	NONE	Voided CKts	NONE	Voided Ckts	10
Pack Per	PK-41791-003	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	
Ckts	Item Number	Material No	Engineer Number	Material No	Engineer Number	Item Number		
2	41791-0815	41791-0832	A-41791-0832	41791-0849	A-41791-0849			
3	41791-0816	41791-0833	A-41791-0833	41791-0850	A-41791-0850			
4	41791-0817	41791-0834	A-41791-0834	41791-0851	A-41791-0851			
5	41791-0818	41791-0835	A-41791-0835	41791-0852	A-41791-0852			
6	41791-0819	41791-0836	A-41791-0836	41791-0853	A-41791-0853			
7	41791-0820	41791-0837	A-41791-0837	41791-0854	A-41791-0854			
8	41791-0821	41791-0838	A-41791-0838	41791-0855	A-41791-0855			
9	41791-0822	41791-0839	A-41791-0839	41791-0856	A-41791-0856			
10	41791-0823	41791-0840	A-41791-0840	41791-0857	A-41791-0857	41791-0883		
11	41791-0824	41791-0841	A-41791-0841	41791-0858	A-41791-0858	41791-0884		
12	41791-0825	41791-0842	A-41791-0842	41791-0859	A-41791-0859	41791-0885		
13	41791-0826	41791-0843	A-41791-0843	41791-0860	A-41791-0860	41791-0886		
14	41791-0827	41791-0844	A-41791-0844	41791-0861	A-41791-0861	41791-0887		
15	41791-0828	41791-0845	A-41791-0845	41791-0862	A-41791-0862	41791-0888		
16	41791-0829	41791-0846	A-41791-0846	41791-0863	A-41791-0863	41791-0889		
17	41791-0830	41791-0847	A-41791-0847	41791-0864	A-41791-0864	41791-0890		
18	41791-0831	41791-0848	A-41791-0848	41791-0865	A-41791-0865	41791-0891		

REV:	<u>ECR/ECN INFORMATION</u>		<u>TITLE:</u>		KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS		<u>SHEET No.</u>	
Q6	EC NO.: UCP2015-4098						- 5 -	
	DATE: 5/22/2015							
<u>DOCUMENT NUMBER:</u>			<u>CREATED / REVISED BY:</u>		<u>CHECKED BY:</u>		<u>APPROVED BY:</u>	
SDA- 41791			MKIPPER		BANDERSON		FSMITH	

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A](V.1).DOC

TEMPLATE FILENAME: PRODUCT_SPEC (SIZE_A)(V.1).DOC



41791									
OPTIONS	Group	A-41791-0892/0908	Group	A-41791-0922/0933	Group	41791-0934/0948	Group	41791-0966/0976	
	Header No:	41790-0002/0018	Header No:	41790-0007/0018	Header No:	41790-0004/0018	Header No:	41790-0007/0018	
	Pin No:	43294-0299	Pin No:	43294-0214	Pin No:	43294-0209	Pin No:	43294-0214	
	Plating:	208 – 15 GOLD	Plating:	197 – TIN	Plating:	208 – 15 GOLD	Plating:	197 – TIN	
	Pin Length L	20.83 / .820	Pin Length L	18.29 / .720	Pin Length L	18.29/. 720	Pin Length L	18.29/. 720	
	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43/. 450	
	Gold Loc G	6.83/. 270	Gold Loc G	N/A	Gold Loc G	6.86/ .270	Gold Loc G	N/A	
	PC Tail P	6.10/ .240	PC Tail P	3.56 / .140	PC Tail P	3.56/. 140	PC Tail P	3.56/. 140	
	Tin Loc T	6.35/ .250	Tin Loc T	OVERALL	Tin Loc T	4.06/. 160	Tin Loc T	OVERALL	
	Voided Ckts	NONE	Voided Ckts	5, 7	Voided Ckts	4	Voided Ckts	3, 7, 8	
Pack Per	PK-41791-002	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001		
Ckts	Item Number		Item Number		Item Number		Item Number		
2	41791-0892								
3	41791-0893								
4	41791-0894				41791-0934				
5	41791-0895				41791-0935				
6	41791-0896				41791-0936				
7	41791-0897		41791-0922		41791-0937				
8	41791-0898		41791-0923		41791-0938		41791-0966		
9	41791-0899		41791-0924		41791-0939		41791-0967		
10	41791-0900		41791-0925		41791-0940		41791-0968		
11	41791-0901		41791-0926		41791-0941		41791-0969		
12	41791-0902		41791-0927		41791-0942		41791-0970		
13	41791-0903		41791-0928		41791-0943		41791-0971		
14	41791-0904		41791-0929		41791-0944		41791-0972		
15	41791-0905		41791-0930		41791-0945		41791-0973		
16	41791-0906		41791-0931		41791-0946		41791-0974		
17	41791-0907		41791-0932		41791-0947		41791-0975		
18	41791-0908		41791-0933		41791-0948		41791-0976		
REV:		<u>ECR/ECN INFORMATION</u>		<u>TITLE:</u>		KK 156 HEADER ASSEMBLY FRICITION LOCK VERTICAL SOLID BODY W/O PEGS		<u>SHEET No.</u>	
Q6		EC NO.: UCP2015-4098						- 6 -	
		DATE: 5/22/2015							
<u>DOCUMENT NUMBER:</u>				<u>CREATED / REVISED BY:</u>		<u>CHECKED BY:</u>		<u>APPROVED BY:</u>	
SDA- 41791				MKIPPER		BANDERSON		FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A](V.1).DOC									

OPTIONS	Group	41791-0977/0993	Group	41791-0994/1002	Group	A-41791-1036 / 1048	Group	A-41791-1049/1062
	Header No:	41790-0002/0018	Header No:	41790-0010/0018	Header No:	41790-0006 / 0018	Header No:	41790-0005/0018
	Pin No:	43294-0345	Pin No:	43294-0209	Pin No:	43294-0214	Pin No:	43294-0214
	Plating:	228 – 30 GOLD	Plating:	208 – 15 GOLD	Plating:	197 – TIN	Plating:	197 – TIN
	Pin Length L	22.10/. 870	Pin Length L	18.29/. 720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720
	Mating M	11.43/. 450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450
	Gold Loc G	10.02/. 400	Gold Loc G	6.86/ .270	Gold Loc G	N/A	Gold Loc G	N/A
	PC Tail P	7.37/. 290	PC Tail P	3.56/. 140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140
	Tin Loc T	5.08/. 200	Tin Loc T	4.06/. 160	Tin Loc T	OVERALL	Tin Loc T	OVERALL
	Voided Ckts	None	Voided Ckts	3, 4, 5, 8, 9, 10	Voided Ckts	4, 6	Voided Ckts	2, 5
Pack Per	PK-41791-002	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	
Ckts	Item Number		Item Number		Material No	Engineer Number	Item Number	
2	41791-0977							
3	41791-0978							
4	41791-0979							
5	41791-0980							
6	41791-0981					A-41791-1036		
7	41791-0982				41791-1037	A-41791-1037	41791-1051	
8	41791-0983				41791-1038	A-41791-1038		
9	41791-0984					A-41791-1039		
10	41791-0985		41791-0994			A-41791-1040		
11	41791-0986		41791-0995			A-41791-1041		
12	41791-0987		41791-0996			A-41791-1042		
13	41791-0988		41791-0997			A-41791-1043		
14	41791-0989		41791-0998			A-41791-1044		
15	41791-0990		41791-0999			A-41791-1045		
16	41791-0991		41791-1000			A-41791-1046		
17	41791-0992		41791-1001			A-41791-1047		
18	41791-0993		41791-1002			A-41791-1048		

REV: Q6	ECR/ECN INFORMATION		TITLE: KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS	SHEET No. - 7 -
	EC NO.:	UCP2015-4098		
	DATE:	5/22/2015		
DOCUMENT NUMBER:		CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:
SDA- 41791		MKIPPER	BANDERSON	FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC\SIZE A\ (V.1). DOC

41791											
OPTIONS	Group	A-41791-1063/1071	Group	A-41791-1074/1088	Group	A-41791-1089/1105	Group	A-41791-1107			
	Header No:	41790-0010/0018	Header No:	41790-0004/0018	Header No:	41790-0002/0018	Header No:	41790-0006/0018			
	Pin No:	43294-0214	Pin No:	43294-0215	Pin No:	43294-0212	Pin No:	43294-0213			
	Plating:	197 – TIN	Plating:	241 – GOLD	Plating:	222 – TIN	Plating:	154 – TIN			
	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720			
	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450			
	Gold Loc G	N/A	Gold Loc G	6.85/ .270	Gold Loc G	N/A	Gold Loc G	N/A			
	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140			
	Tin Loc T	OVERALL	Tin Loc T	4.06/ .160	Tin Loc T	OVERALL	Tin Loc T	OVERALL			
	Voided Ckts	5, 10	Voided Ckts	2, 3, 4	Voided Ckts	NONE	Voided Ckts	6			
Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001				
Ckts	Item Number		Item Number		Item Number		Item Number				
2					41791-1089						
3					41791-1090						
4					41791-1091						
5			41791-1075								
6					41791-1093						
7							41791-1107				
8					41791-1095						
9					41791-1096						
10					41791-1097						
11	41791-1064				41791-1098						
12					41791-1099						
13											
14											
15											
16					41791-1103						
17											
18					41791-1105						
REV: Q6		<u>ECR/ECN INFORMATION</u> <u>EC NO.:</u> UCP2015-4098 <u>DATE:</u> 5/22/2015		<u>TITLE:</u> KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS				<u>SHEET No.</u> - 8 -			
<u>DOCUMENT NUMBER:</u> SDA- 41791				<u>CREATED / REVISED BY:</u> MKIPPER		<u>CHECKED BY:</u> BANDERSON		<u>APPROVED BY:</u> FSMITH			

41791

OPTIONS		Group	A-41791-1120	Group	A-41791-1134	Group	A-41791-1150	Group	A-41791-1165
Header No:		41790-0006		41790-0004		41790-0005		41790-0006	
Pin No:		43294-0213		43294-0213		43294-0210		43294-0239	
Plating:		154 – TIN		154 – TIN		228 – 30 GOLD		154 – TIN	
Pin Length L		18.29 / .720		18.29 / .720		18.29/. 720		19.05 / .750	
Mating M		11.43 / .450		11.43 / .450		11.43/. 450		11.43 / .450	
Gold Loc G		N/A		N/A		6.85/. 270		N/A	
PC Tail P		3.56 / .140		3.56 / .140		3.56/. 140		4.32 / .170	
Tin Loc T		OVERALL		OVERALL		4.06/. 160		OVERALL	
Voided Ckts		2, 5		2, 3		2, 4		2, 3, 5	
Pack Per		PK-41791-001		PK-41791-001		PK-41791-001		PK-41791-001	
Ckts		Item Number		Item Number		Item Number		Item Number	
2									
3									
4				41791-1134					
5						41791-1150			
6		41791-1120						41791-1165	
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									

REV:	ECR/ECN INFORMATION	TITLE:	SHEET No.
Q6	EC NO.: UCP2015-4098	KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS	- 9 -
	DATE: 5/22/2015		
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:
SDA- 41791	MKIPPER	BANDERSON	FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC (SIZE_A)(V.1).DOC

41791

OPTIONS		Group	A-41791-1179	Group	A-41791-1189	Group	A-41791-1203	Group	A-41791-1215
Header No:		41790-0008/0018		41790-0006/0018		41790-0009/0018		41790-0006/0018	
Pin No:		43294-0214		43294-0240		43294-0240		43294-0240	
Plating:		197 – TIN		197 – TIN		197 – TIN		197 – TIN	
Pin Length L		18.29 / .720		19.05 / .750		19.05 / .750		19.05 / .750	
Mating M		11.43 / .450		11.43 / .450		11.43 / .450		11.43 / .450	
Gold Loc G		N/A		N/A		N/A		N/A	
PC Tail P		3.56 / .140		4.32 / .170		4.32 / .170		4.32 / .170	
Tin Loc T		OVERALL		OVERALL		OVERALL		OVERALL	
Voided Ckts		2,4,8		2,3,4,5		4,5,7,9		2,4,6	
Pack Per		PK-41791-001		PK-41791-001		PK-41791-001		PK-41791-001	
Ckts	Item Number		Item Number		Item Number		Item Number		
2									
3									
4									
5									
6			41791-1189						
7									
8									
9	41791-1179						41791-1215		
10					41791-1203				
11									
12									
13									
14									
15									
16									
17									
18									

REV: Q6	<u>ECR/ECN INFORMATION</u>		<u>TITLE:</u> KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS	<u>SHEET No.</u> - 10 -
	<u>EC NO.:</u> UCP2015-4098			
	<u>DATE:</u> 5/22/2015			
<u>DOCUMENT NUMBER:</u> SDA- 41791		<u>CREATED / REVISED BY:</u> MKIPPER	<u>CHECKED BY:</u> BANDERSON	<u>APPROVED BY:</u> FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC (SIZE_A)(V.1).DOC

41791									
OPTIONS	Group	A-41791-1228	Group	A-41791-1240	Group	A-41791-1256	Group	A-41791-1264/1274	
	Header No:	41790-0005/0018	Header No:	41790-0007	Header No:	41790-0012	Header No:	41790-0004/0014	
	Pin No:	43294-0214	Pin No:	43294-0214	Pin No:	43294-0214	Pin No:	43294-0214	
	Plating:	197 – TIN	Plating:	197 – TIN	Plating:	197 – TIN	Plating:	197 – TIN	
	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	
	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	
	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	N/A	
	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	
	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	OVERALL	
	Voided Ckts	4,5	Voided Ckts	2,3,5,6	Voided Ckts	8	Voided Ckts	2,3	
Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001		
Ckts	Item Number		Item Number		Item Number		Item Number		
2									
3									
4									41791-1264
5									
6									
7			41791-1240						
8	41791-1228								
9									
10									
11									
12					41791-1256				
13									
14									41791-1274
15									
16									
17									
18									
REV: Q6		<u>ECR/ECN INFORMATION</u> <u>EC NO.:</u> UCP2015-4098 <u>DATE:</u> 5/22/2015		<u>TITLE:</u> KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS				<u>SHEET No.</u> - 11 -	
<u>DOCUMENT NUMBER:</u> SDA- 41791				<u>CREATED / REVISED BY:</u> MKIPPER		<u>CHECKED BY:</u> BANDERSON		<u>APPROVED BY:</u> FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC (SIZE_A)(V.1).DOC									

41791									
OPTIONS	Group	A-41791-1285	Group	A-41791-1307/1316	Group	A-41791-1318	Group	A-41791-1333	
	Header No:	41790-0017	Header No:	41790-0009/0018	Header No:	41790-0005	Header No:	41790-0007	
	Pin No:	43294-0214	Pin No:	43294-0214	Pin No:	43294-0214	Pin No:	43294-0214	
	Plating:	197 – TIN	Plating:	197 – TIN	Plating:	197 – TIN	Plating:	197 – TIN	
	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	
	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	
	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	N/A	
	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	
	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	OVERALL	
	Voided Ckts	11	Voided Ckts	5,9	Voided Ckts	2,3,4	Voided Ckts	3,5,6	
Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001		
Ckts	Item Number		Item Number		Item Number		Item Number		
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14			41791-1312						
15									
16									
17	41791-1285								
18									
REV: Q6		<u>ECR/ECN INFORMATION</u> <u>EC NO.:</u> UCP2015-4098 <u>DATE:</u> 5/22/2015		<u>TITLE:</u> KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS				<u>SHEET No.</u> - 12 -	
<u>DOCUMENT NUMBER:</u> SDA- 41791			<u>CREATED / REVISED BY:</u> MKIPPER		<u>CHECKED BY:</u> BANDERSON		<u>APPROVED BY:</u> FSMITH		
TEMPLATE FILENAME: PRODUCT_SPEC (SIZE_A)(V.1).DOC									