



Distributor of Eaton (formerly Cooper Bussmann) : Excellent Integrated System Limited

Datasheet of AT-7 - FUSE KIT 6 BLADE FUSES W/PULLER

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[Eaton \(formerly Cooper Bussmann\)
AT-7](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

Emergency Fuse Kits With Fusepuller

AT-7 Blade Type



CATALOG SYMBOL: AT-7

Contents: ATC-5, 10, 15, 20, 25, 30 and FP-A3 Fusepuller

Six Fuses per Pack.
Ten Cards per Shelf Carton.

Card Size: 2-3/4" x 5-1/2"

Shelf Carton Size:
6-5/16" x 2-13/16" x 6-1/8"

Shelf Carton Volume: 0.063 cu. ft.

Shelf Carton Weight: 0.81 lbs.

120 Cards per Master Carton.


Master Carton Size:
19" x 12-7/8" x 5-3/4"

Master Carton Volume: 0.814 cu. ft.

Master Carton Weight: 10.97 lbs.

UPC Code: 51712 15107

EK-7 American Car



CATALOG SYMBOL: EK-7

Contents: AGC-5, 15 & 30; SFE-9, 14 & 20 and FPA3 Fusepuller

Six Fuses per Pack.
Ten Cards per Shelf Carton.

Card Size: 2-3/4" x 5-1/2"

Shelf Carton Size:
6-5/16" x 2-13/16" x 6-1/8"

Shelf Carton Volume: 0.063 cu. ft.

Shelf Carton Weight: 0.99 lbs.

120 Cards per Master Carton.


Master Carton Size:
19" x 12-7/8" x 5-3/4"

Master Carton Volume: 0.814 cu. ft.

Master Carton Weight: 13.13 lbs.

UPC Code: 51712 15108

KB-7 British Car



CATALOG SYMBOL: KB-7

Contents: AGC-7-1/2, 15, 20, 25, & 30 and FPA3 Fusepuller

Five Fuses per Pack.
Five Cards per Shelf Carton.

Card Size: 2-3/4" x 5-1/2"

Shelf Carton Size:
4-1/2" x 2-13/16" x 6-1/8"

Shelf Carton Volume: 0.045 cu. ft.

Shelf Carton Weight: 0.56 lbs.

120 Cards per Master Carton.

Master Carton Size:
18-7/8" x 9-1/4" x 11-1/2"


Master Carton Volume: 1.162 cu. ft.

Master Carton Weight: 14.69 lbs.

UPC Code: 51712 15147

Emergency Fuse Kits With Fusepuller

KG-7 German Type



CATALOG SYMBOL: KG-7

Contents: GBC-5, 8(2), 16, 25 and FP-A3 Fusepuller

Five Fuses per Pack.
Ten Cards per Shelf Carton.

Card Size: 2-3/4" x 5-1/2"

Shelf Carton Size:
6-5/16" x 2-13/16" x 6-1/8"

Shelf Carton Volume: 0.063 cu. ft.

Shelf Carton Weight: 0.99 lbs.

120 Cards per Master Carton.


Master Carton Size:
19" x 12-7/8" x 5-3/4"

Master Carton Volume: 0.814 cu. ft.

Master Carton Weight: 13.13 lbs.

UPC Code: 51712 15148

KJ-7 Japanese Car



CATALOG SYMBOL: KJ-7

Contents: AGC-5, 10, 15, 20, 30 and FP-A3 Fusepuller

Five Fuses per Pack.
Ten Cards per Shelf Carton.

Card Size: 2-3/4" x 5-1/2"

Shelf Carton Size:
6-5/16" x 2-13/16" x 6-1/8"

Shelf Carton Volume: 0.063 cu. ft.

Shelf Carton Weight: 0.99 lbs.

120 Cards per Master Carton.


Master Carton Size:
19" x 12-7/8" x 5-3/4"

Master Carton Volume: 0.814 cu. ft.

Master Carton Weight: 13.13 lbs.

UPC Code: 51712 15149

KM-9 MINI® Fuse Kit



CATALOG SYMBOL: KM-9

Contents: ATM-2, 5, 7-1/2, 10, 15, 20, 25, 30 and FP-A3 Fusepuller

Five Fuses per Pack.
Ten Cards per Shelf Carton.

Card Size: 2-3/4" x 4-3/4"

Shelf Carton Size:
2-1/4" x 2-13/16" x 6-1/8"

Shelf Carton Volume: 0.063 cu. ft.

Shelf Carton Weight: 0.99 lbs.

120 Cards per Master Carton.

Master Carton Size:
19" x 12-7/8" x 5-3/4"

Master Carton Volume: 0.814 cu. ft.

Master Carton Weight: 13.13 lbs.

UPC Code: 51712 73519

The only controlled copy of this BIF document is the electronic read-only version located on the Bussmann Network Drive. All other copies of this BIF document are by definition uncontrolled. This bulletin is intended to clearly present comprehensive product data and provide technical information that will help the end user with design applications. Bussmann reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Bussmann also reserves the right to change or update, without notice, any technical information contained in this bulletin. Once a product has been selected, it should be tested by the user in all possible applications.