

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phyton Inc.](#)
[AE-B64-SP5](#)

For any questions, you can email us directly:
sales@integrated-circuit.com

AE-B64-SP5

DIP40/BGA64 specialized adapter for FLASH memory.
 Device package dimensions: 9.0 x 9.0 x 1.4 mm, 1.0 mm pitch.



Click the programmer model below to get an appropriate list of the devices supported by the adapter:

- [ChipProg+](#)
- [ChipProg-40](#)
- [ChipProg-48, ChipProg-G4](#)

Adapter Connection Table:

| DIP-40 | BGA-64 | U1, 74HC573 | U2, 74HC573 | C1, 150pF | C2, 0.1uF |
|--------|--------|-------------|-------------|-----------|-----------|
| 1 | D8,F1 | | | | |
| 2 | G1 | | | | |
| 3 | | 11 | 11 | 1 | |
| 4 | B5 | | | | |
| 5 | F8 | | | | |
| 6 | G8 | | | | |
| 7 | A5 | | | | |
| 8 | A4 | | | | |
| 9 | B4 | | | | |
| 10 | A3 | | | | |
| 11 | C3 | | | | |
| 12 | D3 | | | | |
| 13 | B2 | | | | |
| 14 | A2 | | | | |
| 15 | C2 | | | | |
| 16 | D2 | | | | |
| 17 | E2 | | | | |
| 18 | B1 | | | | |
| 19 | | | | | |



AE-B64-SP5

| | | | | | |
|----|----------|-------|-------|---|---|
| 20 | H2,H7,E8 | 1, 10 | 1, 10 | 2 | 2 |
| 21 | F2 | | | | |
| 22 | G2 | | | | |
| 23 | E3 | 2 | | | |
| 24 | F3 | | 2 | | |
| 25 | H3 | 3 | | | |
| 26 | G3 | | 3 | | |
| 27 | E4 | 4 | | | |
| 28 | F4 | | 4 | | |
| 29 | H4 | 5 | | | |
| 30 | G4 | | 5 | | |
| 31 | H5 | 6 | | | |
| 32 | F5 | | 6 | | |
| 33 | E5 | 7 | | | |
| 34 | G6 | | 7 | | |
| 35 | H6 | 8 | | | |
| 36 | F6 | | 8 | | |
| 37 | E6 | 9 | | | |
| 38 | G7 | | 9 | | |
| 39 | F7 | | | | |
| 40 | G5 | 20 | 20 | | 1 |
| | C8 | | 12 | | |
| | B8 | | 13 | | |
| | D7 | 12 | | | |
| | C7 | 13 | | | |
| | A7 | 14 | | | |
| | B7 | 15 | | | |
| | D6 | 16 | | | |
| | C6 | 17 | | | |
| | A6 | 18 | | | |
| | B6 | 19 | | | |
| | D5 | | 16 | | |
| | D4 | | 15 | | |
| | C5 | | 14 | | |
| | C4 | | 17 | | |
| | B3 | | 18 | | |
| | E7 | | 19 | | |