

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[TE Connectivity AMP Connectors](#)
[2-1871566-0](#)



For any questions, you can email us directly:

sales@integrated-circuit.com

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION JUL. 2006.


© COPYRIGHT 2006 BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

当図面の情報はタイコ エレクトロニクス アンブ 株式会社の所有する情報を開示しており、無断で複写、貴社外部へ配布する事を固く禁じます
THIS DRAWING AND INFORMATION ARE OWNED BY TYCO ELECTRONICS AMP K.K AND FORBID
COPYING AND DISTRIBUTING WITHOUT NOTICE.



LOC	DIST	REVISED	DATE	DWN	APVD
J					
P	LTR	DESCRIPTION	DATE	DWN	APVD
F	REVISED	ECR-09-013513	15JUN09	A.K	Y.N

カバーテープリーダー部
WEEDING THE COVER TAPE
AROUND THE OUTER
PERIPHERY IN
A TURN.
剥離角度
PEELING ANGLE
165°~180°



- △ B 寸法はエンボステープ幅 24mm 以下では適用しないこと
- △ 18 POS 以下の極数ではポリイミドテープの貼り付けは行わない

- △ THE B SIZE IS NOT ADAPTED BY EMBOSS TAPE WIDTH OF 24mm OR LESS.
- △ POLYIMIDE TAPE IS NOT ADAPTED POSITION 18 POS OR LESS

WITH PEG	38.4	33.5	0.0378	15.6	17.2	18.05	18.4	14.2	28.4	32	4000	8-1871566-0	80
WITH PEG	30.4	24.4	0.0336	13.6	15.2	16.05	16.4	11.5	—	24		7-1871566-0	70
WITH PEG	30.4	24.4	0.0293	11.6	13.2	14.05	14.4	11.5	—	24		6-1871566-0	60
WITH PEG	30.4	24.4	0.0251	9.6	11.2	12.05	12.4	11.5	—	24		5-1871566-0	50
WITH PEG	30.4	24.4	0.0234	8.8	10.4	11.25	11.6	11.5	—	24		4-1871566-6	46
WITHOUT PEG	30.4	24.4	0.0208	7.6		10.05	10.4	11.5	—	24		4-1871566-1	40
WITH PEG	30.4	24.4	0.0208	7.6	9.2	10.05	10.4	11.5	—	24		4-1871566-0	40
WITHOUT PEG	22.4	16.4	0.0166	5.6		8.05	8.25	7.5	—	16		3-1871566-1	30
WITH PEG	22.4	16.4	0.0166	5.6	7.2	8.05	8.25	7.5	—	16		3-1871566-0	30
WITH PEG	22.4	16.4	0.0157	5.2	6.8	7.65	8.0	7.5	—	16		2-1871566-8	28
WITH PEG	22.4	16.4	0.0140	4.4	6.0	6.85	7.2	7.5	—	16		2-1871566-4	24
WITHOUT PEG	22.4	16.4	0.0132	4.0		6.45	6.8	7.5	—	16		2-1871566-3	22
WITH PEG	22.4	16.4	0.0132	4.0	5.6	6.45	6.8	7.5	—	16		2-1871566-2	22
WITHOUT PEG	22.4	16.4	0.0123	3.6		6.05	6.4	7.5	—	16		2-1871566-1	20
WITH PEG	22.4	16.4	0.0123	3.6	5.2	6.05	6.4	7.5	—	16		2-1871566-0	20
WITH PEG	22.4	16.4	0.0106	2.8	4.4	5.25	5.6	7.5	—	16		1-1871566-6	16
SOLDER PEG	W2	W1	WEIGHT(g)	G	F	E	D	C	B	A	QTY/REEL	TAPING P/N	POS

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 純 mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差

0 PLC ± 0.3
1 PLC ± 0.3
2 PLC ± 0.3
3 PLC ± 0.3
4 PLC ± 0.3

FINISH 仕上 ± 3°

MATERIAL 材料

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN T. KUBO 26JUL2006
CHK Y. NAKAZAWA 26JUL2006
APVD T. KUSUHARA 26JUL2006

NAME 氏名 Tyco Electronics
Tyco Electronics Corporation
Kawasaki, Japan

PRODUCT SPEC 製品規格 0.4mm PITCH STACKING CONNECTOR
108-5901
H=1.0mm PLUG
S3 TYPE

APPLICATION SPEC 取付要項規格 411-78159

SIZE 寸法 A3
CAGE CODE 00779
DRAWING NO. 番号 C=1871566

WEIGHT 重量

CUSTOMER DRAWING



SCALE 尺度 5:1
SHEET 1 of 2
REV F

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION JUL. 2006.




© COPYRIGHT 2006 BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

当図面の情報はタイコ エレクトロニクス アンブ 株式会社の所有する情報を開示しており、無断で複写、貴社外部へ配布する事を固く禁じます
THIS DRAWING AND INFORMATION ARE OWNED BY TYCO ELECTRONICS AMP K.K AND FORBID
COPYING AND DISTRIBUTING WITHOUT NOTICE.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



REFERENCE PCB LAYOUT
SCALE 10:1



- 3 一般公差: ±0.1
- △ コプラナリティ: 0.08mm 以下とする
- 5 嵌合部品 (RECEPTACLE): P/N *-1747769-*
- △ 材料はテーブル参照のこと
- △ 仕上げはテーブル参照のこと
- 8 バリなき事
- 9 その他の詳細は別途打合せのこと
- 3 GENERAL TOLERANCE: ±0.1
- △ MUST BE MEASURED FLOATING AMOUNT OF TINES AND SOLDER PEG FROM DATUM SURFACE IS 0.08mm MAX.
- 5 MATING CONNECTOR: P/N *-1747769-*
- △ MATERIAL THE TABLE IS REFERENCE
- △ FINISH THE TABLE IS REFERENCE
- 8 NO BURRS ALLOWED
- 9 IN ADDITION DETAILS ARE THE SEPARATE HITTING ADJUSTING

Ni; 1.3um MIN., TIN; 2.0um MIN.	COOPER ALLOY	SOLDER PEG	③
Ni; 1.3um MIN., Au; 0.3um MIN. (CONTACT POINT)	THERMO PLASTIC	HOUSING	②
Ni; 1.3um MIN., Au; 0.05um~ 0.20um. (TINE)	COPPER ALLOY	CONTACT	①
FINISH △	MATERIAL △	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		Tyco Electronics Corporation Kawasaki, Japan	
DIMENSIONS: 単位: 純 mm		CHK		NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD		0.4mm PITCH STACKING CONNECTOR	
0 PLC ±0.3		PRODUCT SPEC		H=1.0mm PLUG	
1 PLC ±		製品規格		S3 TYPE	
2 PLC ±		108-5901		SIZE	
3 PLC ±		APPLICATION SPEC		CAGE CODE	
4 PKC ±		取付要項規格		DRAWING NO	
ANGLES ±3°		411-78159		1871566	
FINISH 仕上 △		WEIGHT		RESTRICTED TO	
MATERIAL 材料 △		A3		CUSTOMER DRAWING	
		00779		SCALE 15:1	
		C=		SHEET 2 OF 2	
				REV F	