

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)  
[0522711379](#)


For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

FN-0 IC(032)MXJ-32




EN-Q IC(032)MXJ-32

10 9 8 7 6 5 4 3 2 1




**NOTES**

- 製品番号 52271-\*\*-19 の梱包状態はアクチュエータがロックした状態とする。  
詳細寸法については図面 SD-52271-036 を参照下さい。  
IN THE PACKAGE, ACTUATOR OF PART NO. 52271-\*\*-19 SHOULD BE LOCKED RE DETAILED DIMENSIONS, SEE SD-52271-036.
- 梱包数量: 1000個/リール  
NUMBER OF CONNECTORS: 1000 PCS/REEL
- リールテープ長さ LEAD TAPE LENGTH  
トップテープ リーダー部 TOP TAPE LEADER PART (75 ±25)  
トップテープ 未接合部 TOP TAPE NON-BONDED PART (25 ±5)
- トップテープの剥離強度: 0.1~1.3N (10~130gf) (剥離方向は下図参照) 尚、本規格値は、出荷時に適用。(但し、輸送時に剥離が発生しない事。)  
PEELING OFF FORCE OF TOP TAPE: 0.1~1.3N (10~130gf)  
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)  
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT  
PEEL OFF SHOULD NOT BE ALLOWED, DURING TRANSPORTATION
- 材料 (MATERIAL)  
キャリアテープ (CARRIER TAPE): ポリプロピレン (POLYPROPYLENE)  
トップテープ (TOP TAPE): PET, PE, PEF  
リール (REEL): ポリスチレン (PS) (リサイクル材を含む)  
POLYSTYRENE (PS) (RECYCLE MATERIAL CONTAINED)
- 本製品は52271-\*\*-90の鉛フリー品である。  
THIS PRODUCT IS LEAD FREE OF 52271-\*\*-90.
- 本製品は乾燥剤入り、ハイバリア梱包仕様である。  
THIS PRODUCT IS HIGH BARRIER PACKAGE WITH DESICCANT.



|    |      |      |    |      |      |            |    |
|----|------|------|----|------|------|------------|----|
| 24 | 29.4 | 25.4 | 15 | 11.4 | 18.3 | 52271-1179 | 11 |
|    |      |      | 14 | 10.4 | 17.3 | -1079      | 10 |
|    |      |      | 13 | 9.4  | 16.3 | -0979      | 9  |
|    |      |      | 12 | 8.4  | 15.3 | -0879      | 8  |
|    |      |      | 11 | 7.4  | 14.3 | -0779      | 7  |
|    |      |      | 10 | 6.4  | 13.3 | -0679      | 6  |
|    |      |      | 9  | 5.4  | 12.3 | -0579      | 5  |
|    |      |      | 8  | 4.4  | 11.3 | 52271-0479 | 4  |

| REVISED           | DESCRIPTION | GENERAL TOLERANCES (UNLESS SPECIFIED)                | DIMENSION STYLE | DATE       | TITLE                                | SCALE | DESIGN UNITS | (A) MATERIAL NO. | THIRD ANGLE PROJECTION |
|-------------------|-------------|------------------------------------------------------|-----------------|------------|--------------------------------------|-------|--------------|------------------|------------------------|
| EC NO. J2009-2061 | 2009/05/20  | 10 UNDER                                             | MM ONLY         | 2004/03/12 | EMBOSSD TAPE PACKAGE FOR 52271-**-19 | ---   | METRIC       | 52271-**-19      | ---                    |
| EC NO. J2009-2061 | 2009/05/21  | 10 OVER 30 UNDER                                     | MM ONLY         | 2004/03/12 | EMBOSSD TAPE PACKAGE FOR 52271-**-19 | ---   | METRIC       | 52271-**-19      | ---                    |
| EC NO. J2009-2061 | 2009/05/21  | 30 OVER                                              | MM ONLY         | 2004/03/12 | EMBOSSD TAPE PACKAGE FOR 52271-**-19 | ---   | METRIC       | 52271-**-19      | ---                    |
| EC NO. J2009-2061 | 2009/05/21  | ANGULAR                                              | MM ONLY         | 2004/03/12 | EMBOSSD TAPE PACKAGE FOR 52271-**-19 | ---   | METRIC       | 52271-**-19      | ---                    |
| EC NO. J2009-2061 | 2009/05/21  | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | MM ONLY         | 2004/03/12 | EMBOSSD TAPE PACKAGE FOR 52271-**-19 | ---   | METRIC       | 52271-**-19      | ---                    |



|    |      |       |            |    |
|----|------|-------|------------|----|
| 31 | 27.4 | 34.35 | 52271-2779 | 27 |
| 30 | 26.4 | 33.35 | -2679      | 26 |
| 29 | 25.4 | 32.35 | -2579      | 25 |
| 28 | 24.4 | 31.35 | -2479      | 24 |
| 27 | 23.4 | 30.35 | -2379      | 23 |
| 26 | 22.4 | 29.35 | -2279      | 22 |
| 25 | 21.4 | 28.35 | -2179      | 21 |
| 24 | 20.4 | 27.35 | -2079      | 20 |
| 23 | 19.4 | 26.35 | -1979      | 19 |
| 22 | 18.4 | 25.35 | -1879      | 18 |
| 21 | 17.4 | 24.35 | -1779      | 17 |
| 20 | 16.4 | 23.35 | -1679      | 16 |
| 19 | 15.4 | 22.35 | -1579      | 15 |
| 18 | 14.4 | 21.35 | -1479      | 14 |
| 17 | 13.4 | 20.35 | -1379      | 13 |
| 16 | 12.4 | 19.35 | 52271-1279 | 12 |

キャリアテープ幅  
CARRIER TAPE WIDTH  
ib\_frame\_A3\_ME\_S  
Rev. E 2006/04/15

REVISED  
EC NO. J2009-2061  
DRAWN: KON  
CHK: CHIKUMATSUMOTO  
APPROV: NIKITA  
2009/05/20  
2009/05/21  
2009/05/21

GENERAL TOLERANCES  
(UNLESS SPECIFIED)

|                  |       |
|------------------|-------|
| 10 UNDER         | ±0.2  |
| 10 OVER 30 UNDER | ±0.25 |
| 30 OVER          | ±0.3  |

ANGULAR  
DRAFT WHERE APPLICABLE  
MUST REMAIN  
WITHIN DIMENSIONS

DIMENSION STYLE  
MM ONLY

DRAWN BY  
H. KAWABATA  
2004/03/12

CHECKED BY  
K. TOJO  
2004/03/12

APPROVED BY  
M. SASAO  
2004/03/12

MATERIAL NO.

SEE TABLE

SIZE  
A3

SCALE  
---

DESIGN UNITS  
METRIC


THIRD ANGLE  
PROJECTION

EMBOSSD TAPE PACKAGE  
FOR 52271-1379  
-LEAD FREE-

MOLEX INCORPORATED

SD-52271-037

SHEET NO.  
2 OF 3



|                                                                                                          |                        |                                                                                                                 |
|----------------------------------------------------------------------------------------------------------|------------------------|-----------------------------------------------------------------------------------------------------------------|
| SCALE<br>---                                                                                             | DESIGN UNITS<br>METRIC |  THIRD ANGLE<br>PROJECTION |
| TITLE<br>EMBOSSED TAPE PAKEGE<br>FOR 52271-**19<br>-LEAD FREE-                                           |                        |                                                                                                                 |
|  MOLEX INCORPORATED | SHEET NO.<br>3 OF 3    |                                                                                                                 |
| DOCUMENT NO.<br>SD-52271-037                                                                             |                        |                                                                                                                 |
| TAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION          |                        |                                                                                                                 |