

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Ledi](#)

[4FCA11467_LR1-M-TAPE2](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



LEDIL F'FORM OPTICS

LR2 LENSES FOR LUXEON REBEL LEDs



LUXEON



- Specially designed for Luxeon Rebel series of LEDs.
- Special care taken to make a uniform white or warm white illumination.
- Lens material optical grade PMMA. Allows use of high current and temperature conditions (105°C/220°F)
- Best available optical efficiency, more than 90%, with an extremely good cut-off of light
- Comes with position pins
- Fastening of holden to PCB with appropriate adhesive tape, please check fastening details from this link: (http://www.ledil.com/datasheets/DataSheet_TAPE.pdf)

LENS TYPES

NAME	ORDERING CODE	FWHM Angle
LR2 REAL SPOT	CA11637_LR2-RS	±4°
LR2 DIFFUSER	CA11638_LR2-D	±5.5°
LR2 MEDIUM	CA11639_LR2-M	Coming soon
LR2 MEDIUM 2	4FCA11467_LR1-M-tape2	±15°
LR2 REC	4FCA11273_LR1-Rec-tape	±8° x ±19°
LR2 O-90	4FCA11276_LR1-O-90-tape	±18° x ±10°
LR2 WIDE	4FCA11275_LR1-W-tape	±23°


EULUMDAT & IES FILES AVAILABLE BY REQUEST



LEDIL F'FORM OPTICS

MEASUREMENT DATA


Relative Intensity of CA11637_LR2-RS





LEDIL F'FORM OPTICS



Relative Intensity of CA11638_LR2-D





LEDIL F'FORM OPTICS

Relative Intensity of 4FCA11467_LR1-M-tape2



LEDIL

LEDIL F'FORM OPTICS

DRAWINGS

