

Excellent Integrated System Limited


Stocking Distributor



Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0357480210](#)



For any questions, you can email us directly:

sales@integrated-circuit.com






SEC' : B-B*




NOTES


1. MATERIAL : PHOSPHOR BRONZE
0.3mm THICKNESS
2. FINISH : PRE-PLATED TIN
3. RECOMMENDED LENGTH OF WIRE STRIP IS 4.0-4.8mm.
- ④ 4. APPLICABLE WIRE SIZE : AWG #20+#20
AWG #20+#18
AWG #18+#18




ISOMETRIC VIEW



SEC' : C-C*



SEC' : D-D*



REVISED	EC NO: KOR2016-0060 DRAWN: JSJHN 2015/12/24 CHKD: JSJCHU 2015/12/28 APPR: YSK IM02 2015/12/30	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
					mm	INCH	DRAWN BY	DATE	TITLE .070 FEMALE TERMINAL (B-TYPE) MOLEX INCORPORATED		
				4 PLACES	± ---	± ---	BKCH01	1992/11/17			
				3 PLACES	± ---	± ---	CHECKED BY	DATE			
				2 PLACES	± 0.3	± ---	BKCH01	1992/11/17			
				1 PLACE	± 0.3	± ---	APPROVED BY	DATE			
				ANGULAR ± 1 °		YSK IM02	2015/12/30		MATERIAL NO. 357480310		DOCUMENT NO. SD-35748-003
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									