

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[Molex Connector Corporation](#)
[0559090274](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



嵌合断面図 (参考)
MATED DRAWING (REFERENCE)



参考基板レイアウト (マウント面)
P.C. BOARD PATTERN DIMENSION.
(REFERENCE)
(MOUNTING AREA)


SEE SHEET 1 OF 2 EC NO. J2013-0254 DRAWN BY DRW:KATOYODA 2012/08/30 CHKD: TASAKAWA 2012/08/30 APPR: TASAKAWA 2012/08/31	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	MODEL NO. SD-55909-***73	THIRD ANGLE PROJECTION
		10 UNDER	± 0.2	DRAWN BY HSHI MABUKURO	DATE 2004/02/20	TITLE 0.4 B-T0-B CONN. PLUG ASSY (HGT=1.5) WITH NAIL -LEAD FREE- molex			
		10 OVER 30 UNDER	± 0.25	CHECKED BY K. TOJO	DATE 2004/02/20				
		30 OVER	± 0.3	APPROVED BY M. SASAO	DATE 2004/02/20				
		ANGULAR ± 3 °	MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 1		SD-55909-003		2 OF 2		
SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

NOTES

1. 製品詳細寸法については製品単体図面を参照下さい。
RE DETAILED DIMENSION, SEE PRODUCT DRAWING.

2. 梱包数量 : 2500個/リール
NUMBER OF CONNECTORS : 2500PCS/REEL

3. リードテープ長さ LEAD TAPE LENGTH
20PCS. MIN. トップテープ接着部 (空エンボス)




4. 材料 MATERIAL

キャリアテープ (CARRIER TAPE) : ポリプロピレン (POLYPROPYLENE)
トップテープ (TOP TAPE) : PET, PE, PEF

リール (REEL) : ポリスチレン (PS) <リサイクル材を含む>
POLYSTYRENE (PS) <RECYCLE MATERIAL CONTAINED>

5. ELV 及び RoHS 適合品。
ELV AND RoHS COMPLIANT.



CONNECTOR SERIES No. 55909-**73

DESIGN UNITS
METRICTHIRD ANGLE
PROJECTIONGENERAL TOLERANCES
(UNLESS SPECIFIED)DIMENSION STYLE
MM ONLYSCALE

TITLE

0.4 B-T0-B CONN PLUG
ASSY(HGT=1.5) EMBSTP PKGDRAWN BY
H. SHIMABDATE
2004/02/20CHECKED BY
K. TOJODATE
2004/02/20APPROVED BY
M. SASAODATE
2004/02/20

MATERIAL NO.

SEE CHART

DOCUMENT NO.

SD-55909-004

SHEET NO.

1 OF 5


REVISED
EC NO. J2010-2356
DRAWN: TOSHIMA
CHKD: KATOYODA
APPR: M. SASAO
J

DESCRIPTION
2010/06/24
2010/07/20
2010/07/21

10 UNDER ±0.2
10 OVER 30 UNDER ±0.25
30 OVER ±0.3
ANGULAR ±3°
DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

SIZE
A3THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


10 9 8 7 6 5 4 3 2 1



注記) 製品がポケット内に問題なく収まること。
NOTE. Pocket should contain product smoothly.

24	29.4	25.4	14.16	55909-0674	60		
			12.16	55909-0574	50		
			10.16	55909-0474	40		
			8.96	55909-3474	34		
			8.16	55909-0374	30		
			7.36	55909-2674	26		
			6.96	55909-2474	24		
			6.56	55909-2274	22		
			6.16	55909-0274	20		
キャリアテープ幅 CARRIER TAPE WIDTH			C	B	(A)	MATERIAL NO.	CKT

REVISED EC NO. J2010-2356 DRWN: TOSHIMA CHKD: KATOYODA APPR: M.SASAO		DESCRIPTION 2010/06/24 2010/07/20 2010/07/21	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		CONNECTOR SERIES NO. 155909-*** DESIGN UNITS SCALE --- METRIC		THIRD ANGLE PROJECTION	
			10 UNDER ±0.2		DRAWN BY H. SHIMAB DATE 2004/02/20		TITLE 0.4 B-T0-B CONN PLUG ASSY(HGT=1.5) EMBSTP PKG MOLEX INCORPORATED			
			10 OVER 30 UNDER ±0.25		CHECKED BY K. TOJO DATE 2004/02/20					
			30 OVER ±0.3		APPROVED BY M. SASAO DATE 2004/02/20					
			ANGULAR ±3°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55909-004		2 OF 5				
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								




注記)製品がポケット内に綺麗なく収まること。

NOTE. Pocket should contain product smoothly.

32mm幅キャリアテープ
32mm WIDTH CARRIER TAPE

32	37.4	33.4	19.16	55909-0974	90
			18.16	55909-0874	80
			16.16	55909-0774	70
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	(A)	MATERIAL NO.	極数 CKT.

REVISED	EC NO. J2010-2356	DESCRIPTION 2010/06/24 2010/07/20 2010/07/21	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		CONNECTOR SERIES No. 55909-***73
	10 UNDER ±0.2		DRAWN BY H. SHIMAB DATE 2004/02/20		TITLE 0.4 B-T0-B CONN PLUG ASSY(HGT=1.5) EMBSTP PKG						
	10 OVER 30 UNDER ±0.25		CHECKED BY K. TOJO DATE 2004/02/20								
	30 OVER ±0.3		APPROVED BY M. SASAO DATE 2004/02/20		MOLEX INCORPORATED						
	ANGULAR ±3°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.				
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55909-004		3 OF 5				
REV	DRWN: TOSHIMA CHKD: KATOYODA APPR: M.SASAO		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								



注記)製品がポケット内に問題なく収まること。

NOTE. Pocket should contain product smoothly.

4mm幅キャリアテープ
44mm WIDTH CARRIER TAPE

44	49.4	45.4	22.16	55909-1074	100
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	(A)	MATERIAL NO.	極数 CKT.

CONNECTOR SERIES No. 55909-***73

GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
10 UNDER	±0.2	DRAWN BY H. SHIMAB	DATE 2004/02/20	TITLE 0.4 B-T-O-B CONN PLUG ASSY(HGT=1.5) EMBSTP PKG		
10 OVER 30 UNDER	±0.25	CHECKED BY K. TOJO	DATE 2004/02/20			
30 OVER	±0.3	APPROVED BY M. SASAO	DATE 2004/02/20	MOLEX INCORPORATED		
ANGULAR	±3°	MATERIAL NO.	SEE CHART			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		DOCUMENT NO. SD-55909-004	SHEET NO. 4 OF 5	

10 9 8 7 6 5 4 3 2 1

F F

E E


D D

C C



B B

A A

引き出し方向
PULL OUT DIRECTION



SECT. Y-Y



SECT. X-X

注記) 製品がポケット内に問題なく収まること。
NOTE. Pocket should contain product smoothly.

24	29.4	25.4	5.36	55909-1674	16
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	4.56	55909-9974	12
			(A)	MATERIAL NO.	CKT

CONNECTOR SERIES No. 55909-**73

REVISED	EC NO. J2010-2356	2010/06/24	DRWN: TOSHIMA	2010/07/20	CHKD: KTOYODA	2010/07/21	APPR: M.SASAO	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		TITLE 0.4 B-T0-B CONN PLUG ASSY(HGT=1.5) EMBSTP PKG			
							DRAWN BY H. SHIMAB			DATE 2004/02/20									
							CHECKED BY K. TOJO			DATE 2004/02/20									
							APPROVED BY M. SASAO			DATE 2004/02/20		MOLEX MOLEX INCORPORATED							
							MATERIAL NO.					DOCUMENT NO.							
							SEE CHART					SD-55909-004							
REV									10 UNDER	±0.2							SHEET NO.		
									10 OVER 30 UNDER	±0.25							5 OF 5		
									30 OVER	±0.3									
									ANGULAR	±3									
									DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										
									SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									