

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0513533800](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

DWG. NO. SD-51353-002



注記 NOTES

適合ターミナル: 56134-9000, 9100
 APPLICABLE TERMINAL: 56134-9000, 9100

2. 嵌合相手: 55917, 55959シリーズ
 MATE WITH: 55917, 55959 SERIES
 (全極数/2) = 偶数の場合に適用。
 APPLY FOR (CIRCUIT/2)=EVEN

製品番号 MATERIAL NO. 51353-***0*
 極数 CIRCUIT SIZE 色 COLOR

ロック側の回路番号表示は、8~14極は無し、16~40極は有り。
 LOCK SIDE CKT. NO. DIDN'T INDICATED 8~14CKT, INDICATE 16~40CKT.

ナチュラル (白) NATURAL (WHITE)	0
黒 BLACK	1
赤 RED	2
黄 YELLOW	3
青 BLUE	4
桃 PINK	5
緑 GREEN	6
茶 BROWN	7
橙 ORANGE	8
紫 VIOLET	9

7.8	36.5	41.6	38	43.4	51353-400*	40
	34.5	39.6	36	41.4	-380*	38
	32.5	37.6	34	39.4	-360*	36
	30.5	35.6	32	37.4	-340*	34
	28.5	33.6	30	35.4	-320*	32
	26.5	31.6	28	33.4	-300*	30
	24.5	29.6	26	31.4	-280*	28
	22.5	27.6	24	29.4	-260*	26
	20.5	25.6	22	27.4	-240*	24
	18.5	23.6	20	25.4	-220*	22
	16.5	21.6	18	23.4	-200*	20
	14.5	19.6	16	21.4	-180*	18
	12.5	17.6	14	19.4	-160*	16
	10.5	15.6	12	17.4	-140*	14
7.8	8.5	13.6	10	15.4	-120*	12
4.7	6.5	11.6	8	13.4	-100*	10
4.7	4.5	9.6	6	11.4	51353-080*	8
E	D	C	B	A	△ MATERIAL NO.	CKT.



EC NO.	REVISED	MATERIAL	66NYLON, UL94V-0
DRWN: N.I.TO	CHK: K.SAKAWA	FINISH	//
APPR: T.YAMAGUCHI	REVISED	WIRE RANGE	//
EC NO. J2003-0719	DRWN: N.I.TO	INS. RANGE	//
CHK: K.SAKAWA	APPR: T.YAMAGUCHI		
EC NO. J2003-0066	DRWN: N.I.TO		
CHK: K.SAKAWA	APPR: T.YAMAGUCHI		
EC NO. J2002-2307	DRWN: N.I.TO		
CHK: K.SAKAWA	APPR: T.YAMAGUCHI		
EC NO. J2002-1196	DRWN: N.I.TO		
CHK: K.SAKAWA	APPR: T.YAMAGUCHI		

GENERAL TOLERANCES: (UNLESS SPECIFIED)	SCALE	DESIGN UNITS	MODEL NO.	DIMENSIONS:	SHT	REV
10 UNDER 未滿	1:1	mm	51353-***0*	THIRD ANGLE PROJECTION	1	1
10 OVER 以上		INCH				
30 UNDER 未滿						
30 OVER 以上						
ANGLE 角度						
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.			MOLEX INCORPORATED		SHEET NO. 1 OF 2	
			DRAWING NO. SD-51353-002		SIZE B	
			EN-02JU(097)MXJ-54			

DO NOT SCALE DRAWING

A 10.000000 0.000000 0.000000 0.000000

DWG. NO. SD-51353-002



DO NOT SCALE DRAWING

EC NO. J2003-0719 DRWN: N.ITO '02/09/12 CHK: K.SAKAWA APPR: T.YAMAGUCHI REVISED		EC NO. J2003-0066 DRWN: N.ITO '02/07/08 CHK: K.SAKAWA APPR: T.YAMAGUCHI REVISED		EC NO. J2002-2307 DRWN: N.ITO '02/03/08 CHK: K.SAKAWA APPR: T.YAMAGUCHI REVISED		EC NO. J2002-1196 DRWN: N.ITO '01/12/17 CHK: K.SAKAWA APPR: T.YAMAGUCHI RELEASED		MATERIAL 材料 SEE CHART 1 OF 2		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		51353-**-0*		MODEL NO.		DIMENSIONS: mm INCH mm INCH		SHT REV REVISE ON CAD ONLY			
C		B		A		0		FINISH 仕上り //		10 UNDER 未満 +0.2		DRAWN BY & DATE N.ITO '01/12/17		THIRD ANGLE PROJECTION		TITLE: 2.0mm W-t-B DUAL CONN DIP RCPT HOUSING		REVISE ON CAD ONLY			
8		7		6		5		WIRE RANGE 適用電線範囲 //		10 OVER 30 UNDER 以上 未満 +0.25		CHECKED BY & DATE K.SAKAWA '02/09/12		MOLEX INCORPORATED		MATERIAL NO. SEE CHART		DRAWING NO. SD-51353-002		SHEET NO. 2 OF 2	
								INS. RANGE 被覆外径 //		30 OVER 以上 +0.3		APPROVED BY & DATE T.YAMAGUCHI '02/09/12								SIZE B	
										ANGLE 角度 +3°		CAD FILENAME 51353002.S02								EN-02J(097)MXJ-54	
												THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.								51353002-02	