

## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Panasonic Electronic Components](#)  
[EVA-NF4R15Y14](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

**Panasonic**

## Slide Potentiometers/EVANF

## Mono Faders for Audio Mixers Slide Potentiometers

Japan  
Malaysia

Type: **EVANF**




## ■ Features

- Slim-type fader series: Width=9.0 mm, Height=8.0 mm
- Excellent cost performance for mid and low level audio mixers

## ■ Recommended Applications

- Fade control for audio mixers (popular type)
- MTR (Multi-track recorders)
- Paper position sensors (detectors) for PPC

## ■ Explanation of Part Numbers



## ■ Specifications

Power Rating	Taper	Taper B	Others
	100.0 mm Type	0.5 W	0.25 W
	Max. Operating Voltage: 30 Vac		
Resistance *	5 kΩ, 10 kΩ, 20 kΩ	±20 %	+40 % -20 %
Taper *	A, B, D, Y		
Maximum Attenuation	100 dB min. (Except taper B)		
Operating Force	0.1 N to 1.0 N		
Operating Life	50000 cycles min.		
Minimum Quantity/Packing Unit	100 pcs. (Tray Pack)		
Quantity/Carton	500 pcs.		

Note: Customer's design for Lever Shape can be also negotiable.

Design and specifications are each subject to change without notice. Ask factory for the current technical specifications before purchase and/or use. Should a safety concern arise regarding this product, please be sure to contact us immediately.

Dec 2005

# Panasonic

## Slide Potentiometers/EVANF

### ■ Dimensions in mm (not to scale)

- 100.0 mm Travel, Single ..... EVANF

