

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Panasonic Electronic Components](#)
[EVA-NE4R15Y14](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

Panasonic

Slide Potentiometers/EVANF/EVANE

Mono Faders for Audio Mixers

Japan

Type: **EVANF/EVANE**

■ Features

- Slim-type fader series: Width=9.0 mm, Height=8.0 mm
- Excellent cost performance available for audio mixers for amateur use

■ Recommended Applications

- Fade control for Audio Mixers (popular type)
- MTR (Multi-track recorders)
- Paper position sensors (detectors) for PPC

■ Explanation of Part Numbers

1	2	3	4	5	6	7	8	9	10	11	12
E	V	A	N								
Product Code			Specifications			Lever Trims & Dimensions			Taper & Resistance		

■ Major Specifications

Power Rating		Taper B	Others
	100.0 mm Type	0.5 W	0.25 W
	60.0 mm Type	0.2 W	0.1 W
Max. Operating Voltage: 30 Vac max.			
Standard Resistance*	5 kΩ, 10 kΩ, 20 kΩ		
Taper*	A, B, D, Y		
Maximum Attenuation	100 dB min. (Except taper B)		
Operating Force	0.1 N to 1.0 N		
Operating Life	50000 cycles min.		
Minimum Quantity/Packing Unit	100 pcs. (Tray Pack)		
Quantity/Carton	500 pcs.		

Note: Customer's design for Lever Shape can be also negotiable.




Panasonic

Slide Potentiometers/EVANF/EVANE

■ Dimensions in mm (not to scale)

- 100.0 mm Travel, Single EVANF



- 60.0 mm Travel, Single EVANE

