

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)
[3190551](#)

For any questions, you can email us directly:
sales@integrated-circuit.com



Extract from the online catalog

MSTBC-MT 1,5-2,5

Order No.: 3190551



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3190551>

Module female contact, is inserted into the plug housing MSTBC after crimping the conductor, for conductors from 1.5 to 2.5 mm²

Commercial data	
GTIN (EAN)	 4 017918 093389
sales group	E192
Pack	100 pcs.
Customs tariff	85366990
Catalog page information	Page 497 (CC-2009)

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Technical data	
Nominal current	12 A
Conductor cross section stranded min.	1.5 mm ²
Max. conductor cross section, stranded	2.5 mm ²

MSTBC-MT 1,5-2,5 Order No.: 3190551

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3190551>**Connection data**


Core diameter including insulation	2.11 mm ... 3.1 mm
Stripping length of individual wires	4 mm

Material data

Contact material	CuFe
Contact surface material	Tin-plated

Diagrams/Drawings

Dimensioned drawing



MSTBC-MT 1,5-2,5 Order No.: 3190551

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3190551>

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact
Technical modifications reserved;