

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[3190658](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



Extract from the online catalog

## MSTBC-MT 1,5-2,5 BA


Order No.: 3190658

Supplied in tape form - please note the drawing.



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3190658>

Module female contact, is inserted into the MSTBC connector shell after the conductor has been crimped, for conductors from 1.5 - 2.5 mm<sup>2</sup>, ribbon contact

| Commercial data          |  |
|--------------------------|--|
| GTIN (EAN)               | <br>4 017918 249267 |
| sales group              | E192   |
| Pack                     | 3500 pcs.  |
| Customs tariff           | 85366990   |
| Catalog page information | Page 497 (CC-2009)   |

### Product notes

WEEE/RoHS-compliant since:  
01/01/2003



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

| Technical data                         |                     |
|--|---------------------|
| Nominal current                        | 12 A                |
| Conductor cross section stranded min.  | 1.5 mm <sup>2</sup> |
| Max. conductor cross section, stranded | 2.5 mm <sup>2</sup> |

MSTBC-MT 1,5-2,5 BA Order No.: 3190658

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3190658>

**Connection data**


|                                      |                    |
|--------------------------------------|--------------------|
| Core diameter including insulation   | 2.11 mm ... 3.1 mm |
| Stripping length of individual wires | 4 mm               |

**Material data**

|                          |            |
|--------------------------|------------|
| Contact material         | CuFe       |
| Contact surface material | Tin-plated |

**Diagrams/Drawings**

Dimensioned drawing



MSTBC-MT 1,5-2,5 BA Order No.: 3190658

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3190658>

---

#### Address

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;