

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)
[1750498](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



Extract from the online catalog


GKM 1 GY

Order No.: 1750498



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1750498>

Cable markers for conductor diameters of 0-5.2 mm, labeling with SS-ZB

Commercial data	
GTIN (EAN)	 4 017918 028299
sales group	B121
Pack	100 pcs.
Customs tariff	39269097
Catalog page information	Page 569 (CL-2009)

Product notes

WEEE/RoHS-compliant since:
01/01/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General	
Color	gray
Inflammability class acc. to UL 94	V2
Ambient temperature (operation)	-40 °C ... 80 °C
Components	free from silicone and halogen
Material	PA/ABS

GKM 1 GY Order No.: 1750498

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1750498>**Accessories**

Item	Designation	Description
------	-------------	-------------

Marking

5031171	SS-ZB WH	Marking labels, unprinted, 5-section, for snapping into devices and components with special marker groove, labeling with M PEN or CMS system, lettering field size: 20 x 8 mm, white, for SAB boxes
5031650	SS-ZB YE	Marking labels, unprinted, 5-section, for snapping into devices and components with special marker groove, labeling with M-pen or CMS system, lettering field size: 20 x 8 mm, yellow, for SAB boxes

GKM 1 GY Order No.: 1750498

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1750498>

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;