

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[1771697](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



Extract from the online catalog

## HC-B 16-SMLD-67/M2PG21

Order No.: 1771697

Figure shows product variant without screw connection



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1771697>

Box mounting base, with single locking latch, height 67 mm, with screw connection, 2x Pg21, with protective covers

Commercial data	
GTIN (EAN)	 4 017918 036416
sales group	D002
Pack	10 pcs.
Customs tariff	85389099
Catalog page information	Page 489 (PC-2009)

### Product notes

WEEE/RoHS-compliant since:  
03/01/2006



<http://www.download.phoenixcontact.com>  
 Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

General data	
Note	For contact inserts HC-B16, BB32, D40, DD72, HS6, M, K
Design	B16
Height	67 mm
Width	57 mm
Length	117 mm

HC-B 16-SMLD-67/M2PG21 Order No.: 1771697  
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1771697>

Housing type	Box mounting base with cover
Locking type	With single locking latch
No. of cable exits	2
Cable exit	Lateral
Type of the screw connection	2x Pg21
Pg screw connection	With
Wrench size, union nut	28 mm
External cable diameter	10 mm ... 19 mm
	10 mm ... 19 mm
Protective cover	Yes
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C
Housing material	Aluminum, die-cast
Housing surface material	Powder-coated, gray
Seal material	NBR
Cable gland material	Nickel-plated brass
Cable seal material	NBR
Material lock	High-grade steel, handle: PA-GF
Material grip body interlock	PA-GF
Material, protective cover	PA

**Certificates / Approvals**




Certification GOST

HC-B 16-SMLD-67/M2PG21 Order No.: 1771697

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1771697>

## Diagrams/Drawings

### Dimensioned drawing



HC-B 16-SMLD-67/M2PG21 Order No.: 1771697

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1771697>

---

#### Address

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;