

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[1690969](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



Extract from the online catalog


## HC-B 24-TMB-SD-IP65

Order No.: 1690969



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1690969>

HEAVYCON ADVANCE IP65 protective cover B24, with bayonet locking, with retaining cord, diameter of retaining cord eyelet 3 mm

Commercial data	
GTIN (EAN)	 4 017918 980375
sales group	D291
Pack	10 pcs.
Customs tariff	39269097
Catalog page information	Page 551 (PC-2009)

### Product notes

WEEE/RoHS-compliant since:  
02/17/2006



<http://www.download.phoenixcontact.com>  
 Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

General data	
Design	B24
Type	HC-ADVANCE protective cover
Color	gray
Locking type	Bayonet locking
Degree of protection	IP65


HC-B 24-TMB-SD-IP65 Order No.: 1690969

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1690969>

Ambient temperature (operation)	-20 °C ... 100 °C
Seal material	NBR
Material lock	High-grade steel, handle: PA-GF
Material, protective cover	PA
Inflammability class acc. to UL 94	V0

### Diagrams/Drawings

Dimensioned drawing



HC-B 24-TMB-SD-IP65 Order No.: 1690969

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1690969>

---

#### Address

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;