

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)
[1678363](#)

For any questions, you can email us directly:
sales@integrated-circuit.com



Extract from the online catalog

HC-D 15-AMLD


Order No.: 1678363

The illustration shows a box mounting base version without protective cover



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1678363>

HEAVYCON panel mounting base D15, with single locking latch, height 26 mm

Commercial data	
GTIN (EAN)	 4 017918 168537
sales group	D011
Pack	10 pcs.
Customs tariff	85389099
Catalog page information	Page 511 (PC-2009)

Product notes

WEEE/RoHS-compliant since:
03/01/2006



<http://www.download.phoenixcontact.com>
 Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data	
Note	For contact inserts HC-D15, A10
Design	D15
Height	26 mm
Width	30.5 mm
Length	81 mm

HC-D 15-AMLD Order No.: 1678363

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1678363>

Housing type	Panel mounting base with cover
Locking type	With single locking latch
Protective cover	Yes
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C
Housing material	Aluminum, die-cast
Housing surface material	Powder-coated, gray
Seal material	NBR
Material lock	Steel, galvanized
Material, protective cover	PA
Length of the assembly cutout	58 mm
Width of the assembly cutout	24 mm

Certificates / Approvals




Certification

GOST

Diagrams/Drawings

Dimensioned drawing



HC-D 15-AMLD Order No.: 1678363
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1678363>

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;