

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[1686850](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



Extract from the online catalog

## HC-NPT-3/4-M25

Order No.: 1686850


The illustration shows version HC-NPT-1/2-M20



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1686850>

NPT adapter, IP68, up to 5 bar, incl. O-ring seal, 3/4" to M25

### Commercial data

GTIN (EAN)	 4 017918 822712
sales group	D290
Pack	25 pcs.
Customs tariff	74199990
Catalog page information	Page 527 (PC-2009)

### Product notes

WEEE/RoHS-compliant since:  
05/02/2006



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General data

Material	Nickel-plated brass
Material, O-ring	NBR
Thread type connection side 1	M25
Ambient temperature (operation)	-20 °C ... 80 °C

HC-NPT-3/4-M25 Order No.: 1686850

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1686850>

### Certificates / Approvals




Certification

GOST

### Diagrams/Drawings

Dimensioned drawing



HC-NPT-3/4-M25 Order No.: 1686850

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1686850>

---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;