

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[3240193](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



Extract from the online catalog

## CD 60X60


Order No.: 3240193



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3240193>

Wiring channel, gray, consisting of upper and lower part, width: 60 mm, height: 60 mm, length 2000 mm

### Commercial data

GTIN (EAN)	 4 046356 459181
sales group	B204
Pack	12 pcs.
Customs tariff	39259020
Catalog page information	Page 102 (NTK-2010)

### Product notes

WEEE/RoHS-compliant since:  
10/08/2008



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General

Length (b)	2000 mm
Height	60 mm
Width (a)	60 mm
Color	gray
Inflammability class acc. to UL 94	V0

CD 60X60 Order No.: 3240193

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3240193>

Ambient temperature (operation)	-5 °C ... 60 °C
Material	PVC

### Certificates / Approvals



Certification

CSA, UL, VDE-PZI

### Accessories

Item	Designation	Description
<b>General</b>		
3240287	CD COVER 60	Cover for cable duct, gray, width: 60 mm, length: 2000 mm
3240284	CD WR	Universal wire holding bracket, perforated, for wiring channels
3240498	RVT-PA 4	Plastic body-bound rivet, 4 mm diameter, for a material thickness of 1.5 ... 6 mm
3240499	RVT-PA 6	Plastic body-bound rivet, 6 mm diameter, for a material thickness of 1.5 ... 6 mm
1212478	UNIFOX-RVT P 4	Rivet setting tool, for use with RVT-PA 4 plastic body-bound rivets
1212509	UNIFOX-RVT P 6	Rivet setting tool, for use with RVT-PA 6 plastic body-bound rivets

CD 60X60 Order No.: 3240193

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3240193>

---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;