

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)
[2943592](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



Extract from the online catalog


CM 50-LG/H 12,5/BO BK

Order No.: 2943592



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2943592>

Electronic module, for PCB insertion, with a 12.5 mm tall covering hood

Commercial data	
GTIN (EAN)	 4 017918 081195
sales group	F030
Pack	5 pcs.
Customs tariff	85369010
Catalog page information	Page 600 (CC-2009)

Product notes

WEEE/RoHS-compliant since:
03/01/2005



<http://www.download.phoenixcontact.com>
 Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
General	
Housing type	Complete housing
Housing material	Polycarbonate fiber reinforced
Color	black

CM 50-LG/H 12,5/BO BK Order No.: 2943592

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2943592>

Dimensions / positions


Length	102 mm
Width	50 mm

Technical data

Ambient temperature (operation)	-40 °C ... 125 °C
Inflammability class acc. to UL 94	V0
Power dissipation at 20°C in the horizontal mounting position	25 W 38.3 W

Diagrams/Drawings

Dimensioned drawing



PCB 1, 7: Dimension A: 47.5 mm; B: 102.0 mm; C: 6.5 mm


PCB 8, 13: Dimension A: 100.0 mm; B: 102.0 mm; C: 6.5 mm

PCB 10: Dimension A: 100.0 mm; B: 92.3 mm; C: 0 mm

CM 50-LG/H 12,5/BO BK Order No.: 2943592

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2943592>

Schematic diagram



CM 50-LG/H 12,5/BO BK Order No.: 2943592

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2943592>

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;