

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)
[2867610](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



Extract from the online catalog

RAD-ISM-2400-ANT-PAN- 8-0


Order No.: 2867610



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2867610>

Panel antenna, degree of protection IP55, 8 dBi gain, linear vertical, SMA (female), impedance 50 ohms, apex angle h/v 75°/70°

Commercial data

GTIN (EAN)	 4 017918 938994
sales group	H179
Pack	1 pcs.
Customs tariff	85177019
Catalog page information	Page 535 (IF-2009)

Product notes

WEEE/RoHS-compliant since:
01/08/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data

Frequency range	2.3 GHz ... 2.8 GHz
Horizontal beamwidth	75 °
Vertical beamwidth	70 °
Impedance	50 Ω
Gain	8 dBi

RAD-ISM-2400-ANT-PAN- 8-0 Order No.: 2867610

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2867610>

Wind load	15 N (at 160 km/h)
Type of connection	SMA (female)
Degree of protection	IP55
Ambient temperature (operation)	-40 °C ... 75 °C
Ambient temperature (storage/transport)	-40 °C ... 75 °C
Width	80 mm
Height	100 mm
Length	20 mm

RAD-ISM-2400-ANT-PAN- 8-0 Order No.: 2867610
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2867610>

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;