

Excellent Integrated System Limited





Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0586961010](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



シエル挿入方向キー
POLARIZATIONS KEY FOR SHELL


注記:
NOTES.

- 適用プラグシエルアッセンブリ
APPLICABLE PLUG SHELL ASS'Y
1.) TYPE A : 58687-0010
2.) TYPE B : 58687-0020
- 適用エンドベルキャップセット
APPLICABLE END BELL CAP SET
58550-****

部番 No.	部品名 PART NAME	数量 QTY.	材質 MATERIAL	記事 ARTICLE
①	レバー LEVER	1	鋼 STEEL	塗装処理 PAINTING
②	プラグカバー PLUG COVER	1	アルミニウム合金 ALUMINUM ALLOY	—
③	ロックピン LOCKING PIN	2	ステンレス STAINLESS STEEL	—
④	レバースプリング LEVER SPRING	2	ステンレス STAINLESS STEEL	—

58696-1010	58696-****
オーダー番号 ORDER No.	MODEL No.

GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
10 UNDER	± 0.2	DRAWN BY S. AKIYAMA	DATE '02/05/13	POWER CONN. 36P RIGHT-ANGLE PLUG COVER ASS'Y MOLEX INCORPORATED SD-58696-006		
10 OVER 30 UNDER	± 0.25	CHECKED BY J. MIYAZAWA	DATE '02/05/14			
30 OVER	± 0.3	APPROVED BY Y. ITO	DATE '02/05/14			
ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-58696-006		
SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SHEET NO. 1 OF 2		



注記:
NOTES:

関連図面
RELATION DRAWING

<適用ハウジング及び適用端子>
<APPLICABLE HOUSING AND TERMINAL>

	適用ハウジング APPLICABLE HOUSING	適用端子 APPLICABLE TERMINAL
ピン ハウジング PIN HOUSING	SD-51192-002	SD-5558-001 SD-5558-002
ソケット ハウジング SOCKET HOUSING	SD-51193-002	SD-5556-004
プラグ ハウジング PLUG HOUSING	SD-503193-001	SD-503195-001
リセプタクル ハウジング RECEPTACLE HOUSING	SD-503194-001	SD-503196-001

<共通部品>
<COMMON PARTS>

リセプタクルシェル アッセンブリ RECEPTACLE SHELL ASSEMBLY	SD-58691-002
プラグシェル アッセンブリ PLUG SHELL ASSEMBLY	SD-58687-002
カバー アッセンブリ COVER ASSEMBLY	SD-58696-006
カバー (中継用) COVER (FOR CONJUNCTION)	SD-56386-002
エンドベルキャップセット END BELL CAP SET	SD-58550-****
リセプタクル側ダストカバー DUST COVER FOR RECEPTACLE	SD-51201-002

関連規格
RELATION NORMATIVE

VDE0110 250V 汚染度 II
過電圧カテゴリー II に適合
APPLICABLE 250V POLLUTION DEGREE
AND OVER VOLTAGE CATEGORY

保護等級 IP65
DEGREE OF PROTECTION

REVISED	EC NO: J2009-0816 DRAWN BY: CHIKANUKI TA CHECKED BY: CHIKANUKI TA APPROVED BY: CHIKANUKI TA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
			10 UNDER	± 0.2	DRAWN BY S. AKIYAMA	DATE '02/5/13	TITLE POWER CONN. 36P RIGHT-ANGLE PLUG COVER ASS'Y  MOLEX INCORPORATED			
			10 OVER 30 UNDER	± 0.25	CHECKED BY J. MIYAZAWA	DATE '02/05/14				
			30 OVER	± 0.3	APPROVED BY Y. ITO	DATE '02/05/14				
			ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-58696-006		2 OF 2	
REV			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					