Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Amphenol RF
901-10006

For any questions, you can email us directly:
sales@integrated-circuit.com

NOTES:
1. MATERIAL AND FINISH:
   BODY - BeCu, GOLD PLATED
   CONTACT - BeCu, GOLD PLATED
   INSULATOR - PTFE
2. ELECTRICAL
   A. VSWR(RETURN LOSS), MAXIMUM
      DC - 4GHz: 1.15 (-30 dB)

901-10006	REVISIONS				
DRAWING NO.	REV	DESCRIPTION	DATE	ECO	APPR
THIRD ANGLE PROJ.	A	OFFICIAL ENG. RELEASE TO MFG.	2/11/99	42829	PB/TA

CUSTOMER OUTLINE DRAWING
FOR REFERENCE ONLY



SCALE 3.000



UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:
2 PLACE DECIMAL ±.015 (0,381 mm) | 3 PLACE DECIMAL ±.005 (0,127 mm) | ANGLES ± 1°

MATERIAL

REFERENCE
GEN# ASSY_SMAF_1023M
EAR 102-967033 1
615X-1503-200

DRAWN	J. WILKINSON	DATE 8 FEB 99
ENGINEER	J. WILKINSON	DATE 8 FEB 99
APPROVED		DATE 2/11/99
CAD FILE	I:\SMA\901-10006	

TITLE
SMA JACK
1.0/2.3 PLUG
ADAPTER

Amphenol
Amphenol Corporation
Communication and Network
Products Division
Danbury, CT U.S.A. 06810

SCALE: 10.0:1	SHEET 1 OF 1			
CODE ID	DWG SIZE	DRAWING NO.		REV
74868	B	901-10006		A