

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Schurter](#)
[4850.2510](#)

For any questions, you can email us directly:
sales@integrated-circuit.com

DIN Plug/Socket

www.schurter.com/PG12_3

DIN Connector, Socket, 5-pole, solder terminals for PCB



5-pole




Description

- PCB Mounting
- DIN Plug: 5-pole, straight

Technical Data

Diameter	9.0 mm	Allowable Operation Temp.	-20°C to 70°C
Number of Poles	5-pole	Terminal	PCB terminals silver plated
Ratings DC	2A / 12VDC	Lifetime	5000Insertions
Ratings AC	1A / 100VAC		
Dielectric Strength	250VAC		
Insulation Resistance	> 50 MΩ @ 250VDC		
Material: Housing	Thermoplastic, black, UL 94V-0		

Dimensions



All Variants

Product group	Diameter [mm]	Number of Poles	Terminal	Order Number
DIN Plug/Socket	9.0	5-pole	PCB terminals	4850.2510

Availability for all products can be searched real-time: <http://www.schurter.com/Stock-Check/Stock-Check-SCHURTER>

Packaging unit 125 Pcs

4850.2510

DIN Plug/Socket
www.schurter.com/PG12_3

Mating Inlets/Plugs

Category / Description

[DIN Plug/Socket Overview complete](#)

4850, 5-pole, Plug, solder terminal, DIN Plug/Socket

4850.1510

[DIN Plug/Socket further types to 4850.2510](#)