

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Schurter](#)
[4850.3700](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

DIN Plug/Socket

www.schurter.com/PG12_3

4850.3700

DIN Connector, Inline Socket, 7-pole, solder terminal



7-pole




Description

- Solder terminal:
for cable mounting
- DIN Plug: 7-pole, straight



Technical Data

Diameter	9.0 mm	Allowable Operation Temp.	-20 °C to 70 °C
Number of Poles	7-pole	Terminal	solder terminal silver plated
Ratings DC	2 A / 12 VDC	Lifetime	5000 Insertions
Ratings AC	1 A / 100 VAC		
Dielectric Strength	250 VAC		
Insulation Resistance	> 50 MΩ @ 250 VDC		

Dimensions



Cable diameter max. 5.0 mm



All Variants

Product group	Diameter [mm]	Number of Poles	Terminal	Order Number
DIN Plug/Socket	9.0	7-pole	solder terminal	4850.3700

Availability for all products can be searched real-time: <http://www.schurter.com/Stock-Check/Stock-Check-SCHURTER>

Packaging unit 100 Pcs

4850.3700

DIN Plug/Socket
www.schurter.com/PG12_3**Mating Inlets/Plugs****Category / Description**[DIN Plug/Socket Overview complete](#)

4850, 7-pole, Plug, solder terminal, DIN Plug/Socket

[4850.1710](#)[DIN Plug/Socket further types to 4850.3700](#)