

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Schurter](#)
[6180.0004](#)

For any questions, you can email us directly:
sales@integrated-circuit.com

IEC Appliance Outlet D, Screw-on Mounting, Front Side, Solder Terminal



Description

- Panel Mount:
 - Screw-on mounting, Front Side
- Connector, Pin temperature 70 °C, Protection class II
- For coupling with cable connector type C
- Solder terminal

Weblinks

[pdf-datasheet](#), [html-datasheet](#), [General Product Information](#), [RoHS](#), [CHINA-RoHS](#), [REACH](#), [Distributor-Stock-Check](#), [Accessories](#), [Detailed request for product](#)


Approvals

- VDE Certificate Number: 40034348
- UL File Number: E45115
- CSA File Number: 27324

Technical Data

Ratings IEC	2.5 A / 250 VAC; 50 Hz
Ratings UL/CSA	4 A / 250 VAC; 60 Hz
Dielectric Strength	> 4 kVAC between L-N > 2 kVAC between L/N-PE (1 min/50 Hz)
Allowable Operation Temp.	-25 °C to 70 °C
Degree of Protection	from front side IP 20 acc. to IEC 60529
Protection Class	Suitable for appliances with protection class II acc. to IEC 61140
Material: Housing	PA6, black or grey, UL 94V-0

Dimensions



Length of the terminal please find at the order code configuration table


Config. Code

5084 - H - A B C 0 - D - E O

The characters are placeholders for the correspondingly keys of selections from the key tables.

Type	Configuration key
protection class II	X

5084 - H - **A** B C 0 - D - E O = Terminals

Terminal L	Configuration key
solder terminal 	1

5084 - H - A **B** C 0 - D - E O = Terminals

Terminal N	Configuration key
solder terminal	1

Symbols similar as in table A

5084 - H - A B **C** 0 - D - E O = Terminals

Terminal Ground	Configuration key
without terminal	0

Symbols similar as in table A

5084 - H - A B C 0 - **D** - E O = Color

Color	Configuration key
Black	A
Grey	B

5084 - H - A B C 0 - D - **E** O = Style

Style	Configuration key
flange with countersunk holes	1
flange with through holes	2

5084 - H - A B C 0 - D - E **O** = Features

Features	Configuration key

All Variants

Terminals L / N	Color	Style	Config. Code	Order Number
solder terminal	Black	flange with countersunk holes	5084-X-1100-A-1	6180.0004
solder terminal	Black	flange with through holes	5084-X-1100-A-2	6180.0005

The listed variants should be available from stock. Other versions on request www.schurter.com/contact

Availability for all products can be searched real-time: <http://www.schurter.com/Stock-Check/Stock-Check-SCHURTER>

Packaging unit 50 Pcs