

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Eaton \(formerly Cooper Bussmann\)](#)
[BK/HRK](#)

For any questions, you can email us directly:

sales@integrated-circuit.com




1/4" x 7/8" to 1 1/4" Universal In-Line Fuse Holders HRK Series



Dimensions – in (mm)

Drawing Not to Scale



Description

- For 1/4" diameter x 7/8" to 1/4" x 1 1/4" small dimension fuses
- #14 AWG copper wire leads
- 8" (203mm) leads
- Three springs furnished to accept different fuse lengths
- Flammability rating: UL 94V0

Ordering

- Specify packaging, product, and option code

Specifications		
Product Code	Voltage Rating	Current Rating
HRK-R	32V	15A

Packaging Code	
Packaging Code Prefix	Description
Blank	10 fuse holders packed into a carton
BK	100 fuse holders packed into a carton

The only controlled copy of this Data Sheet is the electronic read-only version located on the Cooper Bussmann Network Drive. All other copies of this document are by definition uncontrolled. This bulletin is intended to clearly present comprehensive product data and provide technical information that will help the end user with design applications. Cooper Bussmann reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Cooper Bussmann also reserves the right to change or update, without notice, any technical information contained in this bulletin. Once a product has been selected, it should be tested by the user in all possible applications.

Life Support Policy: Cooper Bussmann does not authorize the use of any of its products for use in life support devices or systems without the express written approval of an officer of the Company. Life support systems are devices which support or sustain life, and whose failure to perform, when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in significant injury to the user.