

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0210390777](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

ITEM	DESCRIPTION	P/N	QTY	CKT. SIZE	TEMP. RATING
①	CABLE	21039-0777	5.984"	9	L



NOTE:

NO PRINTING IS TO
BE ALLOWED ON CABLE

REF. PRODUCT SPEC. NO. SMPS-21039

						DIMENSIONS SHOWN (METRIC) INCH		▽ = 0		▼ = 0		REVISE ONLY ON CAD SYSTEM	
						UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°		TITLE					
						INCH METRIC		1 mm		Q		FFC JUMPER	
						3 PLACE ± .005 ---		PDR		UAU-000749-00-00			
						2 PLACE ± .01 ± 0.13		MOLEX INCORPORATED		SHEET NO. 1 OF 1		DATE 02/01/14	
						1 PLACE --- ± 0.25		LISLE, ILL. 60532 U.S.A.					
						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		PART NO. 21039-0777		DRWG. NO. 21039-0777			
						DRWG. BY DRD		CHK'D. BY TGP		FILE NAME 21039-0777 S01		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	
						APP'D. BY RLM		SCALE -- : --		DIV. AU		SIZE A	
LTR.		REVISIONS		LTR.		REVISIONS							
6		5		4		3		2		1			

FINAL RELEASE
ECN UAU2002-0174
DEMO 02/01/14

A

6

5

4



3

2

1

1.00MM CENTER FFC JUMPER CABLE (LOW TEMPERATURE) CHART

*A DIM.	1.181.079 INCHES		2x.079 INCHES		3x.118 INCHES		4x.118 INCHES		5x.157 INCHES		6x.157 INCHES		7x.157 INCHES		8x.157 INCHES		9x.197 INCHES		10x.197 INCHES		12x.197 INCHES	
	30x2.00 MM		51x2.00 MM		76x3.00 MM		102x3.00 MM		127x4.00 MM		152x4.00 MM		178x4.00 MM		203x4.00 MM		229x5.00 MM		254x5.00 MM		305x5.00 MM	
BACKER	TYPE 'D'	TYPE 'A'	TYPE 'D'	TYPE 'A'	TYPE 'D'	TYPE 'A'	TYPE 'D'	TYPE 'A'	TYPE 'D'	TYPE 'A'	TYPE 'D'	TYPE 'A'	TYPE 'D'	TYPE 'A'	TYPE 'D'	TYPE 'A'	TYPE 'D'	TYPE 'A'	TYPE 'D'	TYPE 'A'	TYPE 'D'	TYPE 'A'
CKTS: 4	213090700	213090701	213090702	213090703	213090704	213090705	213090706	213090707	213090708	213090709	213090710	213090711	213090712	213090713	213090714	213090715	213090716	213090717	213090718	213090719	213090720	213090721
CKTS: 5	213090722	213090723	213090724	213090725	213090726	213090727	213090728	213090729	213090730	213090731	213090732	213090733	213090734	213090735	213090736	213090737	213090738	213090739	213090740	213090741	213090742	213090743
CKTS: 7	213090744	213090745	213090746	213090747	213090748	213090749	213090750	213090751	213090752	213090753	213090754	213090755	213090756	213090757	213090758	213090759	213090760	213090761	213090762	213090763	213090764	213090765
CKTS: 9	213090766	213090767	213090768	213090769	213090770	213090771	213090772	213090773	213090774	213090775	213090776	213090777	213090778	213090779	213090780	213090781	213090782	213090783	213090784	213090785	213090786	213090787
CKTS: 11	213090788	213090789	213090790	213090791	213090792	213090793	213090794	213090795	213090796	213090797	213090798	213090799	213090800	213090801	213090802	213090803	213090804	213090805	213090806	213090807	213090808	213090809
CKTS: 13	213090810	213090811	21309																			



NOTES:

1. NO PRINTING ON JUMPER CABLE UNLESS OTHERWISE SPECIFIED. IF PRINTING IS REQUIRED THEN IT WOULD BE CONSIDERED A SPECIAL JUMPER CABLE.

MADE IN MS REF EC NO: USJG-00078 DRAWN:MMW 2017/10/27 CHECKD: 2017/10/27 APPR:SEJLTON 2017/10/27	QUALITY SYMBOLS ▽ 0 ▽ 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	REVISION ON CAD ONLY	
		mm	INCH	DIMENSION STYLE		TITLE		
		4 PLACES ± ± ± ±		MM/IN	DRAWN BY DATE	100MM CENTER FFC JUMPER CABLE (LOW TEMPERATURE CHART)		
		3 PLACES ± ± ± ±		DMEVO 02/02/22	CHECKED BY DATE	MOLEX INCORPORATED		
		2 PLACES ± 0.13 ± ± ±		T. PREMO 02/02/28	APPROVED BY DATE	MATERIAL NO.	DOCUMENT NO.	SHEET NO.
		1 PLACE ± 0.25 ± ± ±		R. MACK 02/02/28	SEE CHART	SD-21039-002	1 OF 1	
		ANGULAR ± 1/2°						
		DRAFT WHERE APPLICABLE						
		MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				